

Table of Contents

1. Introduction	1
2. Server: PostGIS (PostgreSQL)	2
2.1. Database: lm_top1m_20250627	2
2.1.1. Schema: public	2
2.1.1.1. Tables	2
2.1.1.1.1. Table: administrativ_grans	2
2.1.1.1.2. Table: byggnadspunkt	2
2.1.1.1.3. Table: farjeled	3
2.1.1.1.4. Table: flygplatspunkt	4
2.1.1.1.5. Table: hojdpunkt	4
2.1.1.1.6. Table: hydroanlaggningspunkt	5
2.1.1.1.7. Table: hydrolinje	5
2.1.1.1.8. Table: kommunyta	6
2.1.1.1.9. Table: lansyta	7
2.1.1.1.10. Table: mark	7
2.1.1.1.11. Table: markkantlinje	8
2.1.1.1.12. Table: ovrig_vag	9
2.1.1.1.13. Table: polcirkeln	9
2.1.1.1.14. Table: ralstrafik	10
2.1.1.1.15. Table: sankmark	10
2.1.1.1.16. Table: skyddadnatur	11
2.1.1.1.17. Table: textlinje	11
2.1.1.1.18. Table: textpunkt	12
2.1.1.1.19. Table: vaglinje	13
2.2. Database: lm_belagenhetsadress_20250718	15
2.2.2. Database: public	15
2.2.2.1. Tables	15
2.2.2.1.1. Table: adressplatsanmarkning	15
2.2.2.1.2. Table: belagenhetsadress	15
2.3. Database: lm_fastighetsindelning_20250719	17
2.3.3. Database: public	17
2.3.3.1. Tables	17
2.3.3.1.1. Table: granspunkt	17
2.3.3.1.2. Table: outrettomradesinformation	18
2.3.3.1.3. Table: registerenhetsomradesgrans	18
2.3.3.1.4. Table: registerenhetsomradeslinje	19
2.3.3.1.5. Table: registerenhetsomradespunkt	20
2.3.3.1.6. Table: registerenhetsomradesyta	21
2.3.3.1.7. Table: traktyta	22
2.4. Database: lm_top10_20250716	23
2.4.4. Database: public	23
2.4.4.1. Tables	23

2.4.4.1.1. Table: anlaggningsomrade	23
2.4.4.1.2. Table: anlaggningsomradespunkt	23
2.4.4.1.3. Table: byggnad	24
2.4.4.1.4. Table: byggnadsanlaggningslinje	25
2.4.4.1.5. Table: byggnadsanlaggningspunkt	26
2.4.4.1.6. Table: byggnadspunkt	27
2.4.4.1.7. Table: farjeled	28
2.4.4.1.8. Table: flygplatsomrade	28
2.4.4.1.9. Table: flygplatspunkt	29
2.4.4.1.10. Table: hojdkurvstext	30
2.4.4.1.11. Table: hojdlinje	31
2.4.4.1.12. Table: hojdpunkt	32
2.4.4.1.13. Table: hydroanlaggningslinje	32
2.4.4.1.14. Table: hydroanlaggningspunkt	33
2.4.4.1.15. Table: hydrografiskt_intressant_plats	34
2.4.4.1.16. Table: hydrolinje	35
2.4.4.1.17. Table: hydropunkt	35
2.4.4.1.18. Table: ledintressepunkt_fjall	36
2.4.4.1.19. Table: ledningslinje	37
2.4.4.1.20. Table: mark	38
2.4.4.1.21. Table: markkantlinje	38
2.4.4.1.22. Table: militart_omrade	39
2.4.4.1.23. Table: naturvardspunkt	40
2.4.4.1.24. Table: ovrig_vag	41
2.4.4.1.25. Table: polcirkeln	41
2.4.4.1.26. Table: ralstrafik	42
2.4.4.1.27. Table: ralstrafikstation	43
2.4.4.1.28. Table: restriktionsomrade	44
2.4.4.1.29. Table: sankmark	45
2.4.4.1.30. Table: skyddadnatur	46
2.4.4.1.31. Table: start_landningsbana	46
2.4.4.1.32. Table: textobjekt	47
2.4.4.1.33. Table: transformatoromrade	48
2.4.4.1.34. Table: transportled_fjall	49
2.4.4.1.35. Table: vaglinje	49
2.4.4.1.36. Table: vagpunkt	50
2.5. Database: naturalearth	52
2.5.5. Database: public	52
2.5.5.1. Tables	52
2.5.5.1.1. Table: ne_10m_admin_0_antarctic_claim_limit_lines	52
2.5.5.1.2. Table: ne_10m_admin_0_antarctic_claims	52
2.5.5.1.3. Table: ne_10m_admin_0_boundary_lines_disputed_areas	53

2.5.5.1.4. Table: ne_10m_admin_0_boundary_lines_land	55
2.5.5.1.5. Table: ne_10m_admin_0_boundary_lines_map_units	58
2.5.5.1.6. Table: ne_10m_admin_0_boundary_lines_maritime_indicator	60
2.5.5.1.7. Table: ne_10m_admin_0_boundary_lines_maritime_indicator_chn	62
2.5.5.1.8. Table: ne_10m_admin_0_countries	64
2.5.5.1.9. Table: ne_10m_admin_0_countries_arg	70
2.5.5.1.10. Table: ne_10m_admin_0_countries_bdg	76
2.5.5.1.11. Table: ne_10m_admin_0_countries_bra	82
2.5.5.1.12. Table: ne_10m_admin_0_countries_chn	88
2.5.5.1.13. Table: ne_10m_admin_0_countries_deu	95
2.5.5.1.14. Table: ne_10m_admin_0_countries_egy	101
2.5.5.1.15. Table: ne_10m_admin_0_countries_esp	107
2.5.5.1.16. Table: ne_10m_admin_0_countries_fra	113
2.5.5.1.17. Table: ne_10m_admin_0_countries_gbr	120
2.5.5.1.18. Table: ne_10m_admin_0_countries_grc	126
2.5.5.1.19. Table: ne_10m_admin_0_countries_idn	132
2.5.5.1.20. Table: ne_10m_admin_0_countries_ind	138
2.5.5.1.21. Table: ne_10m_admin_0_countries_iso	145
2.5.5.1.22. Table: ne_10m_admin_0_countries_isr	151
2.5.5.1.23. Table: ne_10m_admin_0_countries_ita	157
2.5.5.1.24. Table: ne_10m_admin_0_countries_jpn	163
2.5.5.1.25. Table: ne_10m_admin_0_countries_kor	170
2.5.5.1.26. Table: ne_10m_admin_0_countries_lakes	176
2.5.5.1.27. Table: ne_10m_admin_0_countries_mar	182
2.5.5.1.28. Table: ne_10m_admin_0_countries_nep	188
2.5.5.1.29. Table: ne_10m_admin_0_countries_nld	195
2.5.5.1.30. Table: ne_10m_admin_0_countries_pak	201
2.5.5.1.31. Table: ne_10m_admin_0_countries_pol	207
2.5.5.1.32. Table: ne_10m_admin_0_countries_prt	213
2.5.5.1.33. Table: ne_10m_admin_0_countries_pse	220
2.5.5.1.34. Table: ne_10m_admin_0_countries_rus	226
2.5.5.1.35. Table: ne_10m_admin_0_countries_sau	232
2.5.5.1.36. Table: ne_10m_admin_0_countries_swe	238
2.5.5.1.37. Table: ne_10m_admin_0_countries_tlc	245
2.5.5.1.38. Table: ne_10m_admin_0_countries_tur	251
2.5.5.1.39. Table: ne_10m_admin_0_countries_twn	257
2.5.5.1.40. Table: ne_10m_admin_0_countries_ukr	263
2.5.5.1.41. Table: ne_10m_admin_0_countries_usa	270
2.5.5.1.42. Table: ne_10m_admin_0_countries_vnm	276
2.5.5.1.43. Table: ne_10m_admin_0_disputed_areas	282
2.5.5.1.44. Table: ne_10m_admin_0_disputed_areas_scale_rank_minor_islands	288
2.5.5.1.45. Table: ne_10m_admin_0_label_points	289

2.5.5.1.46. Table: ne_10m_admin_0_map_subunits	290
2.5.5.1.47. Table: ne_10m_admin_0_map_units	296
2.5.5.1.48. Table: ne_10m_admin_0_names	303
2.5.5.1.49. Table: ne_10m_admin_0_pacific_groupings	308
2.5.5.1.50. Table: ne_10m_admin_0_scale_rank	309
2.5.5.1.51. Table: ne_10m_admin_0_scale_rank_minor_islands	310
2.5.5.1.52. Table: ne_10m_admin_0_seams	311
2.5.5.1.53. Table: ne_10m_admin_0_sovereignty	311
2.5.5.1.54. Table: ne_10m_admin_1_label_points	317
2.5.5.1.55. Table: ne_10m_admin_1_label_points_details	318
2.5.5.1.56. Table: ne_10m_admin_1_seams	323
2.5.5.1.57. Table: ne_10m_admin_1_sel	323
2.5.5.1.58. Table: ne_10m_admin_1_states_provinces	326
2.5.5.1.59. Table: ne_10m_admin_1_states_provinces_lakes	330
2.5.5.1.60. Table: ne_10m_admin_1_states_provinces_lines	335
2.5.5.1.61. Table: ne_10m_admin_1_states_provinces_scale_rank	337
2.5.5.1.62. Table: ne_10m_admin_1_states_provinces_scale_rank_minor_islands	338
2.5.5.1.63. Table: ne_10m_admin_2_counties	339
2.5.5.1.64. Table: ne_10m_admin_2_counties_lakes	342
2.5.5.1.65. Table: ne_10m_admin_2_counties_lines	345
2.5.5.1.66. Table: ne_10m_admin_2_counties_scale_rank	347
2.5.5.1.67. Table: ne_10m_admin_2_counties_scale_rank_minor_islands	347
2.5.5.1.68. Table: ne_10m_admin_2_counties_to_match	348
2.5.5.1.69. Table: ne_10m_admin_2_label_points	350
2.5.5.1.70. Table: ne_10m_admin_2_label_points_details	350
2.5.5.1.71. Table: ne_10m_airports	353
2.5.5.1.72. Table: ne_10m_antarctic_ice_shelves_lines	355
2.5.5.1.73. Table: ne_10m_antarctic_ice_shelves_polys	355
2.5.5.1.74. Table: ne_10m_coastline	356
2.5.5.1.75. Table: ne_10m_geographic_lines	357
2.5.5.1.76. Table: ne_10m_geography_marine_polys	358
2.5.5.1.77. Table: ne_10m_geography_regions_elevation_points	360
2.5.5.1.78. Table: ne_10m_geography_regions_points	362
2.5.5.1.79. Table: ne_10m_geography_regions_polys	364
2.5.5.1.80. Table: ne_10m_glaciated_areas	365
2.5.5.1.81. Table: ne_10m_lakes	366
2.5.5.1.82. Table: ne_10m_lakes_australia	368
2.5.5.1.83. Table: ne_10m_lakes_europe	370
2.5.5.1.84. Table: ne_10m_lakes_historic	372
2.5.5.1.85. Table: ne_10m_lakes_north_america	373
2.5.5.1.86. Table: ne_10m_lakes_pluvial	375
2.5.5.1.87. Table: ne_10m_land	376

2.5.5.1.88. Table: ne_10m_land_ocean_label_points	376
2.5.5.1.89. Table: ne_10m_land_ocean_seams	377
2.5.5.1.90. Table: ne_10m_land_scale_rank	377
2.5.5.1.91. Table: ne_10m_minor_islands	378
2.5.5.1.92. Table: ne_10m_minor_islands_coastline	379
2.5.5.1.93. Table: ne_10m_minor_islands_label_points	379
2.5.5.1.94. Table: ne_10m_ocean	380
2.5.5.1.95. Table: ne_10m_ocean_scale_rank	380
2.5.5.1.96. Table: ne_10m_parks_and_protected_lands_area	381
2.5.5.1.97. Table: ne_10m_parks_and_protected_lands_line	381
2.5.5.1.98. Table: ne_10m_parks_and_protected_lands_point	382
2.5.5.1.99. Table: ne_10m_parks_and_protected_lands_scale_rank	383
2.5.5.1.100. Table: ne_10m_playas	383
2.5.5.1.101. Table: ne_10m_populated_places	385
2.5.5.1.102. Table: ne_10m_populated_places_simple	390
2.5.5.1.103. Table: ne_10m_ports	392
2.5.5.1.104. Table: ne_10m_railroads	392
2.5.5.1.105. Table: ne_10m_railroads_north_america	393
2.5.5.1.106. Table: ne_10m_reefs	394
2.5.5.1.107. Table: ne_10m_rivers_australia	395
2.5.5.1.108. Table: ne_10m_rivers_europe	396
2.5.5.1.109. Table: ne_10m_rivers_lake_centerlines	398
2.5.5.1.110. Table: ne_10m_rivers_lake_centerlines_scale_rank	400
2.5.5.1.111. Table: ne_10m_rivers_north_america	402
2.5.5.1.112. Table: ne_10m_roads	404
2.5.5.1.113. Table: ne_10m_roads_north_america	405
2.5.5.1.114. Table: ne_10m_time_zones	406
2.5.5.1.115. Table: ne_10m_urban_areas	407
2.5.5.1.116. Table: ne_10m_urban_areas_landscan	407
2.5.5.1.117. Table: ne_110m_admin_0_boundary_lines_land	409
2.5.5.1.118. Table: ne_110m_admin_0_countries	411
2.5.5.1.119. Table: ne_110m_admin_0_countries_lakes	417
2.5.5.1.120. Table: ne_110m_admin_0_map_units	423
2.5.5.1.121. Table: ne_110m_admin_0_pacific_groupings	429
2.5.5.1.122. Table: ne_110m_admin_0_scale_rank	430
2.5.5.1.123. Table: ne_110m_admin_0_sovereignty	430
2.5.5.1.124. Table: ne_110m_admin_0_tiny_countries	437
2.5.5.1.125. Table: ne_110m_admin_1_states_provinces	443
2.5.5.1.126. Table: ne_110m_admin_1_states_provinces_lakes	448
2.5.5.1.127. Table: ne_110m_admin_1_states_provinces_lines	452
2.5.5.1.128. Table: ne_110m_admin_1_states_provinces_scale_rank	454
2.5.5.1.129. Table: ne_110m_coastline	455

2.5.5.1.130. Table: ne_110m_geographic_lines	455
2.5.5.1.131. Table: ne_110m_geography_marine_polys	457
2.5.5.1.132. Table: ne_110m_geography_regions_elevation_points	459
2.5.5.1.133. Table: ne_110m_geography_regions_points	461
2.5.5.1.134. Table: ne_110m_geography_regions_polys	462
2.5.5.1.135. Table: ne_110m_glaciated_areas	464
2.5.5.1.136. Table: ne_110m_lakes	465
2.5.5.1.137. Table: ne_110m_land	466
2.5.5.1.138. Table: ne_110m_ocean	467
2.5.5.1.139. Table: ne_110m_populated_places	467
2.5.5.1.140. Table: ne_110m_populated_places_simple	472
2.5.5.1.141. Table: ne_110m_rivers_lake_centerlines	474
2.5.5.1.142. Table: ne_50m_admin_0_boundary_lines_disputed_areas	476
2.5.5.1.143. Table: ne_50m_admin_0_boundary_lines_land	477
2.5.5.1.144. Table: ne_50m_admin_0_boundary_lines_maritime_indicator	479
2.5.5.1.145. Table: ne_50m_admin_0_boundary_lines_maritime_indicator_chn	481
2.5.5.1.146. Table: ne_50m_admin_0_boundary_map_units	483
2.5.5.1.147. Table: ne_50m_admin_0_breakaway_disputed_areas	485
2.5.5.1.148. Table: ne_50m_admin_0_breakaway_disputed_areas_scale_rank	491
2.5.5.1.149. Table: ne_50m_admin_0_countries	492
2.5.5.1.150. Table: ne_50m_admin_0_countries_lakes	498
2.5.5.1.151. Table: ne_50m_admin_0_map_subunits	504
2.5.5.1.152. Table: ne_50m_admin_0_map_units	510
2.5.5.1.153. Table: ne_50m_admin_0_pacific_groupings	517
2.5.5.1.154. Table: ne_50m_admin_0_scale_rank	517
2.5.5.1.155. Table: ne_50m_admin_0_sovereignty	518
2.5.5.1.156. Table: ne_50m_admin_0_tiny_countries	524
2.5.5.1.157. Table: ne_50m_admin_0_tiny_countries_scale_rank	531
2.5.5.1.158. Table: ne_50m_admin_1_seams	531
2.5.5.1.159. Table: ne_50m_admin_1_states_provinces	532
2.5.5.1.160. Table: ne_50m_admin_1_states_provinces_lakes	536
2.5.5.1.161. Table: ne_50m_admin_1_states_provinces_lines	541
2.5.5.1.162. Table: ne_50m_admin_1_states_provinces_scale_rank	543
2.5.5.1.163. Table: ne_50m_airports	544
2.5.5.1.164. Table: ne_50m_antarctic_ice_shelves_lines	546
2.5.5.1.165. Table: ne_50m_antarctic_ice_shelves_polys	546
2.5.5.1.166. Table: ne_50m_coastline	547
2.5.5.1.167. Table: ne_50m_geographic_lines	547
2.5.5.1.168. Table: ne_50m_geography_marine_polys	549
2.5.5.1.169. Table: ne_50m_geography_regions_elevation_points	550
2.5.5.1.170. Table: ne_50m_geography_regions_points	552
2.5.5.1.171. Table: ne_50m_geography_regions_polys	554

2.5.5.1.172. Table: ne_50m_glaciated_areas	556
2.5.5.1.173. Table: ne_50m_lakes	557
2.5.5.1.174. Table: ne_50m_lakes_historic	558
2.5.5.1.175. Table: ne_50m_land	560
2.5.5.1.176. Table: ne_50m_ocean	560
2.5.5.1.177. Table: ne_50m_playas	561
2.5.5.1.178. Table: ne_50m_populated_places	563
2.5.5.1.179. Table: ne_50m_populated_places_simple	568
2.5.5.1.180. Table: ne_50m_ports	569
2.5.5.1.181. Table: ne_50m_rivers_lake_centerlines	570
2.5.5.1.182. Table: ne_50m_rivers_lake_centerlines_scale_rank	572
2.5.5.1.183. Table: ne_50m_urban_areas	574
2.6. Database: ormeo	575
2.6.6. Database: public	575
2.6.6.1. Tables	575
2.6.6.1.1. Table: lamsstyrelsen_ebh	575

1. Introduction

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:
PostGIS (PostgreSQL)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

2. Server: PostGIS (PostgreSQL)

Version: 170003

6 databases are listed below.

2.1. Database: lm_top1m_20250627

2.1.1. Schema: public

2.1.1.1. Tables

2.1.1.1.1. Table: administrativ_grans

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('administrativ_grans_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestamp(6)		
4	objektypnr	int4(32)		
5	objektyp	varchar(255)		
6	geom	geometry		Index: administrativ_grans_geom_...

Indexes

Name	Method	Fields
administrativ_grans_geom_geom_idx	gist	geom

2.1.1.1.2. Table: byggnadspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('byggnadspunkt_ogc_fid_seq'::regclass)

2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objektypnr	int4(32)		
5	objektyp	varchar(255)		
6	rotation	float8(53)		
7	geom	geometry		Index: byggnadspunkt_geom_geom...

Indexes

Name	Method	Fields
byggnadspunkt_geom_geom_idx	gist	geom

2.1.1.1.3. Table: farjeled

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('farjeled_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objektypnr	int4(32)		
5	objektyp	varchar(255)		
6	destination	varchar(50)		
7	vagnummer_nationell	varchar(20)		
8	geom	geometry		Index: farjeled_geom_geom_idx

Indexes

Name	Method	Fields
farjeled_geom_geom_idx	gist	geom

2.1.1.1.4. Table: flygplatspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('flygplatspunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	iata	varchar(3)		
7	icao	varchar(4)		
8	rotation	float8(53)		
9	geom	geometry		Index: flygplatspunkt_geom_geom...

Indexes

Name	Method	Fields
flygplatspunkt_geom_geom_idx	gist	geom

2.1.1.1.5. Table: hojdpunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hojdpunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	hojdvarde	int4(32)		

7	rotation	float8(53)		
8	geom	geometry		Index: hojdpunkt_geom_geom_idx

Indexes

Name	Method	Fields
hojdpunkt_geom_geom_idx	gist	geom

2.1.1.1.6. Table: hydroanlaggningspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hydroanlaggningspunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	rotation	float8(53)		
7	geom	geometry		Index: hydroanlaggningspunkt_geo...

Indexes

Name	Method	Fields
hydroanlaggningspunkt_geom_geom_idx	gist	geom

2.1.1.1.7. Table: hydrolinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hydrolinje_ogc_fid_seq' ::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestamp(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	storleksklass	varchar(255)		
7	kanal	varchar(255)		
8	geom	geometry		Index: hydrolinje_geom_geom_idx

Indexes

Name	Method	Fields
hydrolinje_geom_geom_idx	gist	geom

2.1.1.1.8. Table: kommunyta

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('kommunyta_ogc_fid_se q'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestamp(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	kommunkod	varchar(4)		
7	kommunnamn	varchar(30)		
8	geom	geometry		Index: kommunyta_geom_geom_id...

Indexes

Name	Method	Fields
kommunyta_geom_geom_idx	gist	geom

2.1.1.1.9. Table: lansyta

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('lansyta_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	lanskod	varchar(2)		
7	lansnamn	varchar(30)		
8	geom	geometry		Index: lansyta_geom_geom_idx

Indexes

Name	Method	Fields
lansyta_geom_geom_idx	gist	geom

2.1.1.1.10. Table: mark

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('mark_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		

3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	hojd_over_havet	varchar(20)		
7	reglerat_vatten	varchar(255)		
8	geom	geometry		Index: mark_geom_geom_idx

Indexes

Name	Method	Fields
mark_geom_geom_idx	gist	geom

2.1.1.1.11. Table: markkantlinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('markkantlinje_ogc_fid_s eq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	geom	geometry		Index: markkantlinje_geom_geom_...

Indexes

Name	Method	Fields
markkantlinje_geom_geom_id x	gist	geom

2.1.1.1.12. Table: ovrig_vag

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('ovrig_vag_ogc_fid_seq': :regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objektypnr	int4(32)		
5	objektyp	varchar(255)		
6	alternativt_manér	varchar(255)		
7	geom	geometry		Index: ovrig_vag_geom_geom_idx

Indexes

Name	Method	Fields
ovrig_vag_geom_geom_idx	gist	geom

2.1.1.1.13. Table: polcirkeln

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('polcirkeln_ogc_fid_seq' ::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektypnr	int4(32)		
8	objektyp	varchar(255)		
9	geom	geometry		Index: polcirkeln_geom_geom_idx

Indexes

Name	Method	Fields
polcirkeln_geom_geom_idx	gist	geom

2.1.1.1.14. Table: ralstrafik

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('ralstrafik_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objektypnr	int4(32)		
5	objektyp	varchar(255)		
6	bro_och_tunnel	varchar(255)		
7	geom	geometry		Index: ralstrafik_geom_geom_idx

Indexes

Name	Method	Fields
ralstrafik_geom_geom_idx	gist	geom

2.1.1.1.15. Table: sankmark

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('sankmark_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		

4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	geom	geometry		Index: sankmark_geom_geom_idx

Indexes

Name	Method	Fields
sankmark_geom_geom_idx	gist	geom

2.1.1.1.16. Table: skyddadnatur

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('skyddadnatur_ogc_fid_s eq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	geom	geometry		Index: skyddadnatur_geom_geom_...

Indexes

Name	Method	Fields
skyddadnatur_geom_geom_id x	gist	geom

2.1.1.1.17. Table: textlinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('textlinje_ogc_fid_seq':regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	textstrang	varchar(100)		
5	textkategori	varchar(255)		
6	textstorleksklass	varchar(255)		
7	textlage	int4(32)		
8	texttyp	varchar(255)		
9	textsparring	int4(32)		
10	karttext	varchar(100)		
11	textdelnr	int4(32)		
12	geom	geometry		Index: textlinje_geom_geom_idx

Indexes

Name	Method	Fields
textlinje_geom_geom_idx	gist	geom

2.1.1.1.18. Table: textpunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('textpunkt_ogc_fid_seq':regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	textstrang	varchar(100)		

5	textkategori	varchar(255)		
6	textstorleksklass	varchar(255)		
7	textlage	int4(32)		
8	texttyp	varchar(255)		
9	textsparring	int4(32)		
10	karttext	varchar(100)		
11	textdelnr	int4(32)		
12	textriktning	float8(53)		
13	geom	geometry		Index: textpunkt_geom_geom_idx

Indexes

Name	Method	Fields
textpunkt_geom_geom_idx	gist	geom

2.1.1.1.19. Table: vaglinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('vaglinje_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestampz(6)		
4	objekttypnr	int4(32)		
5	objekttyp	varchar(255)		
6	vardvagnummer	varchar(255)		
7	gastvag1nummer	varchar(255)		
8	gastvag2nummer	varchar(255)		
9	geom	geometry		Index: vaglinje_geom_geom_idx

Indexes

Server: PostGIS (PostgreSQL) > Database: lm_top1m_20250627 > Schema: public

Name	Method	Fields
vaglinje_geom_geom_idx	gist	geom

2.2. Database: lm_belagenhetsadress_20250718

2.2.2. Schema: public

2.2.2.1. Tables

2.2.2.1.1. Table: adressplatsanmarkning

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('adressplatsanmarkning_ogc_fid_seq'::regclass)
2	anmarkningstyp	varchar		
3	anmarkningstext	varchar		
4	belagenhetsadress_id	int8(64)		

2.2.2.1.2. Table: belagenhetsadress

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('belagenhetsadress_ogc_fid_seq'::regclass)
2	belagenhetsadress_objektidentitet	varchar		
3	versiongiltigfran	timestampz(6)		
4	adressplatsnummer	varchar		
5	statusforbelagenhetsadress	varchar		
6	bokstavstillagg	varchar		
7	lagesstillagg	varchar		
8	lagesstillaggsnummer	int4(32)		
9	adressplatstyp	varchar		
10	insamlingslage	varchar		

11	avvikerfranstandarden	bool		
12	avvikandeadressplatsbeteckning	varchar		
13	postnummer	int4(32)		
14	postort	varchar		
15	popularnamn	varchar		
16	anlaggningstyp	varchar		
17	anlaggningstext	varchar		
18	distriktskod	varchar		
19	distriktsnamn	varchar		
20	lanskod	varchar		
21	kommunkod	varchar		
22	kommunnamn	varchar		
23	kommundel_faststalltnamn	varchar		
24	adressomrade_faststalltnamn	varchar		
25	adressomradestyp	varchar		
26	gardsadressomrade_faststalltnamn	varchar		
27	registerenhetsreferens_objektidentitet	varchar		
28	adressplatspunkt	geometry		Index: belagenhetsadress_adresspl...

Indexes

Name	Method	Fields
belagenhetsadress_adressplatspunkt_geom_idx	gist	adressplatspunkt

2.3. Database: lm_fastighetsindelning_20250719

2.3.3. Schema: public

2.3.3.1. Tables

2.3.3.1.1. Table: granspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('granspunkt_ogc_fid_seq ::regclass)
2	objektidentitet	varchar		
3	senastandrad	timestampz(6)		
4	granspunktsomrade	varchar		
5	granspunktsnummer	int8(64)		
6	riksrosebeteckning	varchar		
7	objekttyp	varchar		
8	markeringstyp	varchar		
9	etikett	varchar		
10	markeringslage	varchar		
11	kvalitetsforbattrad	bool		
12	lagesosakerhetplan	float8(53)		
13	matmetodplan	varchar		
14	flyghojd	int8(64)		
15	skaladigitaliseringsunderlag	int8(64)		
16	inpassad	bool		
17	ursprungskoordinatsystem	varchar		
18	geom	geometry		Index: granspunkt_geom_geom_id...

Indexes

Name	Method	Fields
granspunkt_geom_geom_idx	gist	geom

2.3.3.1.2. Table: outrettomradesinformation

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('outrettomradesinformation_ogc_fid_seq'::regclass)
2	omradesreferens	varchar		
3	lanskod	varchar		
4	kommunkod	varchar		
5	trakt	varchar		
6	lopnummer	int2(16)		
7	typ	varchar		
8	registerenhetsomradesytaid	int8(64)		

2.3.3.1.3. Table: registerenhetsomradesgrans

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('registerenhetsomradesgrans_ogc_fid_seq'::regclass)
2	objektidentitet	varchar		
3	objekttyp	varchar		
4	senastandrad	timestamp(6)		
5	jb15grans	bool		
6	tatningsgrans	bool		
7	pekare	bool		
8	lagesosakerhetplan	float8(53)		
9	matmetodplan	varchar		
10	flyghojd	int8(64)		
11	skaladigitaliseringsunderlag	int8(64)		

12	inpassad	bool		
13	geom	geometry		Index: registerenhetsomradesgrans...

Indexes

Name	Method	Fields
registerenhetsomradesgrans_geom_geom_idx	gist	geom

2.3.3.1.4. Table: registerenhetsomradeslinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('registerenhetsomradeslinje_ogc_fid_seq'::regclass)
2	objektidentitet	varchar		
3	registerenhetsreferens	varchar		
4	objekttyp	varchar		
5	senastandrad	timestampz(6)		
6	lanskod	varchar		
7	kommunkod	varchar		
8	kommunnamn	varchar		
9	trakt	varchar		
10	block	varchar		
11	enhet	int8(64)		
12	omradesnummer	int2(16)		
13	etikett	varchar		
14	lagesosakerhetplan	float8(53)		
15	matmetodplan	varchar		
16	flyghojd	int4(32)		

17	skaladigitaliseringsunderlag	int4(32)		
18	inpassad	bool		
19	geom	geometry		Index: registerenhetsomradeslinje_...

Indexes

Name	Method	Fields
registerenhetsomradeslinje_geom_geom_idx	gist	geom

2.3.3.1.5. Table: registerenhetsomradespunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('registerenhetsomradespunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar		
3	registerenhetsreferens	varchar		
4	objekttyp	varchar		
5	senastandrad	timestampz(6)		
6	lanskod	varchar		
7	kommunkod	varchar		
8	kommunnamn	varchar		
9	trakt	varchar		
10	block	varchar		
11	enhet	int8(64)		
12	omradesnummer	int2(16)		
13	etikett	varchar		
14	lagesosakerhetplan	float8(53)		
15	matmetodplan	varchar		

16	flyghojd	int4(32)		
17	skaladigitaliseringsunderlag	int4(32)		
18	inpassad	bool		
19	geom	geometry		Index: registerenhetsomradespunk...

Indexes

Name	Method	Fields
registerenhetsomradespunkt_geom_geom_idx	gist	geom

2.3.3.1.6. Table: registerenhetsomradesyta

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('registerenhetsomradesyta_ogc_fid_seq'::regclass)
2	objektidentitet	varchar		
3	registerenhetsreferens	varchar		
4	objekttyp	varchar		
5	senastandrad	timestampz(6)		
6	lanskod	varchar		
7	kommunkod	varchar		
8	kommunnamn	varchar		
9	trakt	varchar		
10	block	varchar		
11	enhet	int8(64)		
12	omradesnummer	int2(16)		
13	samjelittera	varchar		
14	osakertlage	bool		

15	etikett	varchar		
16	geom	geometry		Index: registerenhetsomradesyta_g...
17	centroid	geometry		Index: registerenhetsomradesyta_c...

Indexes

Name	Method	Fields
registerenhetsomradesyta_centroid_idx	gist	centroid
registerenhetsomradesyta_geom_geom_idx	gist	geom

2.3.3.1.7. Table: traktyta

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('traktyta_ogc_fid_seq'::regclass)
2	objektidentitet	varchar		
3	objekttyp	varchar		
4	senastandrad	timestampz(6)		
5	lanskod	varchar		
6	kommunkod	varchar		
7	outrett	bool		
8	etikett	varchar		
9	geom	geometry		Index: traktyta_geom_geom_idx

Indexes

Name	Method	Fields
traktyta_geom_geom_idx	gist	geom

2.4. Database: lm_top10_20250716

2.4.4. Schema: public

2.4.4.1. Tables

2.4.4.1.1. Table: anlaggningsomrade

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('anlaggningsomrade_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestamptz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	andamal	varchar(255)		
11	skjutfaltstyp	varchar(255)		
12	skjutfaltstext	varchar(100)		
13	geom	(Type)		Index: anlaggningsomrade_geom_...

Indexes

Name	Method	Fields
anlaggningsomrade_geom_geom_idx	gist	geom

2.4.4.1.2. Table: anlaggningsomradespunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('anlaggningsomradespunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	andamal	varchar(255)		
11	rotation	float8(53)		
12	geom	(Type)		Index: anlaggningsomradespunkt_...

Indexes

Name	Method	Fields
anlaggningsomradespunkt_geom_geom_idx	gist	geom

2.4.4.1.3. Table: byggnad

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('byggnad_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		

4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	insamlingslage	varchar(255)		
11	byggnadsnamn1	varchar(255)		
12	byggnadsnamn2	varchar(255)		
13	byggnadsnamn3	varchar(255)		
14	husnummer	int4(32)		
15	huvudbyggnad	varchar(255)		
16	andamal1	varchar(100)		
17	andamal2	varchar(100)		
18	andamal3	varchar(100)		
19	andamal4	varchar(100)		
20	andamal5	varchar(100)		
21	geom	(Type)		Index: byggnad_geom_geom_idx

Indexes

Name	Method	Fields
byggnad_geom_geom_idx	gist	geom

2.4.4.1.4. Table: byggnadsanlaggningslinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('byggnadsanlaggningslinje_ogc_fid_seq'::regclass)

2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	geom	(Type)		Index: byggnadsanlaggningslinje_g...

Indexes

Name	Method	Fields
byggnadsanlaggningslinje_geom_geom_idx	gist	geom

2.4.4.1.5. Table: byggnadsanlaggningspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('byggnadsanlaggningspunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		

10	hojd	float8(53)		
11	rotation	float8(53)		
12	geom	(Type)		Index: byggnadsanlaggningspunkt_...

Indexes

Name	Method	Fields
byggnadsanlaggningspunkt_geom_geom_idx	gist	geom

2.4.4.1.6. Table: byggnadspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('byggnadspunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	hojd	float8(53)		
11	rotation	float8(53)		
12	geom	(Type)		Index: byggnadspunkt_geom_geom...

Indexes

Name	Method	Fields
byggnadspunkt_geom_geom_idx	gist	geom

2.4.4.1.7. Table: farjeled

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('farjeled_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	destination	varchar(50)		
11	vagnummer_internationell	varchar(20)		
12	vagnummer_nationell	varchar(20)		
13	geom	(Type)		Index: farjeled_geom_geom_idx

Indexes

Name	Method	Fields
farjeled_geom_geom_idx	gist	geom

2.4.4.1.8. Table: flygplatsomrade

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('flygplatsomrade_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	iata	varchar(3)		
11	icao	varchar(4)		
12	geom	(Type)		Index: flygplatsomrade_geom_geo...

Indexes

Name	Method	Fields
flygplatsomrade_geom_geom_idx	gist	geom

2.4.4.1.9. Table: flygplatspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('flygplatspunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		

4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	iata	varchar(3)		
11	icao	varchar(4)		
12	rotation	float8(53)		
13	geom	(Type)		Index: flygplatspunkt_geom_geom...

Indexes

Name	Method	Fields
flygplatspunkt_geom_geom_idx	gist	geom

2.4.4.1.10. Table: hojdkurvstext

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hojdkurvstext_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	skapad	timestamp(6)		
4	textkategori	varchar(256)		
5	textstorleksklass	varchar(255)		
6	textlage	int4(32)		
7	texttyp	varchar(255)		
8	karttext	varchar(4)		

9	textriktning	float8(53)		
10	geom	(Type)		Index: hojdkurvstext_geom_geom_...

Indexes

Name	Method	Fields
hojdkurvstext_geom_geom_idx	gist	geom

2.4.4.1.11. Table: hojdlinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hojdlinje_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestamptz(6)		
4	ursprunglig_organisation	varchar(255)		
5	objektversion	int4(32)		
6	objekttypnr	int4(32)		
7	objekttyp	varchar(255)		
8	hojdvarde	varchar(4)		
9	stodkurva	varchar(255)		
10	i_glaciar	varchar(255)		
11	geom	(Type)		Index: hojdlinje_geom_geom_idx

Indexes

Name	Method	Fields
hojdlinje_geom_geom_idx	gist	geom

2.4.4.1.12. Table: hojdpunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hojdpunkt_ogc_fid_seq' ::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	hojdvarde	int4(32)		
11	rotation	float8(53)		
12	geom	(Type)		Index: hojdpunkt_geom_geom_idx

Indexes

Name	Method	Fields
hojdpunkt_geom_geom_idx	gist	geom

2.4.4.1.13. Table: hydroanlaggningslinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hydroanlaggningslinje_o gc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		

4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objektypnr	int4(32)		
9	objektyp	varchar(255)		
10	matlage	varchar(255)		
11	geom	(Type)		Index: hydroanlaggningslinje_geom...

Indexes

Name	Method	Fields
hydroanlaggningslinje_geom_geom_idx	gist	geom

2.4.4.1.14. Table: hydroanlaggningspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hydroanlaggningspunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestamptz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objektypnr	int4(32)		
9	objektyp	varchar(255)		

10	rotation	float8(53)		
11	geom	(Type)		Index: hydroanlaggningspunkt_geo...

Indexes

Name	Method	Fields
hydroanlaggningspunkt_geom_geom_idx	gist	geom

2.4.4.1.15. Table: hydrografiskt_intressant_plats

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hydrografiskt_intressant_plats_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	geom	(Type)		Index: hydrografiskt_intressant_pla...

Indexes

Name	Method	Fields
hydrografiskt_intressant_plats_geom_geom_idx	gist	geom

2.4.4.1.16. Table: hydrolinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hydrolinje_ogc_fid_seq' ::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestamp(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	vattendragsid	varchar(36)		
11	storlekssklass	varchar(255)		
12	kanal	varchar(255)		
13	geom	(Type)		Index: hydrolinje_geom_geom_idx

Indexes

Name	Method	Fields
hydrolinje_geom_geom_idx	gist	geom

2.4.4.1.17. Table: hydropunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('hydropunkt_ogc_fid_seq' ::regclass)
2	objektidentitet	varchar(36)		

3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	rotation	float8(53)		
11	geom	(Type)		Index: hydropunkt_geom_geom_id...

Indexes

Name	Method	Fields
hydropunkt_geom_geom_idx	gist	geom

2.4.4.1.18. Table: ledintressepunkt_fjall

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('ledintressepunkt_fjall_o gc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		

10	rotation	float8(53)		
11	geom	(Type)		Index: ledintressepunkt_fjall_geom...

Indexes

Name	Method	Fields
ledintressepunkt_fjall_geom_geom_idx	gist	geom

2.4.4.1.19. Table: ledningslinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 🔑	int4(32)	✓	Default: nextval('ledningslinje_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	geom	(Type)		Index: ledningslinje_geom_geom_i...

Indexes

Name	Method	Fields
ledningslinje_geom_geom_idx	gist	geom

2.4.4.1.20. Table: mark

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('mark_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestamp(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	vattenytaid	varchar(36)		
11	hojd_over_havet	varchar(20)		
12	reglerat_vatten	varchar(255)		
13	geom	(Type)		Index: mark_geom_geom_idx

Indexes

Name	Method	Fields
mark_geom_geom_idx	gist	geom

2.4.4.1.21. Table: markkantlinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('markkantlinje_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		

3	versiongiltigfran	timestamptz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	diffus	bool		
11	geom	(Type)		Index: markkantlinje_geom_geom_...

Indexes

Name	Method	Fields
markkantlinje_geom_geom_id x	gist	geom

2.4.4.1.22. Table: militart_omrade

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('militart_omrade_ogc_fid _seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestamptz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		

10	mo_id	varchar(6)		
11	skjutfaltstyp	varchar(255)		
12	riskomrade	varchar(100)		
13	geom	(Type)		Index: militart_omrade_geom_geo...

Indexes

Name	Method	Fields
militart_omrade_geom_geom_idx	gist	geom

2.4.4.1.23. Table: naturvardspunkt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('naturvardspunkt_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestamp(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	nvid	varchar(10)		
11	nvr_beskrivning	varchar(100)		
12	rotation	float8(53)		
13	ovrigt_naturobjektstyp	varchar(255)		
14	geom	(Type)		Index: naturvardspunkt_geom_geo...

Indexes

Name	Method	Fields
naturvardspunkt_geom_geom_idx	gist	geom

2.4.4.1.24. Table: ovrig_vag

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('ovrig_vag_ogc_fid_seq': :regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	vagutforande	varchar(255)		
11	skoterkorning_tillaten	varchar(255)		
12	geom	(Type)		Index: ovrig_vag_geom_geom_idx

Indexes

Name	Method	Fields
ovrig_vag_geom_geom_idx	gist	geom

2.4.4.1.25. Table: polcirkeln

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('polcirkeln_ogc_fid_seq' ::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	geom	(Type)		Index: polcirkeln_geom_geom_idx

Indexes

Name	Method	Fields
polcirkeln_geom_geom_idx	gist	geom

2.4.4.1.26. Table: ralstrafik

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('ralstrafik_ogc_fid_seq':: regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		

7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	status	varchar(255)		
11	flerspar	varchar(255)		
12	sparvidd	varchar(255)		
13	bro_och_tunnel	varchar(255)		
14	under_byggnad	varchar(255)		
15	straknamn	varchar(50)		
16	elektrifiering	varchar(255)		
17	huvud_sidospar	varchar(255)		
18	geom	(Type)		Index: ralstrafik_geom_geom_idx

Indexes

Name	Method	Fields
ralstrafik_geom_geom_idx	gist	geom

2.4.4.1.27. Table: ralstrafikstation

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('ralstrafikstation_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		

8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	rotation	float8(53)		
11	status	varchar(255)		
12	under_mark	varchar(255)		
13	resandeutbyte	varchar(255)		
14	geom	(Type)		Index: ralstrafikstation_geom_geom...

Indexes

Name	Method	Fields
ralstrafikstation_geom_geom_idx	gist	geom

2.4.4.1.28. Table: restriktionsomrade

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('restriktionsomrade_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	informativ_text	varchar(200)		

11	tidsbegransning	varchar(100)		
12	geom	(Type)		Index: restriktionsomrade_geom_g...

Indexes

Name	Method	Fields
restriktionsomrade_geom_geom_idx	gist	geom

2.4.4.1.29. Table: sankmark

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('sankmark_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	geom	(Type)		Index: sankmark_geom_geom_idx

Indexes

Name	Method	Fields
sankmark_geom_geom_idx	gist	geom

2.4.4.1.30. Table: skyddadnatur

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('skyddadnatur_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	nvid	varchar(10)		
11	nvr_beskrivning	varchar(100)		
12	extern_registerenhet	varchar(50)		
13	djurskyddstyp	varchar(255)		
14	geom	(Type)		Index: skyddadnatur_geom_geom_...

Indexes

Name	Method	Fields
skyddadnatur_geom_geom_id x	gist	geom

2.4.4.1.31. Table: start_landningsbana

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('start_landningsbana_ogc_fid_seq'::regclass)

2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	flygplatsstatus	varchar(255)		
11	geom	(Type)		Index: start_landningsbana_geom_...

Indexes

Name	Method	Fields
start_landningsbana_geom_geom_idx	gist	geom

2.4.4.1.32. Table: textobjekt

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('textobjekt_ogc_fid_seq'::regclass)
2	text	varchar(64)		
3	detaljtyp	varchar(10)		
4	tdelidx	int4(32)		
5	regtext	varchar(100)		
6	trikt	float8(53)		
7	tjust	int4(32)		
8	thojd	int4(32)		

9	adat	timestampz(6)		
10	geom	(Type)		Index: textobjekt_geom_geom_idx

Indexes

Name	Method	Fields
textobjekt_geom_geom_idx	gist	geom

2.4.4.1.33. Table: transformatoromrade

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('transformatoromrade_o gc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objekttypnr	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	geom	(Type)		Index: transformatoromrade_geom...

Indexes

Name	Method	Fields
transformatoromrade_geom_g eom_idx	gist	geom

2.4.4.1.34. Table: transportled_fjall

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('transportled_fjall_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	lagesosakerhetplan	float8(53)		
5	lagesosakerhethojd	float8(53)		
6	ursprunglig_organisation	varchar(255)		
7	objektversion	int4(32)		
8	objekttypnr	int4(32)		
9	objekttyp	varchar(255)		
10	rennaringsledstyp	varchar(255)		
11	geom	(Type)		Index: transportled_fjall_geom_geo...

Indexes

Name	Method	Fields
transportled_fjall_geom_geom_idx	gist	geom

2.4.4.1.35. Table: vaglinje

Fields

Pos	Name	Type	Not Null	Others
1	ogc_fid 	int4(32)	✓	Default: nextval('vaglinje_ogc_fid_seq'::regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	ursprunglig_organisation	varchar(255)		

5	objekttypnr	int4(32)		
6	objekttyp	varchar(255)		
7	avfartsvag_pafartsvag	varchar(255)		
8	genomgaende_vagnummervag	varchar(255)		
9	uppsamlande	varchar(255)		
10	cirkulationsplats	varchar(255)		
11	bro_och_tunnel	varchar(255)		
12	gagata	varchar(255)		
13	gangfartsomrade	varchar(255)		
14	bussgata	varchar(255)		
15	industrivag	varchar(255)		
16	gatunamn	varchar(255)		
17	vardvagnummer	varchar(255)		
18	gastvag1nummer	varchar(255)		
19	gastvag2nummer	varchar(255)		
20	referenslanksid	varchar(255)		
21	startavstand	float8(53)		
22	slutavstand	float8(53)		
23	geom	(Type)		Index: vaginje_geom_geom_idx

Indexes

Name	Method	Fields
vaginje_geom_geom_idx	gist	geom

2.4.4.1.36. Table: vagpunkt

Fields

Pos	Name	Type	Not Null	Others
-----	------	------	----------	--------

1	ogc_fid 	int4(32)	✓	Default: nextval('vagpunkt_ogc_fid_seq': :regclass)
2	objektidentitet	varchar(36)		
3	versiongiltigfran	timestampz(6)		
4	ursprunglig_organisation	varchar(255)		
5	objekttypnr	int4(32)		
6	objekttyp	varchar(255)		
7	rotation	float8(53)		
8	vandmojlighetstyp	varchar(255)		
9	trafikplatsnummer	int4(32)		
10	trv_namn	varchar(255)		
11	geom	(Type)		Index: vagpunkt_geom_geom_idx

Indexes

Name	Method	Fields
vagpunkt_geom_geom_idx	gist	geom

2.5. Database: naturalearth

2.5.5. Schema: public

2.5.5.1. Tables

2.5.5.1.1. Table: ne_10m_admin_0_antarctic_claim_limit_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_antarctic_claim_limit_lines_fid_seq'::regclass)
2	type	varchar(15)		
3	scalerank	int4(32)		
4	featurecla	varchar(50)		
5	ne_id	int8(64)		
6	BRK_A3	varchar(3)		
7	geom	(Type)		Index: ne_10m_admin_0_antarctic...

Indexes

Name	Method	Fields
ne_10m_admin_0_antarctic_claim_limit_lines_geom_geom_idx	gist	geom

2.5.5.1.2. Table: ne_10m_admin_0_antarctic_claims

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_antarctic_claims_fid_seq'::regclass)
2	sovereignt	varchar(30)		

3	name	varchar(50)		
4	type	varchar(15)		
5	note	varchar(100)		
6	scalerank	int4(32)		
7	featurecla	varchar(50)		
8	sov_a3	varchar(3)		
9	map_color	int4(32)		
10	geom	(Type)		Index: ne_10m_admin_0_antarctic...

Indexes

Name	Method	Fields
ne_10m_admin_0_antarctic_claims_geom_geom_idx	gist	geom

2.5.5.1.3. Table: ne_10m_admin_0_boundary_lines_disputed_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_boundary_lines_disputed_areas_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	NAME	varchar(100)		
4	COMMENT	varchar(100)		
5	ADM0_USA	int4(32)		
6	ADM0_LEFT	varchar(100)		
7	ADM0_RIGHT	varchar(100)		
8	ADM0_A3_L	varchar(3)		
9	ADM0_A3_R	varchar(3)		

10	SOV_A3_L	varchar(3)		
11	SOV_A3_R	varchar(3)		
12	LEFT_LABEL	int4(32)		
13	RIGHT_LABE	int4(32)		
14	BRK_A3_L	varchar(3)		
15	BRK_A3_R	varchar(3)		
16	BRK_NAME_L	varchar(100)		
17	BRK_NAME_R	varchar(100)		
18	NOTE	varchar(250)		
19	SCALERANK	int8(64)		
20	MIN_ZOOM	float8(53)		
21	FCLASS_ISO	varchar(32)		
22	FCLASS_US	varchar(32)		
23	FCLASS_FR	varchar(32)		
24	FCLASS_RU	varchar(32)		
25	FCLASS_ES	varchar(32)		
26	FCLASS_CN	varchar(32)		
27	FCLASS_TW	varchar(32)		
28	FCLASS_IN	varchar(32)		
29	FCLASS_NP	varchar(32)		
30	FCLASS_PK	varchar(32)		
31	FCLASS_DE	varchar(32)		
32	FCLASS_GB	varchar(32)		
33	FCLASS_BR	varchar(32)		
34	FCLASS_IL	varchar(32)		
35	FCLASS_PS	varchar(32)		
36	FCLASS_SA	varchar(32)		
37	FCLASS_EG	varchar(32)		
38	FCLASS_MA	varchar(32)		

39	FCLASS_PT	varchar(32)		
40	FCLASS_AR	varchar(32)		
41	FCLASS_JP	varchar(32)		
42	FCLASS_KO	varchar(32)		
43	FCLASS_VN	varchar(32)		
44	FCLASS_TR	varchar(32)		
45	FCLASS_ID	varchar(32)		
46	FCLASS_PL	varchar(32)		
47	FCLASS_GR	varchar(32)		
48	FCLASS_IT	varchar(32)		
49	FCLASS_NL	varchar(32)		
50	FCLASS_SE	varchar(32)		
51	FCLASS_BD	varchar(32)		
52	BRK_A3	varchar(4)		
53	FCLASS_UA	varchar(32)		
54	ne_id	int8(64)		
55	FCLASS_OSM	varchar(32)		
56	FCLASS_TLC	varchar(254)		
57	geom	(Type)		Index: ne_10m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_10m_admin_0_boundary_lines_disputed_areas_geom_geom_idx	gist	geom

2.5.5.1.4. Table: ne_10m_admin_0_boundary_lines_land

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_boundary_lines_land_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	NAME	varchar(100)		
4	COMMENT	varchar(100)		
5	ADM0_USA	int4(32)		
6	ADM0_LEFT	varchar(100)		
7	ADM0_RIGHT	varchar(100)		
8	ADM0_A3_L	varchar(3)		
9	ADM0_A3_R	varchar(3)		
10	SOV_A3_L	varchar(3)		
11	SOV_A3_R	varchar(3)		
12	TYPE	varchar(50)		
13	LABELRANK	int4(32)		
14	SCALERANK	int8(64)		
15	MIN_ZOOM	float8(53)		
16	MIN_LABEL	float8(53)		
17	NOTE	varchar(254)		
18	ADM0_ABR_L	varchar(32)		
19	ADM0_ABR_R	varchar(32)		
20	FCLASS_ISO	varchar(32)		
21	FCLASS_US	varchar(32)		
22	FCLASS_FR	varchar(32)		
23	FCLASS_RU	varchar(32)		
24	FCLASS_ES	varchar(32)		
25	FCLASS_CN	varchar(32)		
26	FCLASS_TW	varchar(32)		

27	FCLASS_IN	varchar(32)		
28	FCLASS_NP	varchar(32)		
29	FCLASS_PK	varchar(32)		
30	FCLASS_DE	varchar(32)		
31	FCLASS_GB	varchar(32)		
32	FCLASS_BR	varchar(32)		
33	FCLASS_IL	varchar(32)		
34	FCLASS_PS	varchar(32)		
35	FCLASS_SA	varchar(32)		
36	FCLASS_EG	varchar(32)		
37	FCLASS_MA	varchar(32)		
38	FCLASS_PT	varchar(32)		
39	FCLASS_AR	varchar(32)		
40	FCLASS_JP	varchar(32)		
41	FCLASS_KO	varchar(32)		
42	FCLASS_VN	varchar(32)		
43	FCLASS_TR	varchar(32)		
44	FCLASS_ID	varchar(32)		
45	FCLASS_PL	varchar(32)		
46	FCLASS_GR	varchar(32)		
47	FCLASS_IT	varchar(32)		
48	FCLASS_NL	varchar(32)		
49	FCLASS_SE	varchar(32)		
50	FCLASS_BD	varchar(32)		
51	FCLASS_UA	varchar(32)		
52	ne_id	int8(64)		
53	BRK_A3	varchar(3)		
54	FCLASS_OSM	varchar(32)		

55	FCLASS_TLC	varchar(254)		
56	geom	(Type)		Index: ne_10m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_10m_admin_0_boundary_lines_land_geom_geom_idx	gist	geom

2.5.5.1.5. Table: ne_10m_admin_0_boundary_lines_map_units

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_boundary_lines_map_units_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	COMMENT	varchar(100)		
4	ADM0_A3	varchar(3)		
5	ADM0_NAME	varchar(100)		
6	MAPCOLOR9	int4(32)		
7	SCALERANK	int8(64)		
8	MIN_ZOOM	float8(53)		
9	ADM0_USA	int4(32)		
10	FCLASS_ISO	varchar(32)		
11	FCLASS_US	varchar(32)		
12	FCLASS_FR	varchar(32)		
13	FCLASS_RU	varchar(32)		
14	FCLASS_ES	varchar(32)		
15	FCLASS_CN	varchar(32)		

16	FCLASS_TW	varchar(32)		
17	FCLASS_IN	varchar(32)		
18	FCLASS_NP	varchar(32)		
19	FCLASS_PK	varchar(32)		
20	FCLASS_DE	varchar(32)		
21	FCLASS_GB	varchar(32)		
22	FCLASS_BR	varchar(32)		
23	FCLASS_IL	varchar(32)		
24	FCLASS_PS	varchar(32)		
25	FCLASS_SA	varchar(32)		
26	FCLASS_EG	varchar(32)		
27	FCLASS_MA	varchar(32)		
28	FCLASS_PT	varchar(32)		
29	FCLASS_AR	varchar(32)		
30	FCLASS_JP	varchar(32)		
31	FCLASS_KO	varchar(32)		
32	FCLASS_VN	varchar(32)		
33	FCLASS_TR	varchar(32)		
34	FCLASS_ID	varchar(32)		
35	FCLASS_PL	varchar(32)		
36	FCLASS_GR	varchar(32)		
37	FCLASS_IT	varchar(32)		
38	FCLASS_NL	varchar(32)		
39	FCLASS_SE	varchar(32)		
40	FCLASS_BD	varchar(32)		
41	FCLASS_UA	varchar(32)		
42	ne_id	int8(64)		
43	BRK_A3	varchar(3)		
44	FCLASS_OSM	varchar(32)		

45	FCLASS_TLC	varchar(254)		
46	geom	(Type)		Index: ne_10m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_10m_admin_0_boundary_lines_map_units_geom_geom_idx	gist	geom

2.5.5.1.6. Table: ne_10m_admin_0_boundary_lines_maritime_indicator

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_boundary_lines_maritime_indicator_fid_seq'::regclass)
2	SCALERANK	int8(64)		
3	FEATURECLA	varchar(32)		
4	PACGROUP	int4(32)		
5	NOTE	varchar(100)		
6	COMMENT	varchar(200)		
7	MIN_ZOOM	float8(53)		
8	FCLASS_ISO	varchar(32)		
9	FCLASS_US	varchar(32)		
10	FCLASS_FR	varchar(32)		
11	FCLASS_RU	varchar(32)		
12	FCLASS_ES	varchar(32)		
13	FCLASS_CN	varchar(32)		
14	FCLASS_TW	varchar(32)		
15	FCLASS_IN	varchar(32)		

16	FCLASS_NP	varchar(32)		
17	FCLASS_PK	varchar(32)		
18	FCLASS_DE	varchar(32)		
19	FCLASS_GB	varchar(32)		
20	FCLASS_BR	varchar(32)		
21	FCLASS_IL	varchar(32)		
22	FCLASS_PS	varchar(32)		
23	FCLASS_SA	varchar(32)		
24	FCLASS_EG	varchar(32)		
25	FCLASS_MA	varchar(32)		
26	FCLASS_PT	varchar(32)		
27	FCLASS_AR	varchar(32)		
28	FCLASS_JP	varchar(32)		
29	FCLASS_KO	varchar(32)		
30	FCLASS_VN	varchar(32)		
31	FCLASS_TR	varchar(32)		
32	FCLASS_ID	varchar(32)		
33	FCLASS_PL	varchar(32)		
34	FCLASS_GR	varchar(32)		
35	FCLASS_IT	varchar(32)		
36	FCLASS_NL	varchar(32)		
37	FCLASS_SE	varchar(32)		
38	FCLASS_BD	varchar(32)		
39	FCLASS_UA	varchar(32)		
40	ne_id	int8(64)		
41	BRK_A3	varchar(3)		
42	FCLASS_OSM	varchar(32)		
43	FCLASS_TLC	varchar(254)		
44	geom	(Type)		Index: ne_10m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_10m_admin_0_boundary_lines_maritime_indicator_geom_idx	gist	geom

2.5.5.1.7. Table: ne_10m_admin_0_boundary_lines_maritime_indicator_chn

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_boundary_lines_maritime_indicator_chn_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	COMMENT	varchar(100)		
4	NOTE	varchar(250)		
5	SCALERANK	int8(64)		
6	MIN_ZOOM	float8(53)		
7	FCLASS_ISO	varchar(32)		
8	FCLASS_US	varchar(32)		
9	FCLASS_FR	varchar(32)		
10	FCLASS_RU	varchar(32)		
11	FCLASS_ES	varchar(32)		
12	FCLASS_CN	varchar(32)		
13	FCLASS_TW	varchar(32)		
14	FCLASS_IN	varchar(32)		
15	FCLASS_NP	varchar(32)		
16	FCLASS_PK	varchar(32)		
17	FCLASS_DE	varchar(32)		
18	FCLASS_GB	varchar(32)		
19	FCLASS_BR	varchar(32)		

20	FCLASS_IL	varchar(32)		
21	FCLASS_PS	varchar(32)		
22	FCLASS_SA	varchar(32)		
23	FCLASS_EG	varchar(32)		
24	FCLASS_MA	varchar(32)		
25	FCLASS_PT	varchar(32)		
26	FCLASS_AR	varchar(32)		
27	FCLASS_JP	varchar(32)		
28	FCLASS_KO	varchar(32)		
29	FCLASS_VN	varchar(32)		
30	FCLASS_TR	varchar(32)		
31	FCLASS_ID	varchar(32)		
32	FCLASS_PL	varchar(32)		
33	FCLASS_GR	varchar(32)		
34	FCLASS_IT	varchar(32)		
35	FCLASS_NL	varchar(32)		
36	FCLASS_SE	varchar(32)		
37	FCLASS_BD	varchar(32)		
38	FCLASS_UA	varchar(32)		
39	PACGROUP	int4(32)		
40	ne_id	int8(64)		
41	BRK_A3	varchar(3)		
42	FCLASS_OSM	varchar(32)		
43	FCLASS_TLC	varchar(254)		
44	geom	(Type)		Index: ne_10m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_10m_admin_0_boundary_line_maritime_indicator_chn_geom_geom_	gist	geom

2.5.5.1.8. Table: ne_10m_admin_0_countries

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_fid_seq'::regclass)
2	featurecla	varchar(15)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(36)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(36)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(36)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(29)		
21	NAME_LONG	varchar(36)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(17)		
25	ABBREV	varchar(16)		
26	POSTAL	varchar(4)		

27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(45)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(63)		
32	NAME_SORT	varchar(36)		
33	NAME_ALT	varchar(19)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		

56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(167)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		

85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		

114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		

143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...
171	centroid	(Type)		

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_geom_geom_idx	gist	geom

2.5.5.1.9. Table: ne_10m_admin_0_countries_arg

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_arg_fid_seq'::regclass)
2	ADM0_A3_AR	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(11)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		

79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(68)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(43)		
113	NAME_EN	varchar(36)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(68)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(39)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(48)		
124	NAME_KO	varchar(33)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(41)		
131	NAME_UK	varchar(84)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(1)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		

166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_arg_geom_geom_idx	gist	geom

2.5.5.1.10. Table: ne_10m_admin_0_countries_bdg

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_bdg_fid_seq'::regclass)
2	ADM0_A3_BD	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		

72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_ID	varchar(3)		
86	ADM0_A3_PL	varchar(3)		
87	ADM0_A3_GR	varchar(3)		
88	ADM0_A3_IT	varchar(3)		
89	ADM0_A3_NL	varchar(3)		
90	ADM0_A3_SE	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(12)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(15)		
155	FCLASS_MA	varchar(12)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(12)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_bdg_geom_geom_idx	gist	geom

2.5.5.1.11. Table: ne_10m_admin_0_countries_bra

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_bra_fid_seq'::regclass)
2	ADM0_A3_BR	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_b ra_geom_geom_idx	gist	geom

2.5.5.1.12. Table: ne_10m_admin_0_countries_chn

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_chn_fid_seq'::regclass)
2	ADM0_A3_CN	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(51)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		

86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(65)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		

144	FCLASS_TW	varchar(12)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(1)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(1)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(1)		
155	FCLASS_MA	varchar(12)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(1)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(12)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_c hn_geom_geom_idx	gist	geom

2.5.5.1.13. Table: ne_10m_admin_0_countries_deu

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_deu_fid_seq'::regclass)
2	ADM0_A3_DE	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		

166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_d eu_geom_geom_idx	gist	geom

2.5.5.1.14. Table: ne_10m_admin_0_countries_egy

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_egy_fid_seq'::regclass)
2	ADM0_A3_EG	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		

72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(12)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(15)		
155	FCLASS_MA	varchar(12)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(12)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_esp_geom_geom_idx	gist	geom

2.5.5.1.15. Table: ne_10m_admin_0_countries_esp

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_esp_fid_seq'::regclass)
2	ADM0_A3_ES	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_e sp_geom_geom_idx	gist	geom

2.5.5.1.16. Table: ne_10m_admin_0_countries_fra

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_fra_fid_seq'::regclass)
2	ADM0_A3_FR	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		

86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		

144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_fra_geom_geom_idx	gist	geom

2.5.5.1.17. Table: ne_10m_admin_0_countries_gbr

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_gbr_fid_seq'::regclass)
2	ADM0_A3_GB	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(15)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		

166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_gbr_geom_geom_idx	gist	geom

2.5.5.1.18. Table: ne_10m_admin_0_countries_grc

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_grc_fid_seq'::regclass)
2	ADM0_A3_GR	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		

72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_ID	varchar(3)		
86	ADM0_A3_PL	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_g rc_geom_geom_idx	gist	geom

2.5.5.1.19. Table: ne_10m_admin_0_countries_idn

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_idn_fid_seq'::regclass)
2	ADM0_A3_ID	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		
144	FCLASS_TW	varchar(13)		
145	FCLASS_IN	varchar(1)		
146	FCLASS_NP	varchar(1)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(1)		
155	FCLASS_MA	varchar(1)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(1)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_i dn_geom_geom_idx	gist	geom

2.5.5.1.20. Table: ne_10m_admin_0_countries_ind

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_ind_fid_seq'::regclass)
2	ADM0_A3_IN	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		

86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		

144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(1)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_index_geom_geom_idx	gist	geom

2.5.5.1.21. Table: ne_10m_admin_0_countries_iso

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_iso_fid_seq'::regclass)
2	ADM0_ISO	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(24)		
26	ABBREV	varchar(11)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(51)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(6)		
48	ISO_A2_EH	varchar(2)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(7)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(41)		
115	NAME_FA	varchar(65)		
116	NAME_FR	varchar(44)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(66)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(42)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(24)		
139	FCLASS_US	varchar(1)		
140	FCLASS_FR	varchar(12)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(1)		
149	FCLASS_GB	varchar(1)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(1)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(1)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(1)		
159	FCLASS_KO	varchar(1)		
160	FCLASS_VN	varchar(1)		
161	FCLASS_TR	varchar(12)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(12)		
164	FCLASS_GR	varchar(1)		
165	FCLASS_IT	varchar(1)		

166	FCLASS_NL	varchar(12)		
167	FCLASS_SE	varchar(1)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(1)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_isr_o_geom_geom_idx	gist	geom

2.5.5.1.22. Table: ne_10m_admin_0_countries_isr

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_isr_fid_seq'::regclass)
2	ADM0_A3_IL	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		

72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_isr_geom_geom_idx	gist	geom

2.5.5.1.23. Table: ne_10m_admin_0_countries_ita

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_ita_fid_seq'::regclass)
2	ADM0_A3_IT	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_ID	varchar(3)		
86	ADM0_A3_PL	varchar(3)		
87	ADM0_A3_GR	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_ita_geom_geom_idx	gist	geom

2.5.5.1.24. Table: ne_10m_admin_0_countries_jpn

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_jpn_fid_seq'::regclass)
2	ADM0_A3_JP	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		

86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		

144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_jpn_geom_geom_idx	gist	geom

2.5.5.1.25. Table: ne_10m_admin_0_countries_kor

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_kor_fid_seq'::regclass)
2	ADM0_A3_KO	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		

79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		

166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_k or_geom_geom_idx	gist	geom

2.5.5.1.26. Table: ne_10m_admin_0_countries_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_lakes_fid_seq'::regclass)
2	featurecla	varchar(15)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(36)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		

14	GEOUNIT	varchar(36)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(36)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(29)		
21	NAME_LONG	varchar(36)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(17)		
25	ABBREV	varchar(16)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(45)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(63)		
32	NAME_SORT	varchar(36)		
33	NAME_ALT	varchar(19)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		

43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(167)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		

72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_lakes_geom_geom_idx	gist	geom

2.5.5.1.27. Table: ne_10m_admin_0_countries_mar

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_mar_fid_seq'::regclass)
2	ADM0_A3_MA	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		
144	FCLASS_TW	varchar(13)		
145	FCLASS_IN	varchar(1)		
146	FCLASS_NP	varchar(1)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(1)		
155	FCLASS_MA	varchar(1)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(1)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_mar_geom_geom_idx	gist	geom

2.5.5.1.28. Table: ne_10m_admin_0_countries_nep

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_nep_fid_seq'::regclass)
2	ADM0_A3_NP	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		

86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		

144	FCLASS_TW	varchar(13)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(1)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(1)		
155	FCLASS_MA	varchar(12)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(12)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_nep_geom_geom_idx	gist	geom

2.5.5.1.29. Table: ne_10m_admin_0_countries_nld

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_nld_fid_seq'::regclass)
2	ADM0_A3_NL	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		

79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_ID	varchar(3)		
86	ADM0_A3_PL	varchar(3)		
87	ADM0_A3_GR	varchar(3)		
88	ADM0_A3_IT	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		

166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_nld_geom_geom_idx	gist	geom

2.5.5.1.30. Table: ne_10m_admin_0_countries_pak

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_pak_fid_seq'::regclass)
2	ADM0_A3_PK	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		

72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(12)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(15)		
155	FCLASS_MA	varchar(12)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(12)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_pol_geom_geom_idx	gist	geom

2.5.5.1.31. Table: ne_10m_admin_0_countries_pol

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_pol_fid_seq'::regclass)
2	ADM0_A3_PL	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_ID	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_p ol_geom_geom_idx	gist	geom

2.5.5.1.32. Table: ne_10m_admin_0_countries_prt

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_prt_fid_seq'::regclass)
2	ADM0_A3_PT	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		

86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		

144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_p rt_geom_geom_idx	gist	geom

2.5.5.1.33. Table: ne_10m_admin_0_countries_pse

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_pse_fid_seq'::regclass)
2	ADM0_A3_PS	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(1)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		

166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_p se_geom_geom_idx	gist	geom

2.5.5.1.34. Table: ne_10m_admin_0_countries_rus

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_coun tries_rus_fid_seq'::regclass)
2	ADM0_A3_RU	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(3)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		

72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(65)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(15)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(14)		
144	FCLASS_TW	varchar(12)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(12)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(12)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(12)		
155	FCLASS_MA	varchar(12)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(12)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(15)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_r us_geom_geom_idx	gist	geom

2.5.5.1.35. Table: ne_10m_admin_0_countries_sau

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_sau_fid_seq'::regclass)
2	ADM0_A3_SA	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_s au_geom_geom_idx	gist	geom

2.5.5.1.36. Table: ne_10m_admin_0_countries_swe

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_swe_fid_seq'::regclass)
2	ADM0_A3_SE	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_ID	varchar(3)		

86	ADM0_A3_PL	varchar(3)		
87	ADM0_A3_GR	varchar(3)		
88	ADM0_A3_IT	varchar(3)		
89	ADM0_A3_NL	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		

144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_swe_geom_geom_idx	gist	geom

2.5.5.1.37. Table: ne_10m_admin_0_countries_tlc

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_tlc_fid_seq'::regclass)
2	ADM0_TLC	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(35)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(35)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(36)		
26	ABBREV	varchar(15)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(33)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(35)		
34	NAME_ALT	varchar(19)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	float8(53)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(6)		
48	ISO_A2_EH	varchar(5)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(9)		
110	NAME_AR	varchar(60)		
111	NAME_BN	varchar(109)		
112	NAME_DE	varchar(41)		
113	NAME_EN	varchar(36)		
114	NAME_ES	varchar(41)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(44)		
117	NAME_EL	varchar(90)		
118	NAME_HE	varchar(68)		
119	NAME_HI	varchar(97)		
120	NAME_HU	varchar(53)		
121	NAME_ID	varchar(39)		
122	NAME_IT	varchar(41)		
123	NAME_JA	varchar(66)		
124	NAME_KO	varchar(41)		
125	NAME_NL	varchar(36)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(40)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(39)		
130	NAME_TR	varchar(41)		
131	NAME_UK	varchar(82)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(36)		
135	NAME_ZHT	varchar(36)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(30)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(30)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(30)		
145	FCLASS_IN	varchar(30)		
146	FCLASS_NP	varchar(30)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(30)		
149	FCLASS_GB	varchar(30)		
150	FCLASS_BR	varchar(30)		
151	FCLASS_IL	varchar(30)		
152	FCLASS_PS	varchar(30)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(30)		
155	FCLASS_MA	varchar(30)		
156	FCLASS_PT	varchar(30)		
157	FCLASS_AR	varchar(30)		
158	FCLASS_JP	varchar(30)		
159	FCLASS_KO	varchar(30)		
160	FCLASS_VN	varchar(30)		
161	FCLASS_TR	varchar(30)		
162	FCLASS_ID	varchar(30)		
163	FCLASS_PL	varchar(30)		
164	FCLASS_GR	varchar(30)		
165	FCLASS_IT	varchar(30)		

166	FCLASS_NL	varchar(30)		
167	FCLASS_SE	varchar(30)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_tlc_geom_geom_idx	gist	geom

2.5.5.1.38. Table: ne_10m_admin_0_countries_tur

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_tur_fid_seq'::regclass)
2	ADM0_A3_TR	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		

72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	int4(32)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_tur_geom_geom_idx	gist	geom

2.5.5.1.39. Table: ne_10m_admin_0_countries_twn

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_twn_fid_seq'::regclass)
2	ADM0_A3_TW	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		

7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(51)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		

36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		

65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		

123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		

152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_t wn_geom_geom_idx	gist	geom

2.5.5.1.40. Table: ne_10m_admin_0_countries_ukr

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_ukr_fid_seq'::regclass)
2	ADM0_A3_UA	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		

28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		

57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		
72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_VN	varchar(3)		
84	ADM0_A3_TR	varchar(3)		
85	ADM0_A3_ID	varchar(3)		

86	ADM0_A3_PL	varchar(3)		
87	ADM0_A3_GR	varchar(3)		
88	ADM0_A3_IT	varchar(3)		
89	ADM0_A3_NL	varchar(3)		
90	ADM0_A3_SE	varchar(3)		
91	ADM0_A3_BD	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		

115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		

144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_ukr_geom_geom_idx	gist	geom

2.5.5.1.41. Table: ne_10m_admin_0_countries_usa

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_usa_fid_seq'::regclass)
2	ADM0_A3_US	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		
14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		

21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(63)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		
43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		

50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(15)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		
159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		

166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_usa_geom_geom_idx	gist	geom

2.5.5.1.42. Table: ne_10m_admin_0_countries_vnm

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_countries_vnm_fid_seq'::regclass)
2	ADM0_A3_VN	varchar(3)		
3	featurecla	varchar(15)		
4	scalerank	int4(32)		
5	LABELRANK	int4(32)		
6	SOVEREIGNT	varchar(32)		
7	SOV_A3	varchar(3)		
8	ADM0_DIF	int4(32)		
9	LEVEL	int4(32)		
10	TYPE	varchar(17)		
11	TLC	varchar(1)		
12	ADMIN	varchar(36)		
13	ADM0_A3	varchar(3)		

14	GEOU_DIF	int4(32)		
15	GEOUNIT	varchar(36)		
16	GU_A3	varchar(3)		
17	SU_DIF	int4(32)		
18	SUBUNIT	varchar(36)		
19	SU_A3	varchar(3)		
20	BRK_DIFF	int4(32)		
21	NAME	varchar(32)		
22	NAME_LONG	varchar(32)		
23	BRK_A3	varchar(3)		
24	BRK_NAME	varchar(32)		
25	BRK_GROUP	varchar(15)		
26	ABBREV	varchar(13)		
27	POSTAL	varchar(4)		
28	FORMAL_EN	varchar(52)		
29	FORMAL_FR	varchar(35)		
30	NAME_CIAWF	varchar(45)		
31	NOTE_ADM0	varchar(16)		
32	NOTE_BRK	varchar(51)		
33	NAME_SORT	varchar(36)		
34	NAME_ALT	varchar(14)		
35	MAPCOLOR7	int4(32)		
36	MAPCOLOR8	int4(32)		
37	MAPCOLOR9	int4(32)		
38	MAPCOLOR13	int4(32)		
39	POP_EST	float8(53)		
40	POP_RANK	int4(32)		
41	POP_YEAR	int4(32)		
42	GDP_MD	int4(32)		

43	GDP_YEAR	int4(32)		
44	ECONOMY	varchar(26)		
45	INCOME_GRP	varchar(23)		
46	FIPS_10	varchar(3)		
47	ISO_A2	varchar(5)		
48	ISO_A2_EH	varchar(3)		
49	ISO_A3	varchar(3)		
50	ISO_A3_EH	varchar(3)		
51	ISO_N3	varchar(3)		
52	ISO_N3_EH	varchar(3)		
53	UN_A3	varchar(4)		
54	WB_A2	varchar(3)		
55	WB_A3	varchar(3)		
56	WOE_ID	int4(32)		
57	WOE_ID_EH	int4(32)		
58	WOE_NOTE	varchar(167)		
59	ADM0_ISO	varchar(3)		
60	ADM0_DIFF	varchar(1)		
61	ADM0_TLC	varchar(3)		
62	ADM0_A3_US	varchar(3)		
63	ADM0_A3_FR	varchar(3)		
64	ADM0_A3_RU	varchar(3)		
65	ADM0_A3_ES	varchar(3)		
66	ADM0_A3_CN	varchar(3)		
67	ADM0_A3_TW	varchar(3)		
68	ADM0_A3_IN	varchar(3)		
69	ADM0_A3_NP	varchar(3)		
70	ADM0_A3_PK	varchar(3)		
71	ADM0_A3_DE	varchar(3)		

72	ADM0_A3_GB	varchar(3)		
73	ADM0_A3_BR	varchar(3)		
74	ADM0_A3_IL	varchar(3)		
75	ADM0_A3_PS	varchar(3)		
76	ADM0_A3_SA	varchar(3)		
77	ADM0_A3_EG	varchar(3)		
78	ADM0_A3_MA	varchar(3)		
79	ADM0_A3_PT	varchar(3)		
80	ADM0_A3_AR	varchar(3)		
81	ADM0_A3_JP	varchar(3)		
82	ADM0_A3_KO	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(148)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(86)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(126)		
120	NAME_HU	varchar(52)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(48)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(49)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(57)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(21)		
139	FCLASS_US	varchar(18)		
140	FCLASS_FR	varchar(18)		
141	FCLASS_RU	varchar(12)		
142	FCLASS_ES	varchar(18)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(18)		
149	FCLASS_GB	varchar(18)		
150	FCLASS_BR	varchar(1)		
151	FCLASS_IL	varchar(13)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(18)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(18)		

159	FCLASS_KO	varchar(18)		
160	FCLASS_VN	varchar(1)		
161	FCLASS_TR	varchar(18)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(18)		
164	FCLASS_GR	varchar(18)		
165	FCLASS_IT	varchar(18)		
166	FCLASS_NL	varchar(18)		
167	FCLASS_SE	varchar(18)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_countries...

Indexes

Name	Method	Fields
ne_10m_admin_0_countries_v nm_geom_geom_idx	gist	geom

2.5.5.1.43. Table: ne_10m_admin_0_disputed_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_disputed_areas_fid_seq'::regclass)
2	featurecla	varchar(30)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(29)		
6	SOV_A3	varchar(3)		

7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(13)		
10	TLC	varchar(1)		
11	ADMIN	varchar(36)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(36)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(36)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(36)		
21	NAME_LONG	varchar(36)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(36)		
24	BRK_GROUP	varchar(36)		
25	ABBREV	varchar(16)		
26	POSTAL	varchar(3)		
27	FORMAL_EN	varchar(49)		
28	FORMAL_FR	varchar(14)		
29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(15)		
31	NOTE_BRK	varchar(135)		
32	NAME_SORT	varchar(36)		
33	NAME_ALT	varchar(38)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		

36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	int4(32)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	float8(53)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(6)		
47	ISO_A2_EH	varchar(5)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(99)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		

65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(8)		
96	SUBREGION	varchar(23)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(9)		
110	NAME_AR	varchar(79)		
111	NAME_BN	varchar(112)		
112	NAME_DE	varchar(43)		
113	NAME_EN	varchar(43)		
114	NAME_ES	varchar(63)		
115	NAME_FA	varchar(73)		
116	NAME_FR	varchar(60)		
117	NAME_EL	varchar(90)		
118	NAME_HE	varchar(63)		
119	NAME_HI	varchar(89)		
120	NAME_HU	varchar(53)		
121	NAME_ID	varchar(53)		
122	NAME_IT	varchar(45)		

123	NAME_JA	varchar(54)		
124	NAME_KO	varchar(42)		
125	NAME_NL	varchar(36)		
126	NAME_PL	varchar(40)		
127	NAME_PT	varchar(40)		
128	NAME_RU	varchar(80)		
129	NAME_SV	varchar(39)		
130	NAME_TR	varchar(34)		
131	NAME_UK	varchar(78)		
132	NAME_UR	varchar(62)		
133	NAME_VI	varchar(53)		
134	NAME_ZH	varchar(36)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(18)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(13)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		

152	FCLASS_PS	varchar(12)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		
159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(13)		
165	FCLASS_IT	varchar(15)		
166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(13)		
170	geom	(Type)		Index: ne_10m_admin_0_disputed...

Indexes

Name	Method	Fields
ne_10m_admin_0_disputed_areas_geom_geom_idx	gist	geom

2.5.5.1.44. Table: ne_10m_admin_0_disputed_areas_scale_rank_minor_islands

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_disputed_areas_scale_rank_minor_islands_fid_seq'::regclass)
2	sr_sov_a3	varchar(3)		
3	sr_adm0_a3	varchar(3)		
4	sr_gu_a3	varchar(3)		
5	sr_su_a3	varchar(3)		
6	sr_subunit	varchar(28)		
7	sr_brk_a3	varchar(3)		
8	sr_br_name	varchar(33)		
9	scalerank	int4(32)		
10	featurecla	varchar(30)		
11	geom	(Type)		Index: ne_10m_admin_0_disputed...

Indexes

Name	Method	Fields
ne_10m_admin_0_disputed_areas_scale_rank_minor_islands_geom_geo	gist	geom

2.5.5.1.45. Table: ne_10m_admin_0_label_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_label_points_fid_seq'::regclass)
2	sr_sov_a3	varchar(3)		
3	sr_adm0_a3	varchar(3)		

4	sr_gu_a3	varchar(3)		
5	sr_su_a3	varchar(3)		
6	sr_subunit	varchar(100)		
7	sr_brk_a3	varchar(3)		
8	sr_br_name	varchar(100)		
9	scalerank	int4(32)		
10	featurecla	varchar(50)		
11	geom	(Type)		Index: ne_10m_admin_0_label_poi...

Indexes

Name	Method	Fields
ne_10m_admin_0_label_point s_geom_geom_idx	gist	geom

2.5.5.1.46. Table: ne_10m_admin_0_map_subunits

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_map_subunits_fid_seq'::regclass)
2	featurecla	varchar(19)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		

11	ADMIN	varchar(36)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(29)		
21	NAME_LONG	varchar(36)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(33)		
24	BRK_GROUP	varchar(36)		
25	ABBREV	varchar(16)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(46)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(89)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(32)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		

40	POP_YEAR	int4(32)		
41	GDP_MD	float8(53)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(6)		
47	ISO_A2_EH	varchar(5)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(207)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		

69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		

98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(9)		
110	NAME_AR	varchar(71)		
111	NAME_BN	varchar(109)		
112	NAME_DE	varchar(43)		
113	NAME_EN	varchar(43)		
114	NAME_ES	varchar(63)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(60)		
117	NAME_EL	varchar(90)		
118	NAME_HE	varchar(63)		
119	NAME_HI	varchar(89)		
120	NAME_HU	varchar(53)		
121	NAME_ID	varchar(53)		
122	NAME_IT	varchar(41)		
123	NAME_JA	varchar(66)		
124	NAME_KO	varchar(42)		
125	NAME_NL	varchar(41)		
126	NAME_PL	varchar(40)		

127	NAME_PT	varchar(40)		
128	NAME_RU	varchar(80)		
129	NAME_SV	varchar(39)		
130	NAME_TR	varchar(39)		
131	NAME_UK	varchar(79)		
132	NAME_UR	varchar(56)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(36)		
135	NAME_ZHT	varchar(36)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(30)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(30)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(30)		
145	FCLASS_IN	varchar(30)		
146	FCLASS_NP	varchar(30)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(30)		
149	FCLASS_GB	varchar(30)		
150	FCLASS_BR	varchar(30)		
151	FCLASS_IL	varchar(30)		
152	FCLASS_PS	varchar(30)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(30)		
155	FCLASS_MA	varchar(30)		

156	FCLASS_PT	varchar(30)		
157	FCLASS_AR	varchar(30)		
158	FCLASS_JP	varchar(30)		
159	FCLASS_KO	varchar(30)		
160	FCLASS_VN	varchar(30)		
161	FCLASS_TR	varchar(30)		
162	FCLASS_ID	varchar(30)		
163	FCLASS_PL	varchar(30)		
164	FCLASS_GR	varchar(30)		
165	FCLASS_IT	varchar(30)		
166	FCLASS_NL	varchar(30)		
167	FCLASS_SE	varchar(30)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_map_sub...

Indexes

Name	Method	Fields
ne_10m_admin_0_map_subunits_geom_geom_idx	gist	geom

2.5.5.1.47. Table: ne_10m_admin_0_map_units

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_map_units_fid_seq'::regclass)
2	featurecla	varchar(16)		
3	scalerank	int4(32)		

4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(36)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(29)		
21	NAME_LONG	varchar(36)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(33)		
24	BRK_GROUP	varchar(36)		
25	ABBREV	varchar(16)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(45)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(89)		
32	NAME_SORT	varchar(35)		

33	NAME_ALT	varchar(19)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(6)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(207)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		

62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		

91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(125)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(63)		
115	NAME_FA	varchar(66)		
116	NAME_FR	varchar(60)		
117	NAME_EL	varchar(75)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(123)		

120	NAME_HU	varchar(43)		
121	NAME_ID	varchar(53)		
122	NAME_IT	varchar(44)		
123	NAME_JA	varchar(66)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(46)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(40)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(39)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(36)		
135	NAME_ZHT	varchar(36)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(30)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(30)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(30)		
145	FCLASS_IN	varchar(30)		
146	FCLASS_NP	varchar(30)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(30)		

149	FCLASS_GB	varchar(30)		
150	FCLASS_BR	varchar(30)		
151	FCLASS_IL	varchar(30)		
152	FCLASS_PS	varchar(30)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(30)		
155	FCLASS_MA	varchar(30)		
156	FCLASS_PT	varchar(30)		
157	FCLASS_AR	varchar(30)		
158	FCLASS_JP	varchar(30)		
159	FCLASS_KO	varchar(30)		
160	FCLASS_VN	varchar(30)		
161	FCLASS_TR	varchar(30)		
162	FCLASS_ID	varchar(30)		
163	FCLASS_PL	varchar(30)		
164	FCLASS_GR	varchar(30)		
165	FCLASS_IT	varchar(30)		
166	FCLASS_NL	varchar(30)		
167	FCLASS_SE	varchar(30)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(18)		
170	geom	(Type)		Index: ne_10m_admin_0_map_uni...

Indexes

Name	Method	Fields
ne_10m_admin_0_map_units_geom_geom_idx	gist	geom

2.5.5.1.48. Table: ne_10m_admin_0_names

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_names_fid_seq'::regclass)
2	LABELRANK	float8(53)		
3	SOVEREIGNT	varchar(32)		
4	SOV_A3	varchar(3)		
5	ADM0_DIF	float8(53)		
6	LEVEL	float8(53)		
7	TYPE	varchar(17)		
8	ADMIN	varchar(36)		
9	ADM0_A3	varchar(3)		
10	GEOU_DIF	float8(53)		
11	GEOUNIT	varchar(36)		
12	GU_A3	varchar(3)		
13	SU_DIF	float8(53)		
14	SUBUNIT	varchar(36)		
15	SU_A3	varchar(3)		
16	BRK_DIFF	float8(53)		
17	NAME	varchar(36)		
18	NAME_LONG	varchar(36)		
19	BRK_A3	varchar(3)		
20	BRK_NAME	varchar(36)		
21	BRK_GROUP	varchar(30)		
22	ABBREV	varchar(16)		
23	POSTAL	varchar(4)		
24	FORMAL_EN	varchar(52)		
25	FORMAL_FR	varchar(35)		
26	NAME_CIAWF	varchar(45)		

27	NOTE_ADM0	varchar(22)		
28	NOTE_BRK	varchar(135)		
29	NAME_SORT	varchar(36)		
30	NAME_ALT	varchar(38)		
31	MAPCOLOR7	float8(53)		
32	MAPCOLOR8	float8(53)		
33	MAPCOLOR9	float8(53)		
34	MAPCOLOR13	float8(53)		
35	POP_EST	float8(53)		
36	POP_RANK	float8(53)		
37	POP_YEAR	float8(53)		
38	GDP_MD	float8(53)		
39	GDP_YEAR	float8(53)		
40	ECONOMY	varchar(26)		
41	INCOME_GRP	varchar(23)		
42	FIPS_10	varchar(3)		
43	ISO_A2	varchar(5)		
44	ISO_A2_EH	varchar(5)		
45	ISO_A3	varchar(3)		
46	ISO_A3_EH	varchar(3)		
47	ISO_N3	varchar(3)		
48	ISO_N3_EH	varchar(3)		
49	UN_A3	varchar(4)		
50	WB_A2	varchar(3)		
51	WB_A3	varchar(3)		
52	WOE_ID	float8(53)		
53	WOE_ID_EH	float8(53)		
54	WOE_NOTE	varchar(190)		
55	ADM0_A3_IS	varchar(3)		

56	ADM0_A3_US	varchar(3)		
57	ADM0_A3_FR	varchar(3)		
58	ADM0_A3_RU	varchar(3)		
59	ADM0_A3_ES	varchar(3)		
60	ADM0_A3_CN	varchar(3)		
61	ADM0_A3_TW	varchar(3)		
62	ADM0_A3_IN	varchar(3)		
63	ADM0_A3_NP	varchar(3)		
64	ADM0_A3_PK	varchar(3)		
65	ADM0_A3_DE	varchar(3)		
66	ADM0_A3_GB	varchar(3)		
67	ADM0_A3_BR	varchar(3)		
68	ADM0_A3_IL	varchar(3)		
69	ADM0_A3_PS	varchar(3)		
70	ADM0_A3_SA	varchar(3)		
71	ADM0_A3_EG	varchar(3)		
72	ADM0_A3_MA	varchar(3)		
73	ADM0_A3_PT	varchar(3)		
74	ADM0_A3_AR	varchar(3)		
75	ADM0_A3_JP	varchar(3)		
76	ADM0_A3_KO	varchar(3)		
77	ADM0_A3_VN	varchar(3)		
78	ADM0_A3_TR	varchar(3)		
79	ADM0_A3_ID	varchar(3)		
80	ADM0_A3_PL	varchar(3)		
81	ADM0_A3_GR	varchar(3)		
82	ADM0_A3_IT	varchar(3)		
83	ADM0_A3_NL	varchar(3)		
84	ADM0_A3_SE	varchar(3)		

85	ADM0_A3_BD	varchar(3)		
86	ADM0_A3_UA	varchar(3)		
87	ADM0_A3_UN	float8(53)		
88	ADM0_A3_WB	float8(53)		
89	CONTINENT	varchar(23)		
90	REGION_UN	varchar(10)		
91	SUBREGION	varchar(25)		
92	REGION_WB	varchar(26)		
93	NAME_LEN	float8(53)		
94	LONG_LEN	float8(53)		
95	ABBREV_LEN	float8(53)		
96	TINY	float8(53)		
97	HOMEPART	float8(53)		
98	MIN_ZOOM	float8(53)		
99	MIN_LABEL	float8(53)		
100	MAX_LABEL	float8(53)		
101	NE_ID	float8(53)		
102	WIKIDATAID	varchar(9)		
103	NAME_AR	varchar(79)		
104	NAME_BN	varchar(148)		
105	NAME_DE	varchar(46)		
106	NAME_EN	varchar(44)		
107	NAME_ES	varchar(63)		
108	NAME_FR	varchar(60)		
109	NAME_EL	varchar(90)		
110	NAME_HE	varchar(78)		
111	NAME_HI	varchar(126)		
112	NAME_HU	varchar(53)		
113	NAME_ID	varchar(53)		

114	NAME_IT	varchar(48)		
115	NAME_JA	varchar(66)		
116	NAME_KO	varchar(47)		
117	NAME_NL	varchar(49)		
118	NAME_PL	varchar(47)		
119	NAME_PT	varchar(43)		
120	NAME_RU	varchar(86)		
121	NAME_SV	varchar(57)		
122	NAME_TR	varchar(42)		
123	NAME_UK	varchar(91)		
124	NAME_UR	varchar(67)		
125	NAME_VI	varchar(56)		
126	NAME_ZH	varchar(39)		
127	FCLASS_ISO	varchar(12)		
128	FCLASS_US	varchar(12)		
129	FCLASS_FR	varchar(12)		
130	FCLASS_RU	varchar(12)		
131	FCLASS_ES	varchar(12)		
132	FCLASS_CN	varchar(12)		
133	FCLASS_TW	varchar(12)		
134	FCLASS_IN	varchar(12)		
135	FCLASS_NP	varchar(12)		
136	FCLASS_PK	varchar(12)		
137	FCLASS_DE	varchar(12)		
138	FCLASS_GB	varchar(12)		
139	FCLASS_BR	varchar(12)		
140	FCLASS_IL	varchar(12)		
141	FCLASS_PS	varchar(12)		
142	FCLASS_SA	varchar(12)		

143	FCLASS_EG	varchar(12)		
144	FCLASS_MA	varchar(12)		
145	FCLASS_PT	varchar(12)		
146	FCLASS_AR	varchar(12)		
147	FCLASS_JP	varchar(12)		
148	FCLASS_KO	varchar(12)		
149	FCLASS_VN	varchar(12)		
150	FCLASS_TR	varchar(12)		
151	FCLASS_ID	varchar(12)		
152	FCLASS_PL	varchar(12)		
153	FCLASS_GR	varchar(12)		
154	FCLASS_IT	varchar(12)		
155	FCLASS_NL	varchar(12)		
156	FCLASS_SE	varchar(12)		
157	FCLASS_BD	varchar(12)		
158	FCLASS_UA	varchar(12)		
159	NAME_FA	varchar(80)		
160	NAME_ZHT	varchar(80)		
161	geom	(Type)		Index: ne_10m_admin_0_names_g...

Indexes

Name	Method	Fields
ne_10m_admin_0_names_geom_geom_idx	gist	geom

2.5.5.1.49. Table: ne_10m_admin_0_pacific_groupings

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_pacific_groupings_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	ne_id	int8(64)		
5	BRK_A3	varchar(3)		
6	geom	(Type)		Index: ne_10m_admin_0_pacific_g...

Indexes

Name	Method	Fields
ne_10m_admin_0_pacific_groupings_geom_geom_idx	gist	geom

2.5.5.1.50. Table: ne_10m_admin_0_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_scale_rank_fid_seq'::regclass)
2	sr_sov_a3	varchar(3)		
3	sr_adm0_a3	varchar(3)		
4	sr_gu_a3	varchar(3)		
5	sr_su_a3	varchar(3)		
6	sr_subunit	varchar(28)		
7	sr_brk_a3	varchar(3)		
8	sr_br_name	varchar(33)		
9	scalerank	int4(32)		

10	featurecla	varchar(30)		
11	geom	(Type)		Index: ne_10m_admin_0_scale_ran...

Indexes

Name	Method	Fields
ne_10m_admin_0_scale_rank_geom_geom_idx	gist	geom

2.5.5.151. Table: ne_10m_admin_0_scale_rank_minor_islands

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_scale_rank_minor_islands_fid_seq'::regclass)
2	sr_sov_a3	varchar(3)		
3	sr_adm0_a3	varchar(3)		
4	sr_gu_a3	varchar(3)		
5	sr_su_a3	varchar(3)		
6	sr_subunit	varchar(28)		
7	sr_brk_a3	varchar(3)		
8	sr_br_name	varchar(33)		
9	scalerank	int4(32)		
10	featurecla	varchar(30)		
11	geom	(Type)		Index: ne_10m_admin_0_scale_ran...

Indexes

Name	Method	Fields
ne_10m_admin_0_scale_rank_minor_islands_geom_geom_idx	gist	geom

Server: PostGIS (PostgreSQL) > Database: naturalearth > Schema: public

2.5.5.1.52. Table: ne_10m_admin_0_seams

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_seams_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	scalerank	int8(64)		
4	geom	(Type)		Index: ne_10m_admin_0_seams_g...

Indexes

Name	Method	Fields
ne_10m_admin_0_seams_geom_geom_idx	gist	geom

2.5.5.1.53. Table: ne_10m_admin_0_sovereignty

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_0_sovereignty_fid_seq'::regclass)
2	featurecla	varchar(19)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(32)		

12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(32)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(32)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(29)		
21	NAME_LONG	varchar(32)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(17)		
25	ABBREV	varchar(16)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(11)		
31	NOTE_BRK	varchar(63)		
32	NAME_SORT	varchar(31)		
33	NAME_ALT	varchar(10)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		

41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(99)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		

70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		

99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(67)		
111	NAME_BN	varchar(83)		
112	NAME_DE	varchar(35)		
113	NAME_EN	varchar(36)		
114	NAME_ES	varchar(36)		
115	NAME_FA	varchar(55)		
116	NAME_FR	varchar(39)		
117	NAME_EL	varchar(72)		
118	NAME_HE	varchar(62)		
119	NAME_HI	varchar(84)		
120	NAME_HU	varchar(38)		
121	NAME_ID	varchar(36)		
122	NAME_IT	varchar(32)		
123	NAME_JA	varchar(48)		
124	NAME_KO	varchar(42)		
125	NAME_NL	varchar(30)		
126	NAME_PL	varchar(38)		
127	NAME_PT	varchar(35)		

128	NAME_RU	varchar(67)		
129	NAME_SV	varchar(30)		
130	NAME_TR	varchar(32)		
131	NAME_UK	varchar(79)		
132	NAME_UR	varchar(47)		
133	NAME_VI	varchar(53)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(15)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(12)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		

157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		
159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(15)		
166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_10m_admin_0_sovereign...

Indexes

Name	Method	Fields
ne_10m_admin_0_sovereignty _geom_geom_idx	gist	geom

2.5.5.1.54. Table: ne_10m_admin_1_label_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_label _points_fid_seq'::regclass)
2	OBJECTID_1	int4(32)		
3	diss_me	int4(32)		
4	adm1_code	varchar(10)		

5	sr_sov_a3	varchar(3)		
6	sr_adm0_a3	varchar(3)		
7	sr_gu_a3	varchar(3)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(100)		
11	admin	varchar(100)		
12	scalerank	int4(32)		
13	datarank	int4(32)		
14	featurecla	varchar(50)		
15	geom	(Type)		Index: ne_10m_admin_1_label_poi...

Indexes

Name	Method	Fields
ne_10m_admin_1_label_point s_geom_geom_idx	gist	geom

2.5.5.1.55. Table: ne_10m_admin_1_label_points_details

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_label _points_details_fid_seq'::regclas s)
2	adm1_code	varchar(10)		
3	diss_me	int4(32)		
4	iso_3166_2	varchar(10)		
5	wikipedia	varchar(254)		
6	iso_a2	varchar(2)		

7	adm0_sr	int4(32)		
8	name	varchar(100)		
9	name_alt	varchar(200)		
10	name_local	varchar(200)		
11	type	varchar(100)		
12	type_en	varchar(100)		
13	code_local	varchar(50)		
14	code_hasc	varchar(10)		
15	note	varchar(254)		
16	hasc_maybe	varchar(50)		
17	region	varchar(100)		
18	region_cod	varchar(50)		
19	provnum_ne	int4(32)		
20	gadm_level	int4(32)		
21	check_me	int4(32)		
22	scalerank	int4(32)		
23	datarank	int4(32)		
24	abbrev	varchar(10)		
25	postal	varchar(10)		
26	area_sqkm	float8(53)		
27	sameascity	int4(32)		
28	labelrank	int4(32)		
29	featurecla	varchar(50)		
30	name_len	int4(32)		
31	mapcolor9	int4(32)		
32	mapcolor13	int4(32)		
33	fips	varchar(5)		
34	fips_alt	varchar(50)		
35	woe_id	int4(32)		

36	woe_label	varchar(250)		
37	woe_name	varchar(100)		
38	latitude	float8(53)		
39	longitude	float8(53)		
40	sov_a3	varchar(3)		
41	adm0_a3	varchar(3)		
42	adm0_label	int4(32)		
43	admin	varchar(200)		
44	geonunit	varchar(200)		
45	gu_a3	varchar(3)		
46	gn_id	int4(32)		
47	gn_name	varchar(200)		
48	gns_id	int4(32)		
49	gns_name	varchar(200)		
50	gn_level	int4(32)		
51	gn_region	varchar(50)		
52	gn_a1_code	varchar(10)		
53	region_sub	varchar(250)		
54	sub_code	varchar(10)		
55	gns_level	int4(32)		
56	gns_lang	varchar(10)		
57	gns_adm1	varchar(10)		
58	gns_region	varchar(10)		
59	min_label	float8(53)		
60	max_label	float8(53)		
61	min_zoom	float8(53)		
62	wikidataid	varchar(254)		
63	name_ar	varchar(254)		
64	name_bn	varchar(254)		

65	name_de	varchar(254)		
66	name_en	varchar(254)		
67	name_es	varchar(254)		
68	name_fr	varchar(254)		
69	name_el	varchar(254)		
70	name_hi	varchar(254)		
71	name_hu	varchar(254)		
72	name_id	varchar(254)		
73	name_it	varchar(254)		
74	name_ja	varchar(254)		
75	name_ko	varchar(254)		
76	name_nl	varchar(254)		
77	name_pl	varchar(254)		
78	name_pt	varchar(254)		
79	name_ru	varchar(254)		
80	name_sv	varchar(254)		
81	name_tr	varchar(254)		
82	name_vi	varchar(254)		
83	name_zh	varchar(254)		
84	ne_id	int8(64)		
85	name_he	varchar(80)		
86	name_uk	varchar(105)		
87	name_ur	varchar(103)		
88	name_fa	varchar(92)		
89	name_zht	varchar(80)		
90	FCLASS_ISO	varchar(50)		
91	FCLASS_US	varchar(50)		
92	FCLASS_FR	varchar(50)		
93	FCLASS_RU	varchar(50)		

94	FCLASS_ES	varchar(50)		
95	FCLASS_CN	varchar(50)		
96	FCLASS_TW	varchar(50)		
97	FCLASS_IN	varchar(50)		
98	FCLASS_NP	varchar(50)		
99	FCLASS_PK	varchar(50)		
100	FCLASS_DE	varchar(50)		
101	FCLASS_GB	varchar(50)		
102	FCLASS_BR	varchar(50)		
103	FCLASS_IL	varchar(50)		
104	FCLASS_PS	varchar(50)		
105	FCLASS_SA	varchar(50)		
106	FCLASS_EG	varchar(50)		
107	FCLASS_MA	varchar(50)		
108	FCLASS_PT	varchar(50)		
109	FCLASS_AR	varchar(50)		
110	FCLASS_JP	varchar(50)		
111	FCLASS_KO	varchar(50)		
112	FCLASS_VN	varchar(50)		
113	FCLASS_TR	varchar(50)		
114	FCLASS_ID	varchar(50)		
115	FCLASS_PL	varchar(50)		
116	FCLASS_GR	varchar(50)		
117	FCLASS_IT	varchar(50)		
118	FCLASS_NL	varchar(50)		
119	FCLASS_SE	varchar(50)		
120	FCLASS_BD	varchar(50)		
121	FCLASS_UA	varchar(50)		

122	FCLASS_TLC	varchar(254)		
123	geom	(Type)		Index: ne_10m_admin_1_label_poi...

Indexes

Name	Method	Fields
ne_10m_admin_1_label_point s_details_geom_geom_idx	gist	geom

2.5.5.1.56. Table: ne_10m_admin_1_seams

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_seam s_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	scalerank	int8(64)		
4	geom	(Type)		Index: ne_10m_admin_1_seams_g...

Indexes

Name	Method	Fields
ne_10m_admin_1_seams_geo m_geom_idx	gist	geom

2.5.5.1.57. Table: ne_10m_admin_1_sel

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_sel_f id_seq'::regclass)

2	FEATURECLA	varchar(32)		
3	NAME	varchar(100)		
4	ADM0_A3	varchar(3)		
5	ADM0_NAME	varchar(100)		
6	SHAPE_LEN	float8(53)		
7	MAPCOLOR13	int4(32)		
8	MAPCOLOR9	int4(32)		
9	SOV_A3	varchar(3)		
10	NAME_L	varchar(100)		
11	NAME_R	varchar(100)		
12	NAME_ALT_L	varchar(200)		
13	NAME_ALT_R	varchar(200)		
14	NAME_LOC_L	varchar(200)		
15	NAME_LOC_R	varchar(200)		
16	NAME_LEN_L	int4(32)		
17	NAME_LEN_R	int4(32)		
18	NOTE	varchar(100)		
19	TYPE	varchar(50)		
20	MIN_ZOOM	float8(53)		
21	MIN_LABEL	float8(53)		
22	SCALERANK	int4(32)		
23	FCLASS_ISO	varchar(32)		
24	FCLASS_US	varchar(32)		
25	FCLASS_FR	varchar(32)		
26	FCLASS_RU	varchar(32)		
27	FCLASS_ES	varchar(32)		
28	FCLASS_CN	varchar(32)		
29	FCLASS_TW	varchar(32)		
30	FCLASS_IN	varchar(32)		

31	FCLASS_NP	varchar(32)		
32	FCLASS_PK	varchar(32)		
33	FCLASS_DE	varchar(32)		
34	FCLASS_GB	varchar(32)		
35	FCLASS_BR	varchar(32)		
36	FCLASS_IL	varchar(32)		
37	FCLASS_PS	varchar(32)		
38	FCLASS_SA	varchar(32)		
39	FCLASS_EG	varchar(32)		
40	FCLASS_MA	varchar(32)		
41	FCLASS_PT	varchar(32)		
42	FCLASS_AR	varchar(32)		
43	FCLASS_JP	varchar(32)		
44	FCLASS_KO	varchar(32)		
45	FCLASS_VN	varchar(32)		
46	FCLASS_TR	varchar(32)		
47	FCLASS_ID	varchar(32)		
48	FCLASS_PL	varchar(32)		
49	FCLASS_GR	varchar(32)		
50	FCLASS_IT	varchar(32)		
51	FCLASS_NL	varchar(32)		
52	FCLASS_SE	varchar(32)		
53	FCLASS_BD	varchar(32)		
54	FCLASS_UA	varchar(32)		
55	ne_id	int8(64)		
56	BRK_A3	varchar(3)		
57	geom	(Type)		Index: ne_10m_admin_1_sel_geom...

Indexes

Name	Method	Fields
ne_10m_admin_1_sel_geom_geom_idx	gist	geom

2.5.5.1.58. Table: ne_10m_admin_1_states_provinces

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_states_provinces_fid_seq'::regclass)
2	featurecla	varchar(24)		
3	scalerank	int4(32)		
4	adm1_code	varchar(9)		
5	diss_me	int4(32)		
6	iso_3166_2	varchar(8)		
7	wikipedia	varchar(84)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(44)		
11	name_alt	varchar(129)		
12	name_local	varchar(66)		
13	type	varchar(38)		
14	type_en	varchar(27)		
15	code_local	varchar(5)		
16	code_hasc	varchar(8)		
17	note	varchar(114)		
18	hasc_maybe	varchar(13)		
19	region	varchar(43)		
20	region_cod	varchar(15)		

21	provnum_ne	int4(32)		
22	gadm_level	int4(32)		
23	check_me	int4(32)		
24	datarank	int4(32)		
25	abbrev	varchar(9)		
26	postal	varchar(3)		
27	area_sqkm	int4(32)		
28	sameascity	int4(32)		
29	labelrank	int4(32)		
30	name_len	int4(32)		
31	mapcolor9	int4(32)		
32	mapcolor13	int4(32)		
33	fips	varchar(5)		
34	fips_alt	varchar(9)		
35	woe_id	int4(32)		
36	woe_label	varchar(64)		
37	woe_name	varchar(44)		
38	latitude	float8(53)		
39	longitude	float8(53)		
40	sov_a3	varchar(3)		
41	adm0_a3	varchar(3)		
42	adm0_label	int4(32)		
43	admin	varchar(36)		
44	geonunit	varchar(40)		
45	gu_a3	varchar(3)		
46	gn_id	int4(32)		
47	gn_name	varchar(72)		
48	gns_id	int4(32)		
49	gns_name	varchar(80)		

50	gn_level	int4(32)		
51	gn_region	varchar(1)		
52	gn_a1_code	varchar(10)		
53	region_sub	varchar(41)		
54	sub_code	varchar(5)		
55	gns_level	int4(32)		
56	gns_lang	varchar(3)		
57	gns_adm1	varchar(4)		
58	gns_region	varchar(4)		
59	min_label	float8(53)		
60	max_label	float8(53)		
61	min_zoom	float8(53)		
62	wikidataid	varchar(9)		
63	name_ar	varchar(85)		
64	name_bn	varchar(134)		
65	name_de	varchar(50)		
66	name_en	varchar(47)		
67	name_es	varchar(44)		
68	name_fr	varchar(47)		
69	name_el	varchar(85)		
70	name_hi	varchar(134)		
71	name_hu	varchar(47)		
72	name_id	varchar(46)		
73	name_it	varchar(47)		
74	name_ja	varchar(96)		
75	name_ko	varchar(54)		
76	name_nl	varchar(46)		
77	name_pl	varchar(45)		
78	name_pt	varchar(43)		

79	name_ru	varchar(85)		
80	name_sv	varchar(41)		
81	name_tr	varchar(44)		
82	name_vi	varchar(71)		
83	name_zh	varchar(61)		
84	ne_id	int8(64)		
85	name_he	varchar(63)		
86	name_uk	varchar(89)		
87	name_ur	varchar(103)		
88	name_fa	varchar(92)		
89	name_zht	varchar(61)		
90	FCLASS_ISO	varchar(12)		
91	FCLASS_US	varchar(12)		
92	FCLASS_FR	varchar(1)		
93	FCLASS_RU	varchar(12)		
94	FCLASS_ES	varchar(12)		
95	FCLASS_CN	varchar(18)		
96	FCLASS_TW	varchar(12)		
97	FCLASS_IN	varchar(12)		
98	FCLASS_NP	varchar(12)		
99	FCLASS_PK	varchar(12)		
100	FCLASS_DE	varchar(12)		
101	FCLASS_GB	varchar(12)		
102	FCLASS_BR	varchar(12)		
103	FCLASS_IL	varchar(12)		
104	FCLASS_PS	varchar(12)		
105	FCLASS_SA	varchar(12)		
106	FCLASS_EG	varchar(12)		
107	FCLASS_MA	varchar(1)		

108	FCLASS_PT	varchar(12)		
109	FCLASS_AR	varchar(12)		
110	FCLASS_JP	varchar(12)		
111	FCLASS_KO	varchar(12)		
112	FCLASS_VN	varchar(12)		
113	FCLASS_TR	varchar(1)		
114	FCLASS_ID	varchar(12)		
115	FCLASS_PL	varchar(1)		
116	FCLASS_GR	varchar(12)		
117	FCLASS_IT	varchar(12)		
118	FCLASS_NL	varchar(1)		
119	FCLASS_SE	varchar(12)		
120	FCLASS_BD	varchar(12)		
121	FCLASS_UA	varchar(12)		
122	FCLASS_TLC	varchar(12)		
123	geom	(Type)		Index: ne_10m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_10m_admin_1_states_provinces_geom_geom_idx	gist	geom

2.5.5.1.59. Table: ne_10m_admin_1_states_provinces_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_states_provinces_lakes_fid_seq'::regclass)

2	featurecla	varchar(30)		
3	scalerank	int4(32)		
4	adm1_code	varchar(9)		
5	diss_me	int4(32)		
6	iso_3166_2	varchar(8)		
7	wikipedia	varchar(84)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(44)		
11	name_alt	varchar(129)		
12	name_local	varchar(66)		
13	type	varchar(38)		
14	type_en	varchar(27)		
15	code_local	varchar(5)		
16	code_hasc	varchar(8)		
17	note	varchar(114)		
18	hasc_maybe	varchar(13)		
19	region	varchar(43)		
20	region_cod	varchar(15)		
21	provnum_ne	int4(32)		
22	gadm_level	int4(32)		
23	check_me	int4(32)		
24	datarank	int4(32)		
25	abbrev	varchar(9)		
26	postal	varchar(3)		
27	area_sqkm	int4(32)		
28	sameascity	int4(32)		
29	labelrank	int4(32)		
30	name_len	int4(32)		

31	mapcolor9	int4(32)		
32	mapcolor13	int4(32)		
33	fips	varchar(5)		
34	fips_alt	varchar(9)		
35	woe_id	int4(32)		
36	woe_label	varchar(64)		
37	woe_name	varchar(44)		
38	latitude	float8(53)		
39	longitude	float8(53)		
40	sov_a3	varchar(3)		
41	adm0_a3	varchar(3)		
42	adm0_label	int4(32)		
43	admin	varchar(36)		
44	geonunit	varchar(40)		
45	gu_a3	varchar(3)		
46	gn_id	int4(32)		
47	gn_name	varchar(72)		
48	gns_id	int4(32)		
49	gns_name	varchar(80)		
50	gn_level	int4(32)		
51	gn_region	varchar(1)		
52	gn_a1_code	varchar(10)		
53	region_sub	varchar(41)		
54	sub_code	varchar(5)		
55	gns_level	int4(32)		
56	gns_lang	varchar(3)		
57	gns_adm1	varchar(4)		
58	gns_region	varchar(4)		
59	min_label	float8(53)		

60	max_label	float8(53)		
61	min_zoom	float8(53)		
62	wikidataid	varchar(9)		
63	name_ar	varchar(85)		
64	name_bn	varchar(134)		
65	name_de	varchar(50)		
66	name_en	varchar(47)		
67	name_es	varchar(44)		
68	name_fr	varchar(47)		
69	name_el	varchar(85)		
70	name_hi	varchar(134)		
71	name_hu	varchar(47)		
72	name_id	varchar(46)		
73	name_it	varchar(47)		
74	name_ja	varchar(96)		
75	name_ko	varchar(54)		
76	name_nl	varchar(46)		
77	name_pl	varchar(45)		
78	name_pt	varchar(43)		
79	name_ru	varchar(85)		
80	name_sv	varchar(41)		
81	name_tr	varchar(44)		
82	name_vi	varchar(71)		
83	name_zh	varchar(61)		
84	ne_id	int8(64)		
85	name_he	varchar(63)		
86	name_uk	varchar(89)		
87	name_ur	varchar(103)		
88	name_fa	varchar(92)		

89	name_zht	varchar(61)		
90	FCLASS_ISO	varchar(12)		
91	FCLASS_US	varchar(12)		
92	FCLASS_FR	varchar(1)		
93	FCLASS_RU	varchar(12)		
94	FCLASS_ES	varchar(12)		
95	FCLASS_CN	varchar(18)		
96	FCLASS_TW	varchar(12)		
97	FCLASS_IN	varchar(12)		
98	FCLASS_NP	varchar(12)		
99	FCLASS_PK	varchar(12)		
100	FCLASS_DE	varchar(12)		
101	FCLASS_GB	varchar(12)		
102	FCLASS_BR	varchar(12)		
103	FCLASS_IL	varchar(12)		
104	FCLASS_PS	varchar(12)		
105	FCLASS_SA	varchar(12)		
106	FCLASS_EG	varchar(12)		
107	FCLASS_MA	varchar(1)		
108	FCLASS_PT	varchar(12)		
109	FCLASS_AR	varchar(12)		
110	FCLASS_JP	varchar(12)		
111	FCLASS_KO	varchar(12)		
112	FCLASS_VN	varchar(12)		
113	FCLASS_TR	varchar(1)		
114	FCLASS_ID	varchar(12)		
115	FCLASS_PL	varchar(1)		
116	FCLASS_GR	varchar(12)		
117	FCLASS_IT	varchar(12)		

118	FCLASS_NL	varchar(1)		
119	FCLASS_SE	varchar(12)		
120	FCLASS_BD	varchar(12)		
121	FCLASS_UA	varchar(12)		
122	FCLASS_TLC	varchar(12)		
123	geom	(Type)		Index: ne_10m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_10m_admin_1_states_provinces_lakes_geom_geom_idx	gist	geom

2.5.5.1.60. Table: ne_10m_admin_1_states_provinces_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_states_provinces_lines_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	NAME	varchar(100)		
4	ADM0_A3	varchar(3)		
5	ADM0_NAME	varchar(100)		
6	SHAPE_LENG	float8(53)		
7	MAPCOLOR13	int4(32)		
8	MAPCOLOR9	int4(32)		
9	SOV_A3	varchar(3)		
10	NAME_L	varchar(100)		
11	NAME_R	varchar(100)		

12	NAME_ALT_L	varchar(200)		
13	NAME_ALT_R	varchar(200)		
14	NAME_LOC_L	varchar(200)		
15	NAME_LOC_R	varchar(200)		
16	NAME_LEN_L	int4(32)		
17	NAME_LEN_R	int4(32)		
18	NOTE	varchar(100)		
19	TYPE	varchar(50)		
20	MIN_ZOOM	float8(53)		
21	MIN_LABEL	float8(53)		
22	SCALERANK	int4(32)		
23	FCLASS_ISO	varchar(32)		
24	FCLASS_US	varchar(32)		
25	FCLASS_FR	varchar(32)		
26	FCLASS_RU	varchar(32)		
27	FCLASS_ES	varchar(32)		
28	FCLASS_CN	varchar(32)		
29	FCLASS_TW	varchar(32)		
30	FCLASS_IN	varchar(32)		
31	FCLASS_NP	varchar(32)		
32	FCLASS_PK	varchar(32)		
33	FCLASS_DE	varchar(32)		
34	FCLASS_GB	varchar(32)		
35	FCLASS_BR	varchar(32)		
36	FCLASS_IL	varchar(32)		
37	FCLASS_PS	varchar(32)		
38	FCLASS_SA	varchar(32)		
39	FCLASS_EG	varchar(32)		
40	FCLASS_MA	varchar(32)		

41	FCLASS_PT	varchar(32)		
42	FCLASS_AR	varchar(32)		
43	FCLASS_JP	varchar(32)		
44	FCLASS_KO	varchar(32)		
45	FCLASS_VN	varchar(32)		
46	FCLASS_TR	varchar(32)		
47	FCLASS_ID	varchar(32)		
48	FCLASS_PL	varchar(32)		
49	FCLASS_GR	varchar(32)		
50	FCLASS_IT	varchar(32)		
51	FCLASS_NL	varchar(32)		
52	FCLASS_SE	varchar(32)		
53	FCLASS_BD	varchar(32)		
54	FCLASS_UA	varchar(32)		
55	ne_id	int8(64)		
56	BRK_A3	varchar(3)		
57	FCLASS_OSM	varchar(32)		
58	FCLASS_TLC	varchar(254)		
59	geom	(Type)		Index: ne_10m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_10m_admin_1_states_provinces_lines_geom_geom_idx	gist	geom

2.5.5.1.61. Table: ne_10m_admin_1_states_provinces_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_states_provinces_scale_rank_fid_seq'::regclass)
2	OBJECTID_1	int4(32)		
3	diss_me	int4(32)		
4	adm1_code	varchar(9)		
5	sr_sov_a3	varchar(3)		
6	sr_adm0_a3	varchar(3)		
7	sr_gu_a3	varchar(3)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(46)		
11	admin	varchar(36)		
12	scalerank	int4(32)		
13	datarank	int4(32)		
14	featurecla	varchar(35)		
15	geom	(Type)		Index: ne_10m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_10m_admin_1_states_provinces_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.62. Table: ne_10m_admin_1_states_provinces_scale_rank_minor_islands

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_1_states_provinces_scale_rank_minor_island_fid_seq'::regclass)
2	OBJECTID_1	int4(32)		
3	diss_me	int4(32)		
4	adm1_code	varchar(9)		
5	sr_sov_a3	varchar(3)		
6	sr_adm0_a3	varchar(3)		
7	sr_gu_a3	varchar(3)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(49)		
11	admin	varchar(36)		
12	scalerank	int4(32)		
13	datarank	int4(32)		
14	featurecla	varchar(38)		
15	geom	(Type)		Index: ne_10m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_10m_admin_1_states_provinces_scale_rank_minor_islands_geom_g	gist	geom

2.5.5.1.63. Table: ne_10m_admin_2_counties

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_counties_fid_seq'::regclass)
2	FEATURECLA	varchar(18)		
3	SCALERANK	int4(32)		
4	ADM2_CODE	varchar(9)		
5	ISO_3166_2	varchar(5)		
6	ISO_A2	varchar(2)		
7	ADM0_SR	int4(32)		
8	NAME	varchar(22)		
9	NAME_ALT	varchar(36)		
10	NAME_LOCAL	varchar(1)		
11	TYPE	varchar(20)		
12	TYPE_EN	varchar(20)		
13	CODE_LOCAL	varchar(5)		
14	REGION	varchar(2)		
15	REGION_COD	varchar(2)		
16	ABBREV	varchar(1)		
17	AREA_SQKM	int4(32)		
18	SAMEASCITY	int4(32)		
19	LABELRANK	int4(32)		
20	NAME_LEN	int4(32)		
21	MAPCOLOR9	int4(32)		
22	MAPCOLOR13	int4(32)		
23	FIPS	varchar(7)		
24	SOV_A3	varchar(3)		
25	ADM0_A3	varchar(3)		
26	ADM0_LABEL	int4(32)		
27	ADMIN	varchar(24)		

28	GEONUNIT	varchar(24)		
29	GU_A3	varchar(3)		
30	MIN_LABEL	int4(32)		
31	MAX_LABEL	int4(32)		
32	MIN_ZOOM	float8(53)		
33	WIKIDATAID	varchar(9)		
34	NE_ID	int8(64)		
35	latitude	float8(53)		
36	longitude	float8(53)		
37	NAME_AR	varchar(63)		
38	NAME_BN	varchar(59)		
39	NAME_DE	varchar(27)		
40	NAME_EL	varchar(48)		
41	NAME_EN	varchar(27)		
42	NAME_ES	varchar(42)		
43	NAME_FA	varchar(71)		
44	NAME_FR	varchar(53)		
45	NAME_HE	varchar(53)		
46	NAME_HI	varchar(52)		
47	NAME_HU	varchar(22)		
48	NAME_ID	varchar(18)		
49	NAME_IT	varchar(36)		
50	NAME_JA	varchar(72)		
51	NAME_KO	varchar(28)		
52	NAME_NL	varchar(27)		
53	NAME_PL	varchar(32)		
54	NAME_PT	varchar(44)		
55	NAME_RU	varchar(52)		
56	NAME_SV	varchar(29)		

57	NAME_TR	varchar(116)		
58	NAME_UK	varchar(57)		
59	NAME_UR	varchar(85)		
60	NAME_VI	varchar(20)		
61	NAME_ZH	varchar(40)		
62	NAME_ZHT	varchar(40)		
63	geom	(Type)		Index: ne_10m_admin_2_counties_...

Indexes

Name	Method	Fields
ne_10m_admin_2_counties_geom_geom_idx	gist	geom

2.5.5.1.64. Table: ne_10m_admin_2_counties_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_counties_lakes_fid_seq'::regclass)
2	FEATURECLA	varchar(18)		
3	SCALERANK	int4(32)		
4	ADM2_CODE	varchar(9)		
5	ISO_3166_2	varchar(5)		
6	ISO_A2	varchar(2)		
7	ADM0_SR	int4(32)		
8	NAME	varchar(22)		
9	NAME_ALT	varchar(36)		
10	NAME_LOCAL	varchar(1)		
11	TYPE	varchar(20)		

12	TYPE_EN	varchar(20)		
13	CODE_LOCAL	varchar(5)		
14	REGION	varchar(2)		
15	REGION_COD	varchar(2)		
16	ABBREV	varchar(1)		
17	AREA_SQKM	int4(32)		
18	SAMEASCITY	int4(32)		
19	LABELRANK	int4(32)		
20	NAME_LEN	int4(32)		
21	MAPCOLOR9	int4(32)		
22	MAPCOLOR13	int4(32)		
23	FIPS	varchar(7)		
24	SOV_A3	varchar(3)		
25	ADM0_A3	varchar(3)		
26	ADM0_LABEL	int4(32)		
27	ADMIN	varchar(24)		
28	GEONUNIT	varchar(24)		
29	GU_A3	varchar(3)		
30	MIN_LABEL	int4(32)		
31	MAX_LABEL	int4(32)		
32	MIN_ZOOM	float8(53)		
33	WIKIDATAID	varchar(9)		
34	NE_ID	int8(64)		
35	latitude	float8(53)		
36	longitude	float8(53)		
37	NAME_AR	varchar(63)		
38	NAME_BN	varchar(59)		
39	NAME_DE	varchar(27)		
40	NAME_EL	varchar(48)		

41	NAME_EN	varchar(27)		
42	NAME_ES	varchar(42)		
43	NAME_FA	varchar(71)		
44	NAME_FR	varchar(53)		
45	NAME_HE	varchar(53)		
46	NAME_HI	varchar(52)		
47	NAME_HU	varchar(22)		
48	NAME_ID	varchar(18)		
49	NAME_IT	varchar(36)		
50	NAME_JA	varchar(72)		
51	NAME_KO	varchar(28)		
52	NAME_NL	varchar(27)		
53	NAME_PL	varchar(32)		
54	NAME_PT	varchar(44)		
55	NAME_RU	varchar(52)		
56	NAME_SV	varchar(29)		
57	NAME_TR	varchar(116)		
58	NAME_UK	varchar(57)		
59	NAME_UR	varchar(85)		
60	NAME_VI	varchar(20)		
61	NAME_ZH	varchar(40)		
62	NAME_ZHT	varchar(40)		
63	geom	(Type)		Index: ne_10m_admin_2_counties_...

Indexes

Name	Method	Fields
ne_10m_admin_2_counties_lakes_geom_geom_idx	gist	geom

2.5.5.1.65. Table: ne_10m_admin_2_counties_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_counties_lines_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	name	varchar(100)		
4	adm0_a3	varchar(3)		
5	adm0_name	varchar(100)		
6	shape_leng	float8(53)		
7	mapcolor9	int4(32)		
8	mapcolor13	int4(32)		
9	sov_a3	varchar(3)		
10	name_l	varchar(100)		
11	name_r	varchar(100)		
12	type	varchar(10)		
13	min_zoom	float8(53)		
14	min_label	float8(53)		
15	scalerank	int4(32)		
16	FCLASS_ISO	varchar(32)		
17	FCLASS_US	varchar(100)		
18	FCLASS_FR	varchar(100)		
19	FCLASS_RU	varchar(100)		
20	FCLASS_ES	varchar(100)		
21	FCLASS_CN	varchar(100)		
22	FCLASS_TW	varchar(100)		
23	FCLASS_IN	varchar(100)		
24	FCLASS_NP	varchar(100)		
25	FCLASS_PK	varchar(100)		
26	FCLASS_DE	varchar(100)		

27	FCLASS_GB	varchar(100)		
28	FCLASS_BR	varchar(100)		
29	FCLASS_IL	varchar(100)		
30	FCLASS_PS	varchar(100)		
31	FCLASS_SA	varchar(100)		
32	FCLASS_EG	varchar(100)		
33	FCLASS_MA	varchar(100)		
34	FCLASS_PT	varchar(100)		
35	FCLASS_AR	varchar(100)		
36	FCLASS_JP	varchar(100)		
37	FCLASS_KO	varchar(100)		
38	FCLASS_VN	varchar(100)		
39	FCLASS_TR	varchar(100)		
40	FCLASS_ID	varchar(100)		
41	FCLASS_PL	varchar(100)		
42	FCLASS_GR	varchar(100)		
43	FCLASS_IT	varchar(100)		
44	FCLASS_NL	varchar(100)		
45	FCLASS_SE	varchar(100)		
46	FCLASS_BD	varchar(100)		
47	FCLASS_UA	varchar(100)		
48	ne_id	int8(64)		
49	BRK_A3	varchar(3)		
50	FCLASS_TLC	varchar(254)		
51	geom	(Type)		Index: ne_10m_admin_2_counties_...

Indexes

Name	Method	Fields
ne_10m_admin_2_counties_lines_geom_geom_idx	gist	geom

Server: PostGIS (PostgreSQL) > Database: naturalearth > Schema: public

2.5.5.1.66. Table: ne_10m_admin_2_counties_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_counties_scale_rank_fid_seq'::regclass)
2	FEATURECLA	varchar(18)		
3	SCALERANK	int4(32)		
4	ADM2_CODE	varchar(9)		
5	ISO_A2	varchar(2)		
6	ADM0_SR	int4(32)		
7	NAME	varchar(22)		
8	SR_SOV_A3	varchar(3)		
9	SR_ADM0_A3	varchar(3)		
10	ADMIN	varchar(24)		
11	SR_GU_A3	varchar(3)		
12	geom	(Type)		Index: ne_10m_admin_2_counties_...

Indexes

Name	Method	Fields
ne_10m_admin_2_counties_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.67. Table: ne_10m_admin_2_counties_scale_rank_minor_islands

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_counties_scale_rank_minor_islands_fid_seq'::regclass)

2	FEATURECLA	varchar(18)		
3	SCALERANK	int4(32)		
4	ADM2_CODE	varchar(9)		
5	ISO_A2	varchar(2)		
6	ADM0_SR	int4(32)		
7	NAME	varchar(22)		
8	SR_SOV_A3	varchar(3)		
9	SR_ADM0_A3	varchar(3)		
10	ADMIN	varchar(24)		
11	SR_GU_A3	varchar(3)		
12	geom	(Type)		Index: ne_10m_admin_2_counties_...

Indexes

Name	Method	Fields
ne_10m_admin_2_counties_scale_rank_minor_islands_geom_geom_idx	gist	geom

2.5.5.1.68. Table: ne_10m_admin_2_counties_to_match

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_counties_to_match_fid_seq'::regclass)
2	FEATURECLA	varchar(30)		
3	SCALERANK	int4(32)		
4	ADMIN1_COD	varchar(9)		
5	ISO_3166_2	varchar(8)		
6	ISO_A2	varchar(2)		

7	ADM0_SR	int4(32)		
8	NAME	varchar(100)		
9	NAME_ALT	varchar(254)		
10	NAME_LOCAL	varchar(100)		
11	TYPE	varchar(50)		
12	TYPE_EN	varchar(50)		
13	CODE_LOCAL	varchar(50)		
14	REGION	varchar(100)		
15	REGION_COD	varchar(15)		
16	ABBREV	varchar(30)		
17	AREA_SQKM	int8(64)		
18	SAMEASCITY	int4(32)		
19	LABELRANK	int4(32)		
20	NAME_LEN	int4(32)		
21	MAPCOLOR9	int4(32)		
22	MAPCOLOR13	int4(32)		
23	FIPS	varchar(8)		
24	SOV_A3	varchar(10)		
25	ADM0_A3	varchar(3)		
26	ADM0_LABEL	int4(32)		
27	ADMIN	varchar(100)		
28	GEONUNIT	varchar(100)		
29	GU_A3	varchar(3)		
30	MIN_LABEL	float8(53)		
31	MAX_LABEL	float8(53)		
32	MIN_ZOOM	float8(53)		
33	WIKIDATAID	varchar(10)		
34	NE_ID	int8(64)		
35	geom	(Type)		Index: ne_10m_admin_2_counties_...

Indexes

Name	Method	Fields
ne_10m_admin_2_counties_to_match_geom_geom_idx	gist	geom

2.5.5.1.69. Table: ne_10m_admin_2_label_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_label_points_fid_seq'::regclass)
2	FEATURECLA	varchar(18)		
3	SCALERANK	int4(32)		
4	ADM2_CODE	varchar(9)		
5	ISO_A2	varchar(2)		
6	ADM0_SR	int4(32)		
7	NAME	varchar(22)		
8	SR_SOV_A3	varchar(3)		
9	SR_ADM0_A3	varchar(3)		
10	ADMIN	varchar(24)		
11	SR_GU_A3	varchar(3)		
12	geom	(Type)		Index: ne_10m_admin_2_label_poi...

Indexes

Name	Method	Fields
ne_10m_admin_2_label_points_geom_geom_idx	gist	geom

2.5.5.1.70. Table: ne_10m_admin_2_label_points_details

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_admin_2_label _points_details_fid_seq'::regclas s)
2	FEATURECLA	varchar(30)		
3	SCALERANK	int4(32)		
4	ADM2_CODE	varchar(9)		
5	ISO_3166_2	varchar(8)		
6	ISO_A2	varchar(2)		
7	ADM0_SR	int4(32)		
8	NAME	varchar(100)		
9	NAME_ALT	varchar(254)		
10	NAME_LOCAL	varchar(100)		
11	TYPE	varchar(50)		
12	TYPE_EN	varchar(50)		
13	CODE_LOCAL	varchar(50)		
14	REGION	varchar(100)		
15	REGION_COD	varchar(15)		
16	ABBREV	varchar(30)		
17	AREA_SQKM	int8(64)		
18	SAMEASCITY	int4(32)		
19	LABELRANK	int4(32)		
20	NAME_LEN	int4(32)		
21	MAPCOLOR9	int4(32)		
22	MAPCOLOR13	int4(32)		
23	FIPS	varchar(8)		
24	SOV_A3	varchar(10)		
25	ADM0_A3	varchar(3)		
26	ADM0_LABEL	int4(32)		

27	ADMIN	varchar(100)		
28	GEONUNIT	varchar(100)		
29	GU_A3	varchar(3)		
30	MIN_LABEL	float8(53)		
31	MAX_LABEL	float8(53)		
32	MIN_ZOOM	float8(53)		
33	WIKIDATAID	varchar(10)		
34	NE_ID	int8(64)		
35	latitude	float8(53)		
36	longitude	float8(53)		
37	NAME_AR	varchar(80)		
38	NAME_BN	varchar(80)		
39	NAME_DE	varchar(80)		
40	NAME_EL	varchar(80)		
41	NAME_EN	varchar(80)		
42	NAME_ES	varchar(80)		
43	NAME_FA	varchar(80)		
44	NAME_FR	varchar(80)		
45	NAME_HE	varchar(80)		
46	NAME_HI	varchar(80)		
47	NAME_HU	varchar(80)		
48	NAME_ID	varchar(80)		
49	NAME_IT	varchar(80)		
50	NAME_JA	varchar(80)		
51	NAME_KO	varchar(80)		
52	NAME_NL	varchar(80)		
53	NAME_PL	varchar(80)		
54	NAME_PT	varchar(80)		
55	NAME_RU	varchar(80)		

56	NAME_SV	varchar(80)		
57	NAME_TR	varchar(116)		
58	NAME_UK	varchar(80)		
59	NAME_UR	varchar(85)		
60	NAME_VI	varchar(80)		
61	NAME_ZH	varchar(80)		
62	NAME_ZHT	varchar(80)		
63	geom	(Type)		Index: ne_10m_admin_2_label_poi...

Indexes

Name	Method	Fields
ne_10m_admin_2_label_point s_details_geom_geom_idx	gist	geom

2.5.5.1.71. Table: ne_10m_airports

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_airports_fid_seq'::regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(80)		
4	type	varchar(50)		
5	name	varchar(200)		
6	abbrev	varchar(4)		
7	location	varchar(50)		
8	gps_code	varchar(254)		
9	iata_code	varchar(254)		
10	wikipedia	varchar(254)		

11	natlscale	float8(53)		
12	comments	varchar(254)		
13	wikidataid	varchar(254)		
14	name_ar	varchar(254)		
15	name_bn	varchar(254)		
16	name_de	varchar(254)		
17	name_en	varchar(254)		
18	name_es	varchar(254)		
19	name_fr	varchar(254)		
20	name_el	varchar(254)		
21	name_hi	varchar(254)		
22	name_hu	varchar(254)		
23	name_id	varchar(254)		
24	name_it	varchar(254)		
25	name_ja	varchar(254)		
26	name_ko	varchar(254)		
27	name_nl	varchar(254)		
28	name_pl	varchar(254)		
29	name_pt	varchar(254)		
30	name_ru	varchar(254)		
31	name_sv	varchar(254)		
32	name_tr	varchar(254)		
33	name_vi	varchar(254)		
34	name_zh	varchar(254)		
35	wdid_score	int4(32)		
36	ne_id	int8(64)		
37	name_fa	varchar(99)		
38	name_he	varchar(99)		
39	name_uk	varchar(112)		

40	name_ur	varchar(93)		
41	name_zht	varchar(80)		
42	geom	(Type)		Index: ne_10m_airports_geom_geo...

Indexes

Name	Method	Fields
ne_10m_airports_geom_geom_idx	gist	geom

2.5.5.1.72. Table: ne_10m_antarctic_ice_shelves_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_antarctic_ice_s helves_lines_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_10m_antarctic_ice_shelv...

Indexes

Name	Method	Fields
ne_10m_antarctic_ice_shelves_lines_geom_geom_idx	gist	geom

2.5.5.1.73. Table: ne_10m_antarctic_ice_shelves_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_antarctic_ice_s helves_polys_fid_seq'::regclass)
2	recnum	int8(64)		
3	featurecla	varchar(50)		
4	name	varchar(100)		
5	scalerank	int8(64)		
6	min_zoom	float8(53)		
7	geom	(Type)		Index: ne_10m_antarctic_ice_shelv...

Indexes

Name	Method	Fields
ne_10m_antarctic_ice_shelves _polys_geom_geom_idx	gist	geom

2.5.5.1.74. Table: ne_10m_coastline

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_coastline_fid_s eq'::regclass)
2	featurecla	varchar(80)		
3	scalerank	int8(64)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_10m_coastline_geom_ge...

Indexes

Name	Method	Fields
ne_10m_coastline_geom_geo m_idx	gist	geom

2.5.5.1.75. Table: ne_10m_geographic_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_geographic_lines_fid_seq'::regclass)
2	scalerank	int8(64)		
3	name	varchar(50)		
4	name_long	varchar(100)		
5	abbrev	varchar(25)		
6	note	varchar(100)		
7	featurecla	varchar(30)		
8	min_zoom	float8(53)		
9	wikidataid	varchar(254)		
10	name_ar	varchar(254)		
11	name_bn	varchar(254)		
12	name_de	varchar(254)		
13	name_en	varchar(254)		
14	name_es	varchar(254)		
15	name_fr	varchar(254)		
16	name_el	varchar(254)		
17	name_hi	varchar(254)		
18	name_hu	varchar(254)		
19	name_id	varchar(254)		
20	name_it	varchar(254)		
21	name_ja	varchar(254)		
22	name_ko	varchar(254)		
23	name_nl	varchar(254)		
24	name_pl	varchar(254)		
25	name_pt	varchar(254)		
26	name_ru	varchar(254)		

27	name_sv	varchar(254)		
28	name_tr	varchar(254)		
29	name_vi	varchar(254)		
30	name_zh	varchar(254)		
31	wdid_score	int4(32)		
32	ne_id	int8(64)		
33	name_he	varchar(80)		
34	name_uk	varchar(80)		
35	name_ur	varchar(80)		
36	name_fa	varchar(80)		
37	name_zht	varchar(80)		
38	geom	(Type)		Index: ne_10m_geographic_lines_g...

Indexes

Name	Method	Fields
ne_10m_geographic_lines_geom_geom_idx	gist	geom

2.5.5.1.76. Table: ne_10m_geography_marine_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_geography_marine_polys_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	name	varchar(254)		
4	namealt	varchar(254)		
5	changed	varchar(50)		
6	note	varchar(50)		

7	name_fr	varchar(200)		
8	min_label	float8(53)		
9	max_label	float8(53)		
10	scalerank	int4(32)		
11	label	varchar(254)		
12	wikidataid	varchar(254)		
13	name_ar	varchar(254)		
14	name_bn	varchar(254)		
15	name_de	varchar(254)		
16	name_en	varchar(254)		
17	name_es	varchar(254)		
18	name_el	varchar(254)		
19	name_hi	varchar(254)		
20	name_hu	varchar(254)		
21	name_id	varchar(254)		
22	name_it	varchar(254)		
23	name_ja	varchar(254)		
24	name_ko	varchar(254)		
25	name_nl	varchar(254)		
26	name_pl	varchar(254)		
27	name_pt	varchar(254)		
28	name_ru	varchar(254)		
29	name_sv	varchar(254)		
30	name_tr	varchar(254)		
31	name_vi	varchar(254)		
32	name_zh	varchar(254)		
33	ne_id	int8(64)		
34	name_fa	varchar(80)		
35	name_he	varchar(80)		

36	name_uk	varchar(80)		
37	name_ur	varchar(80)		
38	name_zht	varchar(80)		
39	geom	(Type)		Index: ne_10m_geography_marine...

Indexes

Name	Method	Fields
ne_10m_geography_marine_p ols_geom_geom_idx	gist	geom

2.5.5.1.77. Table: ne_10m_geography_regions_elevation_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_geography_reg ions_elevation_points_fid_seq':: regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	elevation	float8(53)		
6	comment	varchar(50)		
7	name_alt	varchar(254)		
8	lat_y	float8(53)		
9	long_x	float8(53)		
10	nation1	varchar(20)		
11	nation2	varchar(20)		
12	note	varchar(50)		
13	region	varchar(50)		

14	subregion	varchar(50)		
15	min_zoom	float8(53)		
16	label	varchar(254)		
17	wikidataid	varchar(254)		
18	name_ar	varchar(254)		
19	name_bn	varchar(254)		
20	name_de	varchar(254)		
21	name_en	varchar(254)		
22	name_es	varchar(254)		
23	name_fr	varchar(254)		
24	name_el	varchar(254)		
25	name_hi	varchar(254)		
26	name_hu	varchar(254)		
27	name_id	varchar(254)		
28	name_it	varchar(254)		
29	name_ja	varchar(254)		
30	name_ko	varchar(254)		
31	name_nl	varchar(254)		
32	name_pl	varchar(254)		
33	name_pt	varchar(254)		
34	name_ru	varchar(254)		
35	name_sv	varchar(254)		
36	name_tr	varchar(254)		
37	name_vi	varchar(254)		
38	name_zh	varchar(254)		
39	ne_id	int8(64)		
40	name_fa	varchar(80)		
41	name_he	varchar(80)		
42	name_uk	varchar(80)		

43	name_ur	varchar(80)		
44	name_zht	varchar(80)		
45	geom	(Type)		Index: ne_10m_geography_regions...

Indexes

Name	Method	Fields
ne_10m_geography_regions_elevation_points_geom_geom_idx	gist	geom

2.5.5.1.78. Table: ne_10m_geography_regions_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_geography_regions_points_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	comment	varchar(50)		
6	name_alt	varchar(254)		
7	lat_y	float8(53)		
8	long_x	float8(53)		
9	region	varchar(50)		
10	subregion	varchar(50)		
11	min_zoom	float8(53)		
12	label	varchar(254)		
13	name_ar	varchar(254)		
14	name_bn	varchar(254)		

15	name_de	varchar(254)		
16	name_en	varchar(254)		
17	name_es	varchar(254)		
18	name_fr	varchar(254)		
19	name_el	varchar(254)		
20	name_hi	varchar(254)		
21	name_hu	varchar(254)		
22	name_id	varchar(254)		
23	name_it	varchar(254)		
24	name_ja	varchar(254)		
25	name_ko	varchar(254)		
26	name_nl	varchar(254)		
27	name_pl	varchar(254)		
28	name_pt	varchar(254)		
29	name_ru	varchar(254)		
30	name_sv	varchar(254)		
31	name_tr	varchar(254)		
32	name_vi	varchar(254)		
33	name_zh	varchar(254)		
34	wikidataid	varchar(254)		
35	ne_id	int8(64)		
36	name_fa	varchar(80)		
37	name_he	varchar(80)		
38	name_uk	varchar(80)		
39	name_ur	varchar(80)		
40	name_zht	varchar(80)		
41	geom	(Type)		Index: ne_10m_geography_regions...

Indexes

Name	Method	Fields
ne_10m_geography_regions_points_geom_geom_idx	gist	geom

2.5.5.1.79. Table: ne_10m_geography_regions_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_geography_regions_polys_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	NAME	varchar(254)		
4	NAMEALT	varchar(254)		
5	REGION	varchar(50)		
6	SUBREGION	varchar(50)		
7	MIN_LABEL	float8(53)		
8	MAX_LABEL	float8(53)		
9	SCALERANK	int4(32)		
10	LABEL	varchar(254)		
11	WIKIDATAID	varchar(254)		
12	NAME_AR	varchar(254)		
13	NAME_BN	varchar(254)		
14	NAME_DE	varchar(254)		
15	NAME_EN	varchar(254)		
16	NAME_ES	varchar(254)		
17	NAME_FR	varchar(254)		
18	NAME_EL	varchar(254)		
19	NAME_HI	varchar(254)		
20	NAME_HU	varchar(254)		

21	NAME_ID	varchar(254)		
22	NAME_IT	varchar(254)		
23	NAME_JA	varchar(254)		
24	NAME_KO	varchar(254)		
25	NAME_NL	varchar(254)		
26	NAME_PL	varchar(254)		
27	NAME_PT	varchar(254)		
28	NAME_RU	varchar(254)		
29	NAME_SV	varchar(254)		
30	NAME_TR	varchar(254)		
31	NAME_VI	varchar(254)		
32	NAME_ZH	varchar(254)		
33	NE_ID	int8(64)		
34	NAME_FA	varchar(80)		
35	NAME_HE	varchar(80)		
36	NAME_UK	varchar(80)		
37	NAME_UR	varchar(80)		
38	NAME_ZHT	varchar(80)		
39	geom	(Type)		Index: ne_10m_geography_regions...

Indexes

Name	Method	Fields
ne_10m_geography_regions_polygons_geom_idx	gist	geom

2.5.5.1.80. Table: ne_10m_glaciated_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_glaciated_areas_fid_seq'::regclass)
2	recnum	int8(64)		
3	scalerank	int8(64)		
4	featurecla	varchar(32)		
5	name	varchar(100)		
6	min_zoom	float8(53)		
7	geom	(Type)		Index: ne_10m_glaciated_areas_ge...

Indexes

Name	Method	Fields
ne_10m_glaciated_areas_geom_geom_idx	gist	geom

2.5.5.1.81. Table: ne_10m_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_lakes_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	scalerank	int8(64)		
4	name	varchar(254)		
5	name_abb	varchar(25)		
6	name_alt	varchar(254)		
7	note	varchar(100)		
8	delta	varchar(100)		

9	dam_name	varchar(254)		
10	year	int4(32)		
11	admin	varchar(50)		
12	min_zoom	float8(53)		
13	min_label	float8(53)		
14	label	varchar(254)		
15	wikidataid	varchar(254)		
16	name_ar	varchar(254)		
17	name_bn	varchar(254)		
18	name_de	varchar(254)		
19	name_en	varchar(254)		
20	name_es	varchar(254)		
21	name_fr	varchar(254)		
22	name_el	varchar(254)		
23	name_hi	varchar(254)		
24	name_hu	varchar(254)		
25	name_id	varchar(254)		
26	name_it	varchar(254)		
27	name_ja	varchar(254)		
28	name_ko	varchar(254)		
29	name_nl	varchar(254)		
30	name_pl	varchar(254)		
31	name_pt	varchar(254)		
32	name_ru	varchar(254)		
33	name_sv	varchar(254)		
34	name_tr	varchar(254)		
35	name_vi	varchar(254)		
36	name_zh	varchar(254)		
37	ne_id	int8(64)		

38	name_fa	varchar(97)		
39	name_he	varchar(85)		
40	name_uk	varchar(80)		
41	name_ur	varchar(81)		
42	name_zht	varchar(80)		
43	geom	(Type)		Index: ne_10m_lakes_geom_geom...

Indexes

Name	Method	Fields
ne_10m_lakes_geom_geom_id x	gist	geom

2.5.5.1.82. Table: ne_10m_lakes_australia

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_lakes_australia _fid_seq'::regclass)
2	featurecla	varchar(200)		
3	scalerank	int8(64)		
4	name	varchar(254)		
5	name_abb	varchar(200)		
6	name_alt	varchar(254)		
7	note	varchar(200)		
8	delta	varchar(200)		
9	dam_name	varchar(254)		
10	year	int8(64)		
11	admin	varchar(200)		
12	ne_id	int8(64)		

13	wikidataid	varchar(254)		
14	name_ar	varchar(254)		
15	name_bn	varchar(254)		
16	name_de	varchar(254)		
17	name_en	varchar(254)		
18	name_es	varchar(254)		
19	name_fr	varchar(254)		
20	name_el	varchar(254)		
21	name_hi	varchar(254)		
22	name_hu	varchar(254)		
23	name_id	varchar(254)		
24	name_it	varchar(254)		
25	name_ja	varchar(254)		
26	name_ko	varchar(254)		
27	name_nl	varchar(254)		
28	name_pl	varchar(254)		
29	name_pt	varchar(254)		
30	name_ru	varchar(254)		
31	name_sv	varchar(254)		
32	name_tr	varchar(254)		
33	name_vi	varchar(254)		
34	name_zh	varchar(254)		
35	name_fa	varchar(80)		
36	name_he	varchar(80)		
37	name_uk	varchar(80)		
38	name_ur	varchar(80)		
39	name_zht	varchar(80)		
40	min_zoom	float8(53)		

41	min_label	float8(53)		
42	geom	(Type)		Index: ne_10m_lakes_australia_geo...

Indexes

Name	Method	Fields
ne_10m_lakes_australia_geom_geom_idx	gist	geom

2.5.5.1.83. Table: ne_10m_lakes_europe

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_lakes_europe_fid_seq'::regclass)
2	id	float8(53)		
3	name	varchar(100)		
4	lge_id	varchar(2)		
5	pfafstette	float8(53)		
6	lke_type	varchar(1)		
7	altitude	int8(64)		
8	objectid	int8(64)		
9	scalerank	int8(64)		
10	featurecla	varchar(30)		
11	note	varchar(50)		
12	funkyname	int4(32)		
13	min_zoom	float8(53)		
14	min_label	float8(53)		
15	label	varchar(254)		
16	wikidataid	varchar(254)		

17	name_ar	varchar(254)		
18	name_bn	varchar(254)		
19	name_de	varchar(254)		
20	name_en	varchar(254)		
21	name_es	varchar(254)		
22	name_fr	varchar(254)		
23	name_el	varchar(254)		
24	name_hi	varchar(254)		
25	name_hu	varchar(254)		
26	name_id	varchar(254)		
27	name_it	varchar(254)		
28	name_ja	varchar(254)		
29	name_ko	varchar(254)		
30	name_nl	varchar(254)		
31	name_pl	varchar(254)		
32	name_pt	varchar(254)		
33	name_ru	varchar(254)		
34	name_sv	varchar(254)		
35	name_tr	varchar(254)		
36	name_vi	varchar(254)		
37	name_zh	varchar(254)		
38	ne_id	int8(64)		
39	name_he	varchar(80)		
40	name_uk	varchar(80)		
41	name_ur	varchar(80)		
42	name_fa	varchar(80)		
43	name_zht	varchar(80)		
44	geom	(Type)		Index: ne_10m_lakes_europe_geom...

Indexes

Name	Method	Fields
ne_10m_lakes_europe_geom_geom_idx	gist	geom

2.5.5.1.84. Table: ne_10m_lakes_historic

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_lakes_historic_fid_seq'::regclass)
2	scalerank	varchar(254)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	name_alt	varchar(254)		
6	date	varchar(254)		
7	min_zoom	float8(53)		
8	label	varchar(254)		
9	wikidataid	varchar(254)		
10	name_ar	varchar(254)		
11	name_bn	varchar(254)		
12	name_de	varchar(254)		
13	name_en	varchar(254)		
14	name_es	varchar(254)		
15	name_fr	varchar(254)		
16	name_el	varchar(254)		
17	name_hi	varchar(254)		
18	name_hu	varchar(254)		
19	name_id	varchar(254)		
20	name_it	varchar(254)		

21	name_ja	varchar(254)		
22	name_ko	varchar(254)		
23	name_nl	varchar(254)		
24	name_pl	varchar(254)		
25	name_pt	varchar(254)		
26	name_ru	varchar(254)		
27	name_sv	varchar(254)		
28	name_tr	varchar(254)		
29	name_vi	varchar(254)		
30	name_zh	varchar(254)		
31	wdid_score	int4(32)		
32	ne_id	int8(64)		
33	name_fa	varchar(80)		
34	name_he	varchar(80)		
35	name_uk	varchar(80)		
36	name_ur	varchar(80)		
37	name_zht	varchar(80)		
38	geom	(Type)		Index: ne_10m_lakes_historic_geo...

Indexes

Name	Method	Fields
ne_10m_lakes_historic_geom_geom_idx	gist	geom

2.5.5.1.85. Table: ne_10m_lakes_north_america

Fields

Pos	Name	Type	Not Null	Others
-----	------	------	----------	--------

1	fid 	int4(32)	✓	Default: nextval('ne_10m_lakes_north_america_fid_seq'::regclass)
2	featurecla	varchar(200)		
3	name	varchar(200)		
4	scalerank	float8(53)		
5	min_zoom	float8(53)		
6	min_label	float8(53)		
7	ne_id	float8(53)		
8	name_alt	varchar(100)		
9	note	varchar(100)		
10	label	varchar(254)		
11	wikidataid	varchar(254)		
12	name_ar	varchar(254)		
13	name_bn	varchar(254)		
14	name_de	varchar(254)		
15	name_en	varchar(254)		
16	name_es	varchar(254)		
17	name_fr	varchar(254)		
18	name_el	varchar(254)		
19	name_hi	varchar(254)		
20	name_hu	varchar(254)		
21	name_id	varchar(254)		
22	name_it	varchar(254)		
23	name_ja	varchar(254)		
24	name_ko	varchar(254)		
25	name_nl	varchar(254)		
26	name_pl	varchar(254)		
27	name_pt	varchar(254)		
28	name_ru	varchar(254)		

29	name_sv	varchar(254)		
30	name_tr	varchar(254)		
31	name_vi	varchar(254)		
32	name_zh	varchar(254)		
33	name_he	varchar(80)		
34	name_uk	varchar(80)		
35	name_ur	varchar(80)		
36	name_fa	varchar(80)		
37	name_zht	varchar(80)		
38	geom	(Type)		Index: ne_10m_lakes_north_ameri...

Indexes

Name	Method	Fields
ne_10m_lakes_north_america_geom_geom_idx	gist	geom

2.5.5.1.86. Table: ne_10m_lakes_pluvial

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_lakes_pluvial_fid_seq'::regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(30)		
4	name	varchar(100)		
5	timescale	varchar(50)		
6	note	varchar(100)		
7	min_zoom	float8(53)		
8	geom	(Type)		Index: ne_10m_lakes_pluvial_geom...

Indexes

Name	Method	Fields
ne_10m_lakes_pluvial_geom_geom_idx	gist	geom

2.5.5.1.87. Table: ne_10m_land

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_land_fid_seq'::regclass)
2	featurecla	varchar(11)		
3	scalerank	int4(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_10m_land_geom_geom_...

Indexes

Name	Method	Fields
ne_10m_land_geom_geom_idx	gist	geom

2.5.5.1.88. Table: ne_10m_land_ocean_label_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_land_ocean_label_points_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	scalerank	int8(64)		

4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_10m_land_ocean_label_...

Indexes

Name	Method	Fields
ne_10m_land_ocean_label_poi nts_geom_geom_idx	gist	geom

2.5.5.1.89. Table: ne_10m_land_ocean_seams

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_land_ocean_se ams_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	min_zoom	float8(53)		
4	scalerank	int8(64)		
5	geom	(Type)		Index: ne_10m_land_ocean_seams...

Indexes

Name	Method	Fields
ne_10m_land_ocean_seams_g eom_geom_idx	gist	geom

2.5.5.1.90. Table: ne_10m_land_scale_rank

Fields

Pos	Name	Type	Not Null	Others
-----	------	------	----------	--------

1	fid 	int4(32)	✓	Default: nextval('ne_10m_land_scale_rank_fid_seq'::regclass)
2	featurecla	varchar(11)		
3	scalerank	int4(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_10m_land_scale_rank_g...

Indexes

Name	Method	Fields
ne_10m_land_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.91. Table: ne_10m_minor_islands

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_minor_islands_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	min_zoom	float8(53)		
4	scalerank	int8(64)		
5	geom	(Type)		Index: ne_10m_minor_islands_geo...

Indexes

Name	Method	Fields
ne_10m_minor_islands_geom_geom_idx	gist	geom

2.5.5.1.92. Table: ne_10m_minor_islands_coastline

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_minor_islands_coastline_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	min_zoom	float8(53)		
4	scalerank	int8(64)		
5	geom	(Type)		Index: ne_10m_minor_islands_coa...

Indexes

Name	Method	Fields
ne_10m_minor_islands_coastline_geom_geom_idx	gist	geom

2.5.5.1.93. Table: ne_10m_minor_islands_label_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_minor_islands_label_points_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	min_zoom	float8(53)		
4	scalerank	int8(64)		
5	geom	(Type)		Index: ne_10m_minor_islands_labe...

Indexes

Name	Method	Fields
ne_10m_minor_islands_label_points_geom_geom_idx	gist	geom

2.5.5.1.94. Table: ne_10m_ocean

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_ocean_fid_seq'::regclass)
2	featurecla	varchar(5)		
3	scalerank	int4(32)		
4	min_zoom	int4(32)		
5	geom	(Type)		Index: ne_10m_ocean_geom_geom...

Indexes

Name	Method	Fields
ne_10m_ocean_geom_geom_idx	gist	geom

2.5.5.1.95. Table: ne_10m_ocean_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_ocean_scale_rank_fid_seq'::regclass)
2	featurecla	varchar(5)		
3	scalerank	int4(32)		
4	min_zoom	int4(32)		
5	geom	(Type)		Index: ne_10m_ocean_scale_rank_...

Indexes

Name	Method	Fields
ne_10m_ocean_scale_rank_geom_geom_idx	gist	geom

Server: PostGIS (PostgreSQL) > Database: naturalearth > Schema: public

2.5.5.1.96. Table: ne_10m_parks_and_protected_lands_area

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_parks_and_protected_lands_area_fid_seq'::regclass)
2	unit_code	varchar(10)		
3	unit_name	varchar(254)		
4	unit_type	varchar(254)		
5	nps_region	varchar(128)		
6	scalerank	int8(64)		
7	featurecla	varchar(30)		
8	note	varchar(50)		
9	name	varchar(100)		
10	geom	(Type)		Index: ne_10m_parks_and_protect...

Indexes

Name	Method	Fields
ne_10m_parks_and_protected_lands_area_geom_geom_idx	gist	geom

2.5.5.1.97. Table: ne_10m_parks_and_protected_lands_line

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_parks_and_protected_lands_line_fid_seq'::regclass)
2	unit_code	varchar(25)		
3	unit_name	varchar(120)		

4	unit_type	varchar(100)		
5	nps_region	varchar(50)		
6	scalerank	int8(64)		
7	featurecla	varchar(30)		
8	note	varchar(50)		
9	name	varchar(100)		
10	geom	(Type)		Index: ne_10m_parks_and_protect...

Indexes

Name	Method	Fields
ne_10m_parks_and_protected_lands_line_geom_geom_idx	gist	geom

2.5.5.1.98. Table: ne_10m_parks_and_protected_lands_point

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_parks_and_protected_lands_point_fid_seq'::regclass)
2	unit_code	varchar(10)		
3	unit_name	varchar(254)		
4	unit_type	varchar(254)		
5	nps_region	varchar(128)		
6	scalerank	int8(64)		
7	featurecla	varchar(30)		
8	name	varchar(100)		
9	geom	(Type)		Index: ne_10m_parks_and_protect...

Indexes

Name	Method	Fields
ne_10m_parks_and_protected_lands_point_geom_geom_idx	gist	geom

2.5.5.1.99. Table: ne_10m_parks_and_protected_lands_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_parks_and_protected_lands_scale_rank_fid_seq'::regclass)
2	unit_code	varchar(10)		
3	unit_name	varchar(254)		
4	unit_type	varchar(254)		
5	nps_region	varchar(128)		
6	scalerank	int8(64)		
7	featurecla	varchar(30)		
8	note	varchar(50)		
9	name	varchar(100)		
10	geom	(Type)		Index: ne_10m_parks_and_protect...

Indexes

Name	Method	Fields
ne_10m_parks_and_protected_lands_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.100. Table: ne_10m_playas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_playas_fid_seq' '::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(30)		
4	name	varchar(100)		
5	name_abb	varchar(254)		
6	name_alt	varchar(254)		
7	note	varchar(100)		
8	min_zoom	float8(53)		
9	wikidataid	varchar(254)		
10	name_ar	varchar(254)		
11	name_bn	varchar(254)		
12	name_de	varchar(254)		
13	name_en	varchar(254)		
14	name_es	varchar(254)		
15	name_fr	varchar(254)		
16	name_el	varchar(254)		
17	name_hi	varchar(254)		
18	name_hu	varchar(254)		
19	name_id	varchar(254)		
20	name_it	varchar(254)		
21	name_ja	varchar(254)		
22	name_ko	varchar(254)		
23	name_nl	varchar(254)		
24	name_pl	varchar(254)		
25	name_pt	varchar(254)		
26	name_ru	varchar(254)		
27	name_sv	varchar(254)		

28	name_tr	varchar(254)		
29	name_vi	varchar(254)		
30	name_zh	varchar(254)		
31	wdid_score	int4(32)		
32	ne_id	int8(64)		
33	name_fa	varchar(80)		
34	name_he	varchar(80)		
35	name_uk	varchar(80)		
36	name_ur	varchar(80)		
37	name_zht	varchar(80)		
38	geom	(Type)		Index: ne_10m_playas_geom_geom...

Indexes

Name	Method	Fields
ne_10m_playas_geom_geom_idx	gist	geom

2.5.5.1.101. Table: ne_10m_populated_places

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_populated_places_fid_seq'::regclass)
2	SCALERANK	int4(32)		
3	NATSCALE	int4(32)		
4	LABELRANK	int4(32)		
5	FEATURECLA	varchar(50)		
6	NAME	varchar(100)		
7	NAMEPAR	varchar(254)		

8	NAMEALT	varchar(254)		
9	NAMEASCII	varchar(100)		
10	ADM0CAP	int4(32)		
11	CAPIN	varchar(15)		
12	WORLDCITY	int4(32)		
13	MEGACITY	int4(32)		
14	SOV0NAME	varchar(100)		
15	SOV_A3	varchar(3)		
16	ADM0NAME	varchar(50)		
17	ADM0_A3	varchar(3)		
18	ADM1NAME	varchar(100)		
19	ISO_A2	varchar(5)		
20	NOTE	varchar(254)		
21	LATITUDE	float8(53)		
22	LONGITUDE	float8(53)		
23	POP_MAX	int8(64)		
24	POP_MIN	int8(64)		
25	POP_OTHER	int8(64)		
26	RANK_MAX	int4(32)		
27	RANK_MIN	int4(32)		
28	MEGANAME	varchar(100)		
29	LS_NAME	varchar(41)		
30	MAX_POP10	int8(64)		
31	MAX_POP20	int8(64)		
32	MAX_POP50	int8(64)		
33	MAX_POP300	int8(64)		
34	MAX_POP310	int8(64)		
35	MAX_NATSCA	int8(64)		
36	MIN_AREAKM	int8(64)		

37	MAX_AREAKM	int8(64)		
38	MIN_AREAMI	int8(64)		
39	MAX_AREAMI	int8(64)		
40	MIN_PERKM	int8(64)		
41	MAX_PERKM	int8(64)		
42	MIN_PERMI	int8(64)		
43	MAX_PERMI	int8(64)		
44	MIN_BBXMN	float8(53)		
45	MAX_BBXMN	float8(53)		
46	MIN_BBXMAX	float8(53)		
47	MAX_BBXMAX	float8(53)		
48	MIN_BBYMIN	float8(53)		
49	MAX_BBYMIN	float8(53)		
50	MIN_BBYMAX	float8(53)		
51	MAX_BBYMAX	float8(53)		
52	MEAN_BBXC	float8(53)		
53	MEAN_BBYC	float8(53)		
54	TIMEZONE	varchar(50)		
55	UN_FID	int4(32)		
56	POP1950	int8(64)		
57	POP1955	int8(64)		
58	POP1960	int8(64)		
59	POP1965	int8(64)		
60	POP1970	int8(64)		
61	POP1975	int8(64)		
62	POP1980	int8(64)		
63	POP1985	int8(64)		
64	POP1990	int8(64)		
65	POP1995	int8(64)		

66	POP2000	int8(64)		
67	POP2005	int8(64)		
68	POP2010	int8(64)		
69	POP2015	int8(64)		
70	POP2020	int8(64)		
71	POP2025	int8(64)		
72	POP2050	int8(64)		
73	MIN_ZOOM	float8(53)		
74	WIKIDATAID	varchar(30)		
75	WOF_ID	int8(64)		
76	CAPALT	int4(32)		
77	NAME_EN	varchar(100)		
78	NAME_DE	varchar(100)		
79	NAME_ES	varchar(100)		
80	NAME_FR	varchar(100)		
81	NAME_PT	varchar(100)		
82	NAME_RU	varchar(100)		
83	NAME_ZH	varchar(100)		
84	LABEL	varchar(100)		
85	NAME_AR	varchar(100)		
86	NAME_BN	varchar(110)		
87	NAME_EL	varchar(100)		
88	NAME_HI	varchar(100)		
89	NAME_HU	varchar(100)		
90	NAME_ID	varchar(100)		
91	NAME_IT	varchar(100)		
92	NAME_JA	varchar(100)		
93	NAME_KO	varchar(100)		
94	NAME_NL	varchar(100)		

95	NAME_PL	varchar(100)		
96	NAME_SV	varchar(100)		
97	NAME_TR	varchar(100)		
98	NAME_VI	varchar(100)		
99	NE_ID	int8(64)		
100	NAME_FA	varchar(80)		
101	NAME_HE	varchar(80)		
102	NAME_UK	varchar(80)		
103	NAME_UR	varchar(80)		
104	NAME_ZHT	varchar(80)		
105	GEONAMESID	int8(64)		
106	FCLASS_ISO	varchar(50)		
107	FCLASS_US	varchar(50)		
108	FCLASS_FR	varchar(50)		
109	FCLASS_RU	varchar(50)		
110	FCLASS_ES	varchar(50)		
111	FCLASS_CN	varchar(50)		
112	FCLASS_TW	varchar(50)		
113	FCLASS_IN	varchar(50)		
114	FCLASS_NP	varchar(50)		
115	FCLASS_PK	varchar(50)		
116	FCLASS_DE	varchar(50)		
117	FCLASS_GB	varchar(50)		
118	FCLASS_BR	varchar(50)		
119	FCLASS_IL	varchar(50)		
120	FCLASS_PS	varchar(50)		
121	FCLASS_SA	varchar(50)		
122	FCLASS_EG	varchar(50)		
123	FCLASS_MA	varchar(50)		

124	FCLASS_PT	varchar(50)		
125	FCLASS_AR	varchar(50)		
126	FCLASS_JP	varchar(50)		
127	FCLASS_KO	varchar(50)		
128	FCLASS_VN	varchar(50)		
129	FCLASS_TR	varchar(50)		
130	FCLASS_ID	varchar(50)		
131	FCLASS_PL	varchar(50)		
132	FCLASS_GR	varchar(50)		
133	FCLASS_IT	varchar(50)		
134	FCLASS_NL	varchar(50)		
135	FCLASS_SE	varchar(50)		
136	FCLASS_BD	varchar(50)		
137	FCLASS_UA	varchar(50)		
138	FCLASS_TLC	varchar(254)		
139	geom	(Type)		Index: ne_10m_populated_places_...

Indexes

Name	Method	Fields
ne_10m_populated_places_geom_geom_idx	gist	geom

2.5.5.1.102. Table: ne_10m_populated_places_simple

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_populated_places_simple_fid_seq'::regclass)
2	scalerank	int4(32)		

3	natscale	int4(32)		
4	labelrank	int4(32)		
5	featurecla	varchar(50)		
6	name	varchar(100)		
7	namepar	varchar(254)		
8	namealt	varchar(254)		
9	nameascii	varchar(100)		
10	adm0cap	int4(32)		
11	capalt	int4(32)		
12	capin	varchar(15)		
13	worldcity	int4(32)		
14	megacity	int4(32)		
15	sov0name	varchar(100)		
16	sov_a3	varchar(3)		
17	adm0name	varchar(50)		
18	adm0_a3	varchar(3)		
19	adm1name	varchar(100)		
20	iso_a2	varchar(5)		
21	note	varchar(254)		
22	latitude	float8(53)		
23	longitude	float8(53)		
24	pop_max	int8(64)		
25	pop_min	int8(64)		
26	pop_other	int8(64)		
27	rank_max	int4(32)		
28	rank_min	int4(32)		
29	meganame	varchar(100)		
30	ls_name	varchar(41)		
31	min_zoom	float8(53)		

32	ne_id	int8(64)		
33	geom	(Type)		Index: ne_10m_populated_places_...

Indexes

Name	Method	Fields
ne_10m_populated_places_simpl_geom_geom_idx	gist	geom

2.5.5.1.103. Table: ne_10m_ports

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_ports_fid_seq':regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(80)		
4	name	varchar(50)		
5	website	varchar(254)		
6	natlscale	float8(53)		
7	ne_id	int8(64)		
8	geom	(Type)		Index: ne_10m_ports_geom_geom...

Indexes

Name	Method	Fields
ne_10m_ports_geom_geom_idx	gist	geom

2.5.5.1.104. Table: ne_10m_railroads

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_railroads_fid_seq'::regclass)
2	rwdb_rr_id	int4(32)		
3	mult_track	int4(32)		
4	electric	int4(32)		
5	other_code	int4(32)		
6	category	int4(32)		
7	disp_scale	varchar(5)		
8	add	int4(32)		
9	featurecla	varchar(50)		
10	scalerank	int4(32)		
11	natlscale	float8(53)		
12	part	varchar(50)		
13	continent	varchar(50)		
14	geom	(Type)		Index: ne_10m_railroads_geom_ge...

Indexes

Name	Method	Fields
ne_10m_railroads_geom_geom_idx	gist	geom

2.5.5.1.105. Table: ne_10m_railroads_north_america

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_railroads_north_america_fid_seq'::regclass)

2	scalerank	int4(32)		
3	featurecla	varchar(30)		
4	sov_a3	varchar(3)		
5	uident	int4(32)		
6	add	int4(32)		
7	natrlscale	int4(32)		
8	continent	varchar(50)		
9	geom	(Type)		Index: ne_10m_railroads_north_am...

Indexes

Name	Method	Fields
ne_10m_railroads_north_america_geom_geom_idx	gist	geom

2.5.5.1.106. Table: ne_10m_reefs

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_reefs_fid_seq': :regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_10m_reefs_geom_geom_...

Indexes

Name	Method	Fields
ne_10m_reefs_geom_geom_idx	gist	geom

2.5.5.1.107. Table: ne_10m_rivers_australia

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_rivers_australia_fid_seq'::regclass)
2	strokeweig	float8(53)		
3	featurecla	varchar(32)		
4	scalerank	int8(64)		
5	rivernum	int8(64)		
6	dissolve	varchar(100)		
7	name	varchar(254)		
8	name_alt	varchar(254)		
9	note	varchar(200)		
10	ne_id	int8(64)		
11	wikidataid	varchar(254)		
12	name_ar	varchar(254)		
13	name_bn	varchar(254)		
14	name_de	varchar(254)		
15	name_en	varchar(254)		
16	name_es	varchar(254)		
17	name_fr	varchar(254)		
18	name_el	varchar(254)		
19	name_hi	varchar(254)		
20	name_hu	varchar(254)		
21	name_id	varchar(254)		
22	name_it	varchar(254)		
23	name_ja	varchar(254)		
24	name_ko	varchar(254)		
25	name_nl	varchar(254)		
26	name_pl	varchar(254)		

27	name_pt	varchar(254)		
28	name_ru	varchar(254)		
29	name_sv	varchar(254)		
30	name_tr	varchar(254)		
31	name_vi	varchar(254)		
32	name_zh	varchar(254)		
33	name_fa	varchar(80)		
34	name_he	varchar(80)		
35	name_uk	varchar(80)		
36	name_ur	varchar(80)		
37	name_zht	varchar(80)		
38	min_zoom	float8(53)		
39	min_label	float8(53)		
40	geom	(Type)		Index: ne_10m_rivers_australia_ge...

Indexes

Name	Method	Fields
ne_10m_rivers_australia_geom_geom_idx	gist	geom

2.5.5.1.108. Table: ne_10m_rivers_europe

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_rivers_europe_fid_seq'::regclass)
2	id	int8(64)		
3	wso_id	int8(64)		
4	objectid	int8(64)		

5	featurecla	varchar(30)		
6	scalerank	int8(64)		
7	rivernum	int8(64)		
8	dissolve	varchar(200)		
9	name	varchar(200)		
10	min_zoom	float8(53)		
11	strokeweig	float8(53)		
12	name_alt	varchar(254)		
13	min_label	float8(53)		
14	label	varchar(254)		
15	wikidataid	varchar(254)		
16	name_ar	varchar(254)		
17	name_bn	varchar(254)		
18	name_de	varchar(254)		
19	name_en	varchar(254)		
20	name_es	varchar(254)		
21	name_fr	varchar(254)		
22	name_el	varchar(254)		
23	name_hi	varchar(254)		
24	name_hu	varchar(254)		
25	name_id	varchar(254)		
26	name_it	varchar(254)		
27	name_ja	varchar(254)		
28	name_ko	varchar(254)		
29	name_nl	varchar(254)		
30	name_pl	varchar(254)		
31	name_pt	varchar(254)		
32	name_ru	varchar(254)		
33	name_sv	varchar(254)		

34	name_tr	varchar(254)		
35	name_vi	varchar(254)		
36	name_zh	varchar(254)		
37	ne_id	int8(64)		
38	name_fa	varchar(80)		
39	name_he	varchar(80)		
40	name_uk	varchar(80)		
41	name_ur	varchar(80)		
42	name_zht	varchar(80)		
43	geom	(Type)		Index: ne_10m_rivers_europe_geo...

Indexes

Name	Method	Fields
ne_10m_rivers_europe_geom_geom_idx	gist	geom

2.5.5.1.109. Table: ne_10m_rivers_lake_centerlines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_rivers_lake_centerlines_fid_seq'::regclass)
2	dissolve	varchar(26)		
3	scalerank	int4(32)		
4	featurecla	varchar(20)		
5	name	varchar(29)		
6	name_alt	varchar(18)		
7	rivernum	int4(32)		
8	note	varchar(41)		

9	min_zoom	float8(53)		
10	name_en	varchar(27)		
11	min_label	float8(53)		
12	ne_id	int8(64)		
13	label	varchar(27)		
14	wikidataid	varchar(9)		
15	name_ar	varchar(61)		
16	name_bn	varchar(94)		
17	name_de	varchar(33)		
18	name_es	varchar(34)		
19	name_fr	varchar(38)		
20	name_el	varchar(65)		
21	name_hi	varchar(73)		
22	name_hu	varchar(34)		
23	name_id	varchar(36)		
24	name_it	varchar(29)		
25	name_ja	varchar(69)		
26	name_ko	varchar(37)		
27	name_nl	varchar(31)		
28	name_pl	varchar(30)		
29	name_pt	varchar(36)		
30	name_ru	varchar(56)		
31	name_sv	varchar(31)		
32	name_tr	varchar(29)		
33	name_vi	varchar(33)		
34	name_zh	varchar(33)		
35	name_fa	varchar(51)		
36	name_he	varchar(59)		
37	name_uk	varchar(57)		

38	name_ur	varchar(47)		
39	name_zht	varchar(33)		
40	geom	(Type)		Index: ne_10m_rivers_lake_centerl...

Indexes

Name	Method	Fields
ne_10m_rivers_lake_centerlines_geom_geom_idx	gist	geom

2.5.5.1.110. Table: ne_10m_rivers_lake_centerlines_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_rivers_lake_centerlines_scale_rank_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	scalerank	int8(64)		
4	rivernum	int8(64)		
5	dissolve	varchar(100)		
6	name	varchar(254)		
7	name_alt	varchar(254)		
8	note	varchar(200)		
9	min_zoom	float8(53)		
10	strokeweig	float8(53)		
11	name_en	varchar(254)		
12	min_label	float8(53)		
13	ne_id	int8(64)		
14	label	varchar(254)		

15	wikidataid	varchar(254)		
16	name_ar	varchar(254)		
17	name_bn	varchar(254)		
18	name_de	varchar(254)		
19	name_es	varchar(254)		
20	name_fr	varchar(254)		
21	name_el	varchar(254)		
22	name_hi	varchar(254)		
23	name_hu	varchar(254)		
24	name_id	varchar(254)		
25	name_it	varchar(254)		
26	name_ja	varchar(254)		
27	name_ko	varchar(254)		
28	name_nl	varchar(254)		
29	name_pl	varchar(254)		
30	name_pt	varchar(254)		
31	name_ru	varchar(254)		
32	name_sv	varchar(254)		
33	name_tr	varchar(254)		
34	name_vi	varchar(254)		
35	name_zh	varchar(254)		
36	name_fa	varchar(80)		
37	name_he	varchar(80)		
38	name_uk	varchar(80)		
39	name_ur	varchar(80)		
40	name_zht	varchar(80)		
41	geom	(Type)		Index: ne_10m_rivers_lake_centerl...

Indexes

Name	Method	Fields
ne_10m_rivers_lake_centerline s_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.111. Table: ne_10m_rivers_north_america

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_rivers_north_a merica_fid_seq'::regclass)
2	strokeweig	float8(53)		
3	name	varchar(254)		
4	featurecla	varchar(25)		
5	scalerank	int8(64)		
6	min_zoom	float8(53)		
7	min_label	float8(53)		
8	ne_id	int8(64)		
9	rivernum	int8(64)		
10	dissolve	varchar(100)		
11	name_alt	varchar(100)		
12	note	varchar(50)		
13	name_full	varchar(254)		
14	label	varchar(254)		
15	wikidataid	varchar(254)		
16	name_ar	varchar(254)		
17	name_bn	varchar(254)		
18	name_de	varchar(254)		
19	name_en	varchar(254)		
20	name_es	varchar(254)		

21	name_fr	varchar(254)		
22	name_el	varchar(254)		
23	name_hi	varchar(254)		
24	name_hu	varchar(254)		
25	name_id	varchar(254)		
26	name_it	varchar(254)		
27	name_ja	varchar(254)		
28	name_ko	varchar(254)		
29	name_nl	varchar(254)		
30	name_pl	varchar(254)		
31	name_pt	varchar(254)		
32	name_ru	varchar(254)		
33	name_sv	varchar(254)		
34	name_tr	varchar(254)		
35	name_vi	varchar(254)		
36	name_zh	varchar(254)		
37	name_fa	varchar(80)		
38	name_he	varchar(80)		
39	name_uk	varchar(80)		
40	name_ur	varchar(80)		
41	name_zht	varchar(80)		
42	geom	(Type)		Index: ne_10m_rivers_north_ameri...

Indexes

Name	Method	Fields
ne_10m_rivers_north_america _geom_geom_idx	gist	geom

2.5.5.1.112. Table: ne_10m_roads

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_roads_fid_seq' ::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(30)		
4	type	varchar(50)		
5	sov_a3	varchar(3)		
6	note	varchar(50)		
7	edited	varchar(50)		
8	name	varchar(25)		
9	namealt	varchar(25)		
10	namealtn	varchar(30)		
11	routeraw	varchar(50)		
12	question	int8(64)		
13	length_km	int4(32)		
14	toll	int4(32)		
15	ne_part	varchar(50)		
16	label	varchar(50)		
17	label2	varchar(50)		
18	local	varchar(30)		
19	localtype	varchar(30)		
20	localalt	varchar(30)		
21	labelrank	int4(32)		
22	ignore	int4(32)		
23	add	int4(32)		
24	rwdb_rd_id	int4(32)		
25	orig_fid	int4(32)		
26	prefix	varchar(5)		

27	uident	int4(32)		
28	continent	varchar(50)		
29	expressway	int4(32)		
30	level	varchar(50)		
31	min_zoom	float8(53)		
32	min_label	float8(53)		
33	geom	(Type)		Index: ne_10m_roads_geom_geom...

Indexes

Name	Method	Fields
ne_10m_roads_geom_geom_idx	gist	geom

2.5.5.1.113. Table: ne_10m_roads_north_america

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_roads_north_america_fid_seq'::regclass)
2	prefix	varchar(5)		
3	number	varchar(5)		
4	class	varchar(10)		
5	type	varchar(12)		
6	divided	varchar(10)		
7	country	varchar(25)		
8	state	varchar(25)		
9	note	varchar(100)		
10	scalerank	int4(32)		
11	uident	int4(32)		

12	length	float8(53)		
13	rank	int4(32)		
14	continent	varchar(50)		
15	geom	(Type)		Index: ne_10m_roads_north_amer...

Indexes

Name	Method	Fields
ne_10m_roads_north_america_geom_geom_idx	gist	geom

2.5.5.1.114. Table: ne_10m_time_zones

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_time_zones_fid_seq'::regclass)
2	objectid	int4(32)		
3	scalerank	int4(32)		
4	featurecla	varchar(50)		
5	name	varchar(50)		
6	map_color6	int4(32)		
7	map_color8	int4(32)		
8	note	varchar(250)		
9	zone	float8(53)		
10	utc_format	varchar(50)		
11	time_zone	varchar(254)		
12	iso_8601	varchar(254)		
13	places	varchar(254)		
14	dst_places	varchar(254)		

15	tz_name1st	varchar(100)		
16	tz_namesum	int4(32)		
17	geom	(Type)		Index: ne_10m_time_zones_geom_...

Indexes

Name	Method	Fields
ne_10m_time_zones_geom_geom_idx	gist	geom

2.5.5.1.115. Table: ne_10m_urban_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_urban_areas_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(50)		
4	area_sqkm	float8(53)		
5	min_zoom	float8(53)		
6	geom	(Type)		Index: ne_10m_urban_areas_geom...

Indexes

Name	Method	Fields
ne_10m_urban_areas_geom_geom_idx	gist	geom

2.5.5.1.116. Table: ne_10m_urban_areas_landscan

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_10m_urban_areas_la ndscan_fid_seq'::regclass)
2	name_conve	varchar(41)		
3	max_pop_al	float8(53)		
4	max_pop_20	float8(53)		
5	max_pop_50	float8(53)		
6	max_pop_30	float8(53)		
7	max_pop_31	float8(53)		
8	max_natsca	float8(53)		
9	min_areakm	float8(53)		
10	max_areakm	float8(53)		
11	min_areami	float8(53)		
12	max_areami	float8(53)		
13	min_perkm	float8(53)		
14	max_perkm	float8(53)		
15	min_permi	float8(53)		
16	max_permi	float8(53)		
17	min_bb_xmi	float8(53)		
18	max_bb_xmi	float8(53)		
19	min_bb_xma	float8(53)		
20	max_bb_xma	float8(53)		
21	min_bb_y mi	float8(53)		
22	max_bb_y mi	float8(53)		
23	min_bb_y ma	float8(53)		
24	max_bb_y ma	float8(53)		
25	mean_bb_xc	float8(53)		
26	mean_bb_yc	float8(53)		
27	geom	(Type)		Index: ne_10m_urban_areas_lands...

Indexes

Name	Method	Fields
ne_10m_urban_areas_landscan_geom_geom_idx	gist	geom

2.5.5.1.117. Table: ne_110m_admin_0_boundary_lines_land

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_boundary_lines_land_fid_seq'::regclass)
2	SCALERANK	int8(64)		
3	FEATURECLA	varchar(50)		
4	NAME	varchar(50)		
5	NAME_ALT	varchar(50)		
6	MIN_ZOOM	float8(53)		
7	FCLASS_ISO	varchar(32)		
8	FCLASS_US	varchar(32)		
9	FCLASS_FR	varchar(32)		
10	FCLASS_RU	varchar(32)		
11	FCLASS_ES	varchar(32)		
12	FCLASS_CN	varchar(32)		
13	FCLASS_TW	varchar(32)		
14	FCLASS_IN	varchar(32)		
15	FCLASS_NP	varchar(32)		
16	FCLASS_PK	varchar(32)		
17	FCLASS_DE	varchar(32)		
18	FCLASS_GB	varchar(32)		
19	FCLASS_BR	varchar(32)		

20	FCLASS_IL	varchar(32)		
21	FCLASS_PS	varchar(32)		
22	FCLASS_SA	varchar(32)		
23	FCLASS_EG	varchar(32)		
24	FCLASS_MA	varchar(32)		
25	FCLASS_PT	varchar(32)		
26	FCLASS_AR	varchar(32)		
27	FCLASS_JP	varchar(32)		
28	FCLASS_KO	varchar(32)		
29	FCLASS_VN	varchar(32)		
30	FCLASS_TR	varchar(32)		
31	FCLASS_ID	varchar(32)		
32	FCLASS_PL	varchar(32)		
33	FCLASS_GR	varchar(32)		
34	FCLASS_IT	varchar(32)		
35	FCLASS_NL	varchar(32)		
36	FCLASS_SE	varchar(32)		
37	FCLASS_BD	varchar(32)		
38	FCLASS_UA	varchar(32)		
39	NE_ID	int8(64)		
40	BRK_A3	varchar(3)		
41	FCLASS_TLC	varchar(254)		
42	geom	(Type)		Index: ne_110m_admin_0_bounda...

Indexes

Name	Method	Fields
ne_110m_admin_0_boundary_lines_land_geom_geom_idx	gist	geom

2.5.5.1.118. Table: ne_110m_admin_0_countries

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_countries_fid_seq'::regclass)
2	featurecla	varchar(15)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(35)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(24)		
21	NAME_LONG	varchar(35)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(1)		
25	ABBREV	varchar(10)		
26	POSTAL	varchar(4)		

27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(11)		
31	NOTE_BRK	varchar(42)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(14)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		

56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(167)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		

85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(7)		
110	NAME_AR	varchar(57)		
111	NAME_BN	varchar(105)		
112	NAME_DE	varchar(40)		
113	NAME_EN	varchar(35)		

114	NAME_ES	varchar(41)		
115	NAME_FA	varchar(62)		
116	NAME_FR	varchar(44)		
117	NAME_EL	varchar(72)		
118	NAME_HE	varchar(68)		
119	NAME_HI	varchar(97)		
120	NAME_HU	varchar(40)		
121	NAME_ID	varchar(39)		
122	NAME_IT	varchar(36)		
123	NAME_JA	varchar(36)		
124	NAME_KO	varchar(33)		
125	NAME_NL	varchar(29)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(39)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(28)		
130	NAME_TR	varchar(41)		
131	NAME_UK	varchar(82)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(18)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(12)		

143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		
159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(15)		
166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_110m_admin_0_countrie...

Indexes

Name	Method	Fields
ne_110m_admin_0_countries_geom_geom_idx	gist	geom

2.5.5.1.119. Table: ne_110m_admin_0_countries_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_countries_lakes_fid_seq'::regclass)
2	featurecla	varchar(15)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(35)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(24)		

21	NAME_LONG	varchar(35)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(1)		
25	ABBREV	varchar(10)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(11)		
31	NOTE_BRK	varchar(42)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(14)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		

50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(167)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(7)		
110	NAME_AR	varchar(57)		
111	NAME_BN	varchar(105)		
112	NAME_DE	varchar(40)		
113	NAME_EN	varchar(35)		
114	NAME_ES	varchar(41)		
115	NAME_FA	varchar(62)		
116	NAME_FR	varchar(44)		
117	NAME_EL	varchar(72)		
118	NAME_HE	varchar(68)		
119	NAME_HI	varchar(97)		
120	NAME_HU	varchar(40)		
121	NAME_ID	varchar(39)		
122	NAME_IT	varchar(36)		
123	NAME_JA	varchar(36)		
124	NAME_KO	varchar(33)		
125	NAME_NL	varchar(29)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(39)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(28)		
130	NAME_TR	varchar(41)		
131	NAME_UK	varchar(82)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(18)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		
159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(15)		

166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_110m_admin_0_countrie...

Indexes

Name	Method	Fields
ne_110m_admin_0_countries_lakes_geom_geom_idx	gist	geom

2.5.5.1.120. Table: ne_110m_admin_0_map_units

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_map_units_fid_seq'::regclass)
2	featurecla	varchar(16)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(35)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		

14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(24)		
21	NAME_LONG	varchar(35)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(22)		
25	ABBREV	varchar(10)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(11)		
31	NOTE_BRK	varchar(42)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(14)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		

43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(6)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(207)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		

72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(7)		
110	NAME_AR	varchar(60)		
111	NAME_BN	varchar(105)		
112	NAME_DE	varchar(40)		
113	NAME_EN	varchar(35)		
114	NAME_ES	varchar(41)		
115	NAME_FA	varchar(62)		
116	NAME_FR	varchar(44)		
117	NAME_EL	varchar(72)		
118	NAME_HE	varchar(68)		
119	NAME_HI	varchar(97)		
120	NAME_HU	varchar(40)		
121	NAME_ID	varchar(39)		
122	NAME_IT	varchar(36)		
123	NAME_JA	varchar(36)		
124	NAME_KO	varchar(33)		
125	NAME_NL	varchar(29)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(39)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(28)		

130	NAME_TR	varchar(41)		
131	NAME_UK	varchar(82)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(30)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(30)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(30)		
145	FCLASS_IN	varchar(30)		
146	FCLASS_NP	varchar(30)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(30)		
149	FCLASS_GB	varchar(30)		
150	FCLASS_BR	varchar(30)		
151	FCLASS_IL	varchar(30)		
152	FCLASS_PS	varchar(30)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(30)		
155	FCLASS_MA	varchar(30)		
156	FCLASS_PT	varchar(30)		
157	FCLASS_AR	varchar(30)		
158	FCLASS_JP	varchar(30)		

159	FCLASS_KO	varchar(30)		
160	FCLASS_VN	varchar(30)		
161	FCLASS_TR	varchar(30)		
162	FCLASS_ID	varchar(30)		
163	FCLASS_PL	varchar(30)		
164	FCLASS_GR	varchar(30)		
165	FCLASS_IT	varchar(30)		
166	FCLASS_NL	varchar(30)		
167	FCLASS_SE	varchar(30)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(14)		
170	geom	(Type)		Index: ne_110m_admin_0_map_un...

Indexes

Name	Method	Fields
ne_110m_admin_0_map_units_geom_geom_idx	gist	geom

2.5.5.1.121. Table: ne_110m_admin_0_pacific_groupings

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_pacific_groupings_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	geom	(Type)		Index: ne_110m_admin_0_pacific_...

Indexes

Name	Method	Fields
ne_110m_admin_0_pacific_groupings_geom_geom_idx	gist	geom

2.5.5.1.122. Table: ne_110m_admin_0_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_scale_rank_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(30)		
4	labelrank	int4(32)		
5	sr_sov_a3	varchar(3)		
6	sr_adm0_a3	varchar(3)		
7	sr_gu_a3	varchar(3)		
8	sr_geounit	varchar(100)		
9	geom	(Type)		Index: ne_110m_admin_0_scale_ra...

Indexes

Name	Method	Fields
ne_110m_admin_0_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.123. Table: ne_110m_admin_0_sovereignty

Fields

Pos	Name	Type	Not Null	Others
-----	------	------	----------	--------

1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_sovereignty_fid_seq'::regclass)
2	featurecla	varchar(19)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(32)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(32)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(32)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(24)		
21	NAME_LONG	varchar(32)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(1)		
25	ABBREV	varchar(10)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		

29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(11)		
31	NOTE_BRK	varchar(42)		
32	NAME_SORT	varchar(24)		
33	NAME_ALT	varchar(10)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(99)		

58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		

87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(13)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(6)		
110	NAME_AR	varchar(52)		
111	NAME_BN	varchar(83)		
112	NAME_DE	varchar(30)		
113	NAME_EN	varchar(35)		
114	NAME_ES	varchar(36)		
115	NAME_FA	varchar(40)		

116	NAME_FR	varchar(34)		
117	NAME_EL	varchar(72)		
118	NAME_HE	varchar(62)		
119	NAME_HI	varchar(74)		
120	NAME_HU	varchar(35)		
121	NAME_ID	varchar(27)		
122	NAME_IT	varchar(32)		
123	NAME_JA	varchar(36)		
124	NAME_KO	varchar(33)		
125	NAME_NL	varchar(29)		
126	NAME_PL	varchar(30)		
127	NAME_PT	varchar(35)		
128	NAME_RU	varchar(67)		
129	NAME_SV	varchar(28)		
130	NAME_TR	varchar(32)		
131	NAME_UK	varchar(79)		
132	NAME_UR	varchar(42)		
133	NAME_VI	varchar(51)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(15)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		

145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(12)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		
159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(15)		
166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_110m_admin_0_sovereig...

Indexes

Name	Method	Fields
ne_110m_admin_0_sovereignty_geom_geom_idx	gist	geom

2.5.5.1.124. Table: ne_110m_admin_0_tiny_countries

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_0_tiny_countries_fid_seq'::regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(22)		
4	sr_label_i	int4(32)		
5	sr_label_o	int4(32)		
6	LABELRANK	int4(32)		
7	SOVEREIGNT	varchar(32)		
8	SOV_A3	varchar(3)		
9	ADM0_DIF	int4(32)		
10	LEVEL	int4(32)		
11	TYPE	varchar(17)		
12	TLC	varchar(1)		
13	ADMIN	varchar(35)		
14	ADM0_A3	varchar(3)		
15	GEOU_DIF	int4(32)		
16	GEOUNIT	varchar(35)		
17	GU_A3	varchar(3)		
18	SU_DIF	int4(32)		
19	SUBUNIT	varchar(35)		
20	SU_A3	varchar(3)		

21	BRK_DIFF	int4(32)		
22	NAME	varchar(23)		
23	NAME_LONG	varchar(35)		
24	BRK_A3	varchar(3)		
25	BRK_NAME	varchar(26)		
26	BRK_GROUP	varchar(22)		
27	ABBREV	varchar(11)		
28	POSTAL	varchar(3)		
29	FORMAL_EN	varchar(52)		
30	FORMAL_FR	varchar(1)		
31	NAME_CIAWF	varchar(45)		
32	NOTE_ADM0	varchar(16)		
33	NOTE_BRK	varchar(51)		
34	NAME_SORT	varchar(35)		
35	NAME_ALT	varchar(8)		
36	MAPCOLOR7	int4(32)		
37	MAPCOLOR8	int4(32)		
38	MAPCOLOR9	int4(32)		
39	MAPCOLOR13	int4(32)		
40	POP_EST	int4(32)		
41	POP_RANK	int4(32)		
42	POP_YEAR	int4(32)		
43	GDP_MD	int4(32)		
44	GDP_YEAR	int4(32)		
45	ECONOMY	varchar(26)		
46	INCOME_GRP	varchar(23)		
47	FIPS_10	varchar(3)		
48	ISO_A2	varchar(6)		
49	ISO_A2_EH	varchar(2)		

50	ISO_A3	varchar(3)		
51	ISO_A3_EH	varchar(3)		
52	ISO_N3	varchar(3)		
53	ISO_N3_EH	varchar(3)		
54	UN_A3	varchar(4)		
55	WB_A2	varchar(3)		
56	WB_A3	varchar(3)		
57	WOE_ID	int4(32)		
58	WOE_ID_EH	int4(32)		
59	WOE_NOTE	varchar(75)		
60	ADM0_ISO	varchar(3)		
61	ADM0_DIFF	varchar(1)		
62	ADM0_TLC	varchar(3)		
63	ADM0_A3_US	varchar(3)		
64	ADM0_A3_FR	varchar(3)		
65	ADM0_A3_RU	varchar(3)		
66	ADM0_A3_ES	varchar(3)		
67	ADM0_A3_CN	varchar(3)		
68	ADM0_A3_TW	varchar(3)		
69	ADM0_A3_IN	varchar(3)		
70	ADM0_A3_NP	varchar(3)		
71	ADM0_A3_PK	varchar(3)		
72	ADM0_A3_DE	varchar(3)		
73	ADM0_A3_GB	varchar(3)		
74	ADM0_A3_BR	varchar(3)		
75	ADM0_A3_IL	varchar(3)		
76	ADM0_A3_PS	varchar(3)		
77	ADM0_A3_SA	varchar(3)		
78	ADM0_A3_EG	varchar(3)		

79	ADM0_A3_MA	varchar(3)		
80	ADM0_A3_PT	varchar(3)		
81	ADM0_A3_AR	varchar(3)		
82	ADM0_A3_JP	varchar(3)		
83	ADM0_A3_KO	varchar(3)		
84	ADM0_A3_VN	varchar(3)		
85	ADM0_A3_TR	varchar(3)		
86	ADM0_A3_ID	varchar(3)		
87	ADM0_A3_PL	varchar(3)		
88	ADM0_A3_GR	varchar(3)		
89	ADM0_A3_IT	varchar(3)		
90	ADM0_A3_NL	varchar(3)		
91	ADM0_A3_SE	varchar(3)		
92	ADM0_A3_BD	varchar(3)		
93	ADM0_A3_UA	varchar(3)		
94	ADM0_A3_UN	int4(32)		
95	ADM0_A3_WB	int4(32)		
96	CONTINENT	varchar(23)		
97	REGION_UN	varchar(8)		
98	SUBREGION	varchar(23)		
99	REGION_WB	varchar(26)		
100	NAME_LEN	int4(32)		
101	LONG_LEN	int4(32)		
102	ABBREV_LEN	int4(32)		
103	TINY	int4(32)		
104	HOMEPART	int4(32)		
105	MIN_ZOOM	int4(32)		
106	MIN_LABEL	float8(53)		
107	MAX_LABEL	float8(53)		

108	LABEL_X	float8(53)		
109	LABEL_Y	float8(53)		
110	NE_ID	int8(64)		
111	WIKIDATAID	varchar(7)		
112	NAME_AR	varchar(72)		
113	NAME_BN	varchar(125)		
114	NAME_DE	varchar(46)		
115	NAME_EN	varchar(44)		
116	NAME_ES	varchar(41)		
117	NAME_FA	varchar(65)		
118	NAME_FR	varchar(44)		
119	NAME_EL	varchar(75)		
120	NAME_HE	varchar(78)		
121	NAME_HI	varchar(123)		
122	NAME_HU	varchar(41)		
123	NAME_ID	varchar(46)		
124	NAME_IT	varchar(44)		
125	NAME_JA	varchar(66)		
126	NAME_KO	varchar(47)		
127	NAME_NL	varchar(46)		
128	NAME_PL	varchar(47)		
129	NAME_PT	varchar(40)		
130	NAME_RU	varchar(86)		
131	NAME_SV	varchar(39)		
132	NAME_TR	varchar(42)		
133	NAME_UK	varchar(91)		
134	NAME_UR	varchar(66)		
135	NAME_VI	varchar(56)		
136	NAME_ZH	varchar(33)		

137	NAME_ZHT	varchar(30)		
138	FCLASS_ISO	varchar(18)		
139	TLC_DIFF	varchar(1)		
140	FCLASS_TLC	varchar(30)		
141	FCLASS_US	varchar(30)		
142	FCLASS_FR	varchar(30)		
143	FCLASS_RU	varchar(30)		
144	FCLASS_ES	varchar(30)		
145	FCLASS_CN	varchar(14)		
146	FCLASS_TW	varchar(30)		
147	FCLASS_IN	varchar(30)		
148	FCLASS_NP	varchar(30)		
149	FCLASS_PK	varchar(12)		
150	FCLASS_DE	varchar(30)		
151	FCLASS_GB	varchar(30)		
152	FCLASS_BR	varchar(30)		
153	FCLASS_IL	varchar(30)		
154	FCLASS_PS	varchar(30)		
155	FCLASS_SA	varchar(12)		
156	FCLASS_EG	varchar(30)		
157	FCLASS_MA	varchar(30)		
158	FCLASS_PT	varchar(30)		
159	FCLASS_AR	varchar(30)		
160	FCLASS_JP	varchar(30)		
161	FCLASS_KO	varchar(30)		
162	FCLASS_VN	varchar(30)		
163	FCLASS_TR	varchar(30)		
164	FCLASS_ID	varchar(30)		
165	FCLASS_PL	varchar(30)		

166	FCLASS_GR	varchar(30)		
167	FCLASS_IT	varchar(30)		
168	FCLASS_NL	varchar(30)		
169	FCLASS_SE	varchar(30)		
170	FCLASS_BD	varchar(12)		
171	FCLASS_UA	varchar(1)		
172	geom	(Type)		Index: ne_110m_admin_0_tiny_cou...

Indexes

Name	Method	Fields
ne_110m_admin_0_tiny_count ries_geom_geom_idx	gist	geom

2.5.5.1.125. Table: ne_110m_admin_1_states_provinces

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_1_stat es_provinces_fid_seq'::regclass)
2	featurecla	varchar(18)		
3	scalerank	int4(32)		
4	adm1_code	varchar(8)		
5	diss_me	int4(32)		
6	iso_3166_2	varchar(5)		
7	wikipedia	varchar(49)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(20)		
11	name_alt	varchar(56)		

12	name_local	varchar(1)		
13	type	varchar(16)		
14	type_en	varchar(16)		
15	code_local	varchar(4)		
16	code_hasc	varchar(5)		
17	note	varchar(1)		
18	hasc_maybe	varchar(13)		
19	region	varchar(9)		
20	region_cod	varchar(1)		
21	provnum_ne	int4(32)		
22	gadm_level	int4(32)		
23	check_me	int4(32)		
24	datarank	int4(32)		
25	abbrev	varchar(6)		
26	postal	varchar(2)		
27	area_sqkm	int4(32)		
28	sameascity	int4(32)		
29	labelrank	int4(32)		
30	name_len	int4(32)		
31	mapcolor9	int4(32)		
32	mapcolor13	int4(32)		
33	fips	varchar(4)		
34	fips_alt	varchar(4)		
35	woe_id	int4(32)		
36	woe_label	varchar(39)		
37	woe_name	varchar(20)		
38	latitude	float8(53)		
39	longitude	float8(53)		
40	sov_a3	varchar(3)		

41	adm0_a3	varchar(3)		
42	adm0_label	int4(32)		
43	admin	varchar(24)		
44	geonunit	varchar(24)		
45	gu_a3	varchar(3)		
46	gn_id	int4(32)		
47	gn_name	varchar(20)		
48	gns_id	int4(32)		
49	gns_name	varchar(1)		
50	gn_level	int4(32)		
51	gn_region	varchar(1)		
52	gn_a1_code	varchar(5)		
53	region_sub	varchar(18)		
54	sub_code	varchar(1)		
55	gns_level	int4(32)		
56	gns_lang	varchar(1)		
57	gns_adm1	varchar(1)		
58	gns_region	varchar(1)		
59	min_label	float8(53)		
60	max_label	float8(53)		
61	min_zoom	int4(32)		
62	wikidataid	varchar(6)		
63	name_ar	varchar(35)		
64	name_bn	varchar(52)		
65	name_de	varchar(14)		
66	name_en	varchar(14)		
67	name_es	varchar(19)		
68	name_fr	varchar(20)		
69	name_el	varchar(31)		

70	name_hi	varchar(49)		
71	name_hu	varchar(15)		
72	name_id	varchar(16)		
73	name_it	varchar(20)		
74	name_ja	varchar(30)		
75	name_ko	varchar(24)		
76	name_nl	varchar(15)		
77	name_pl	varchar(20)		
78	name_pt	varchar(19)		
79	name_ru	varchar(33)		
80	name_sv	varchar(14)		
81	name_tr	varchar(15)		
82	name_vi	varchar(14)		
83	name_zh	varchar(27)		
84	ne_id	int8(64)		
85	name_he	varchar(32)		
86	name_uk	varchar(33)		
87	name_ur	varchar(27)		
88	name_fa	varchar(30)		
89	name_zht	varchar(27)		
90	FCLASS_ISO	varchar(1)		
91	FCLASS_US	varchar(1)		
92	FCLASS_FR	varchar(1)		
93	FCLASS_RU	varchar(1)		
94	FCLASS_ES	varchar(1)		
95	FCLASS_CN	varchar(1)		
96	FCLASS_TW	varchar(1)		
97	FCLASS_IN	varchar(1)		
98	FCLASS_NP	varchar(1)		

99	FCLASS_PK	varchar(1)		
100	FCLASS_DE	varchar(1)		
101	FCLASS_GB	varchar(1)		
102	FCLASS_BR	varchar(1)		
103	FCLASS_IL	varchar(1)		
104	FCLASS_PS	varchar(1)		
105	FCLASS_SA	varchar(1)		
106	FCLASS_EG	varchar(1)		
107	FCLASS_MA	varchar(1)		
108	FCLASS_PT	varchar(1)		
109	FCLASS_AR	varchar(1)		
110	FCLASS_JP	varchar(1)		
111	FCLASS_KO	varchar(1)		
112	FCLASS_VN	varchar(1)		
113	FCLASS_TR	varchar(1)		
114	FCLASS_ID	varchar(1)		
115	FCLASS_PL	varchar(1)		
116	FCLASS_GR	varchar(1)		
117	FCLASS_IT	varchar(1)		
118	FCLASS_NL	varchar(1)		
119	FCLASS_SE	varchar(1)		
120	FCLASS_BD	varchar(1)		
121	FCLASS_UA	varchar(1)		
122	FCLASS_TLC	varchar(1)		
123	geom	(Type)		Index: ne_110m_admin_1_states_p...

Indexes

Name	Method	Fields
ne_110m_admin_1_states_provinces_geom_geom_idx	gist	geom

2.5.5.1.126. Table: ne_110m_admin_1_states_provinces_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_1_states_provinces_lakes_fid_seq'::regclass)
2	featurecla	varchar(18)		
3	scalerank	int4(32)		
4	adm1_code	varchar(8)		
5	diss_me	int4(32)		
6	iso_3166_2	varchar(5)		
7	wikipedia	varchar(49)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(20)		
11	name_alt	varchar(56)		
12	name_local	varchar(1)		
13	type	varchar(16)		
14	type_en	varchar(16)		
15	code_local	varchar(4)		
16	code_hasc	varchar(5)		
17	note	varchar(1)		
18	hasc_maybe	varchar(13)		
19	region	varchar(9)		
20	region_cod	varchar(1)		
21	provnum_ne	int4(32)		
22	gadm_level	int4(32)		
23	check_me	int4(32)		
24	datarank	int4(32)		
25	abbrev	varchar(6)		

26	postal	varchar(2)		
27	area_sqkm	int4(32)		
28	sameascity	int4(32)		
29	labelrank	int4(32)		
30	name_len	int4(32)		
31	mapcolor9	int4(32)		
32	mapcolor13	int4(32)		
33	fips	varchar(4)		
34	fips_alt	varchar(4)		
35	woe_id	int4(32)		
36	woe_label	varchar(39)		
37	woe_name	varchar(20)		
38	latitude	float8(53)		
39	longitude	float8(53)		
40	sov_a3	varchar(3)		
41	adm0_a3	varchar(3)		
42	adm0_label	int4(32)		
43	admin	varchar(24)		
44	geonunit	varchar(24)		
45	gu_a3	varchar(3)		
46	gn_id	int4(32)		
47	gn_name	varchar(20)		
48	gns_id	int4(32)		
49	gns_name	varchar(1)		
50	gn_level	int4(32)		
51	gn_region	varchar(1)		
52	gn_a1_code	varchar(5)		
53	region_sub	varchar(18)		
54	sub_code	varchar(1)		

55	gns_level	int4(32)		
56	gns_lang	varchar(1)		
57	gns_adm1	varchar(1)		
58	gns_region	varchar(1)		
59	min_label	float8(53)		
60	max_label	float8(53)		
61	min_zoom	int4(32)		
62	wikidataid	varchar(6)		
63	name_ar	varchar(35)		
64	name_bn	varchar(52)		
65	name_de	varchar(14)		
66	name_en	varchar(14)		
67	name_es	varchar(19)		
68	name_fr	varchar(20)		
69	name_el	varchar(31)		
70	name_hi	varchar(49)		
71	name_hu	varchar(15)		
72	name_id	varchar(16)		
73	name_it	varchar(20)		
74	name_ja	varchar(30)		
75	name_ko	varchar(24)		
76	name_nl	varchar(15)		
77	name_pl	varchar(20)		
78	name_pt	varchar(19)		
79	name_ru	varchar(33)		
80	name_sv	varchar(14)		
81	name_tr	varchar(15)		
82	name_vi	varchar(14)		
83	name_zh	varchar(27)		

84	ne_id	int8(64)		
85	name_he	varchar(32)		
86	name_uk	varchar(33)		
87	name_ur	varchar(27)		
88	name_fa	varchar(30)		
89	name_zht	varchar(27)		
90	FCLASS_ISO	varchar(1)		
91	FCLASS_US	varchar(1)		
92	FCLASS_FR	varchar(1)		
93	FCLASS_RU	varchar(1)		
94	FCLASS_ES	varchar(1)		
95	FCLASS_CN	varchar(1)		
96	FCLASS_TW	varchar(1)		
97	FCLASS_IN	varchar(1)		
98	FCLASS_NP	varchar(1)		
99	FCLASS_PK	varchar(1)		
100	FCLASS_DE	varchar(1)		
101	FCLASS_GB	varchar(1)		
102	FCLASS_BR	varchar(1)		
103	FCLASS_IL	varchar(1)		
104	FCLASS_PS	varchar(1)		
105	FCLASS_SA	varchar(1)		
106	FCLASS_EG	varchar(1)		
107	FCLASS_MA	varchar(1)		
108	FCLASS_PT	varchar(1)		
109	FCLASS_AR	varchar(1)		
110	FCLASS_JP	varchar(1)		
111	FCLASS_KO	varchar(1)		
112	FCLASS_VN	varchar(1)		

113	FCLASS_TR	varchar(1)		
114	FCLASS_ID	varchar(1)		
115	FCLASS_PL	varchar(1)		
116	FCLASS_GR	varchar(1)		
117	FCLASS_IT	varchar(1)		
118	FCLASS_NL	varchar(1)		
119	FCLASS_SE	varchar(1)		
120	FCLASS_BD	varchar(1)		
121	FCLASS_UA	varchar(1)		
122	FCLASS_TLC	varchar(1)		
123	geom	(Type)		Index: ne_110m_admin_1_states_p...

Indexes

Name	Method	Fields
ne_110m_admin_1_states_provinces_lakes_geom_geom_idx	gist	geom

2.5.5.1.127. Table: ne_110m_admin_1_states_provinces_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_1_states_provinces_lines_fid_seq'::regclass)
2	SCALERANK	int8(64)		
3	FEATURECLA	varchar(32)		
4	NAME	varchar(200)		
5	ADM0_A3	varchar(3)		
6	ADM0_NAME	varchar(100)		

7	MAPCOLOR9	int4(32)		
8	MAPCOLOR13	int4(32)		
9	MIN_ZOOM	float8(53)		
10	FCLASS_ISO	varchar(32)		
11	FCLASS_US	varchar(32)		
12	FCLASS_FR	varchar(32)		
13	FCLASS_RU	varchar(32)		
14	FCLASS_ES	varchar(32)		
15	FCLASS_CN	varchar(32)		
16	FCLASS_TW	varchar(32)		
17	FCLASS_IN	varchar(32)		
18	FCLASS_NP	varchar(32)		
19	FCLASS_PK	varchar(32)		
20	FCLASS_DE	varchar(32)		
21	FCLASS_GB	varchar(32)		
22	FCLASS_BR	varchar(32)		
23	FCLASS_IL	varchar(32)		
24	FCLASS_PS	varchar(32)		
25	FCLASS_SA	varchar(32)		
26	FCLASS_EG	varchar(32)		
27	FCLASS_MA	varchar(32)		
28	FCLASS_PT	varchar(32)		
29	FCLASS_AR	varchar(32)		
30	FCLASS_JP	varchar(32)		
31	FCLASS_KO	varchar(32)		
32	FCLASS_VN	varchar(32)		
33	FCLASS_TR	varchar(32)		
34	FCLASS_ID	varchar(32)		
35	FCLASS_PL	varchar(32)		

36	FCLASS_GR	varchar(32)		
37	FCLASS_IT	varchar(32)		
38	FCLASS_NL	varchar(32)		
39	FCLASS_SE	varchar(32)		
40	FCLASS_BD	varchar(32)		
41	FCLASS_UA	varchar(32)		
42	NE_ID	int8(64)		
43	BRK_A3	varchar(3)		
44	FCLASS_TLC	varchar(254)		
45	geom	(Type)		Index: ne_110m_admin_1_states_p...

Indexes

Name	Method	Fields
ne_110m_admin_1_states_provinces_lines_geom_geom_idx	gist	geom

2.5.5.1.128. Table: ne_110m_admin_1_states_provinces_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_admin_1_states_provinces_scale_rank_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	adm1_code	varchar(10)		
5	geom	(Type)		Index: ne_110m_admin_1_states_p...

Indexes

Name	Method	Fields
ne_110m_admin_1_states_provinces_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.129. Table: ne_110m_coastline

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_coastline_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(12)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_110m_coastline_geom_g...

Indexes

Name	Method	Fields
ne_110m_coastline_geom_geom_idx	gist	geom

2.5.5.1.130. Table: ne_110m_geographic_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_geographic_lines_fid_seq'::regclass)
2	scalerank	int8(64)		
3	name	varchar(50)		
4	name_long	varchar(100)		

5	abbrev	varchar(25)		
6	note	varchar(100)		
7	featurecla	varchar(30)		
8	min_zoom	float8(53)		
9	wikidataid	varchar(254)		
10	name_ar	varchar(254)		
11	name_bn	varchar(254)		
12	name_de	varchar(254)		
13	name_en	varchar(254)		
14	name_es	varchar(254)		
15	name_fr	varchar(254)		
16	name_el	varchar(254)		
17	name_hi	varchar(254)		
18	name_hu	varchar(254)		
19	name_id	varchar(254)		
20	name_it	varchar(254)		
21	name_ja	varchar(254)		
22	name_ko	varchar(254)		
23	name_nl	varchar(254)		
24	name_pl	varchar(254)		
25	name_pt	varchar(254)		
26	name_ru	varchar(254)		
27	name_sv	varchar(254)		
28	name_tr	varchar(254)		
29	name_vi	varchar(254)		
30	name_zh	varchar(254)		
31	wdid_score	int4(32)		
32	ne_id	int8(64)		
33	name_he	varchar(80)		

34	name_uk	varchar(80)		
35	name_ur	varchar(80)		
36	name_fa	varchar(80)		
37	name_zht	varchar(80)		
38	geom	(Type)		Index: ne_110m_geographic_lines_...

Indexes

Name	Method	Fields
ne_110m_geographic_lines_geom_geom_idx	gist	geom

2.5.5.1.131. Table: ne_110m_geography_marine_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_geography_marine_polys_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	name	varchar(254)		
4	namealt	varchar(254)		
5	changed	varchar(50)		
6	note	varchar(50)		
7	name_fr	varchar(200)		
8	min_label	float8(53)		
9	max_label	float8(53)		
10	scalerank	int4(32)		
11	label	varchar(254)		
12	wikidataid	varchar(254)		
13	name_ar	varchar(254)		

14	name_bn	varchar(254)		
15	name_de	varchar(254)		
16	name_en	varchar(254)		
17	name_es	varchar(254)		
18	name_el	varchar(254)		
19	name_hi	varchar(254)		
20	name_hu	varchar(254)		
21	name_id	varchar(254)		
22	name_it	varchar(254)		
23	name_ja	varchar(254)		
24	name_ko	varchar(254)		
25	name_nl	varchar(254)		
26	name_pl	varchar(254)		
27	name_pt	varchar(254)		
28	name_ru	varchar(254)		
29	name_sv	varchar(254)		
30	name_tr	varchar(254)		
31	name_vi	varchar(254)		
32	name_zh	varchar(254)		
33	ne_id	int8(64)		
34	name_fa	varchar(80)		
35	name_he	varchar(80)		
36	name_uk	varchar(80)		
37	name_ur	varchar(80)		
38	name_zht	varchar(80)		
39	geom	(Type)		Index: ne_110m_geography_marin...

Indexes

Name	Method	Fields
ne_110m_geography_marine_polys_geom_geom_idx	gist	geom

2.5.5.1.132. Table: ne_110m_geography_regions_elevation_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_geography_regions_elevation_points_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	elevation	float8(53)		
6	comment	varchar(50)		
7	name_alt	varchar(254)		
8	lat_y	float8(53)		
9	long_x	float8(53)		
10	nation1	varchar(20)		
11	nation2	varchar(20)		
12	note	varchar(50)		
13	region	varchar(50)		
14	subregion	varchar(50)		
15	min_zoom	float8(53)		
16	label	varchar(254)		
17	wikidataid	varchar(254)		
18	name_ar	varchar(254)		
19	name_bn	varchar(254)		
20	name_de	varchar(254)		

21	name_en	varchar(254)		
22	name_es	varchar(254)		
23	name_fr	varchar(254)		
24	name_el	varchar(254)		
25	name_hi	varchar(254)		
26	name_hu	varchar(254)		
27	name_id	varchar(254)		
28	name_it	varchar(254)		
29	name_ja	varchar(254)		
30	name_ko	varchar(254)		
31	name_nl	varchar(254)		
32	name_pl	varchar(254)		
33	name_pt	varchar(254)		
34	name_ru	varchar(254)		
35	name_sv	varchar(254)		
36	name_tr	varchar(254)		
37	name_vi	varchar(254)		
38	name_zh	varchar(254)		
39	ne_id	int8(64)		
40	name_fa	varchar(80)		
41	name_he	varchar(80)		
42	name_uk	varchar(80)		
43	name_ur	varchar(80)		
44	name_zht	varchar(80)		
45	geom	(Type)		Index: ne_110m_geography_region...

Indexes

Name	Method	Fields
ne_110m_geography_regions_elevation_points_geom_geom_idx	gist	geom

2.5.5.1.133. Table: ne_110m_geography_regions_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_geography_regions_points_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	comment	varchar(50)		
6	name_alt	varchar(254)		
7	lat_y	float8(53)		
8	long_x	float8(53)		
9	region	varchar(50)		
10	subregion	varchar(50)		
11	min_zoom	float8(53)		
12	label	varchar(254)		
13	name_ar	varchar(254)		
14	name_bn	varchar(254)		
15	name_de	varchar(254)		
16	name_en	varchar(254)		
17	name_es	varchar(254)		
18	name_fr	varchar(254)		
19	name_el	varchar(254)		
20	name_hi	varchar(254)		
21	name_hu	varchar(254)		
22	name_id	varchar(254)		
23	name_it	varchar(254)		
24	name_ja	varchar(254)		
25	name_ko	varchar(254)		
26	name_nl	varchar(254)		

27	name_pl	varchar(254)		
28	name_pt	varchar(254)		
29	name_ru	varchar(254)		
30	name_sv	varchar(254)		
31	name_tr	varchar(254)		
32	name_vi	varchar(254)		
33	name_zh	varchar(254)		
34	wikidataid	varchar(254)		
35	ne_id	int8(64)		
36	name_fa	varchar(80)		
37	name_he	varchar(80)		
38	name_uk	varchar(80)		
39	name_ur	varchar(80)		
40	name_zht	varchar(80)		
41	geom	(Type)		Index: ne_110m_geography_region...

Indexes

Name	Method	Fields
ne_110m_geography_regions_points_geom_geom_idx	gist	geom

2.5.5.1.134. Table: ne_110m_geography_regions_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_geography_regions_polys_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	NAME	varchar(254)		

4	NAMEALT	varchar(254)		
5	REGION	varchar(50)		
6	SUBREGION	varchar(50)		
7	MIN_LABEL	float8(53)		
8	MAX_LABEL	float8(53)		
9	SCALERANK	int4(32)		
10	LABEL	varchar(254)		
11	WIKIDATAID	varchar(254)		
12	NAME_AR	varchar(254)		
13	NAME_BN	varchar(254)		
14	NAME_DE	varchar(254)		
15	NAME_EN	varchar(254)		
16	NAME_ES	varchar(254)		
17	NAME_FR	varchar(254)		
18	NAME_EL	varchar(254)		
19	NAME_HI	varchar(254)		
20	NAME_HU	varchar(254)		
21	NAME_ID	varchar(254)		
22	NAME_IT	varchar(254)		
23	NAME_JA	varchar(254)		
24	NAME_KO	varchar(254)		
25	NAME_NL	varchar(254)		
26	NAME_PL	varchar(254)		
27	NAME_PT	varchar(254)		
28	NAME_RU	varchar(254)		
29	NAME_SV	varchar(254)		
30	NAME_TR	varchar(254)		
31	NAME_VI	varchar(254)		
32	NAME_ZH	varchar(254)		

33	NE_ID	int8(64)		
34	NAME_FA	varchar(80)		
35	NAME_HE	varchar(80)		
36	NAME_UK	varchar(80)		
37	NAME_UR	varchar(80)		
38	NAME_ZHT	varchar(80)		
39	geom	(Type)		Index: ne_110m_geography_region...

Indexes

Name	Method	Fields
ne_110m_geography_regions_polys_geom_geom_idx	gist	geom

2.5.5.1.135. Table: ne_110m_glaciated_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_glaciated_areas_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_110m_glaciated_areas_g...

Indexes

Name	Method	Fields
ne_110m_glaciated_areas_geom_geom_idx	gist	geom

2.5.5.1.136. Table: ne_110m_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_lakes_fid_seq' '::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	name_alt	varchar(254)		
6	admin	varchar(50)		
7	min_zoom	float8(53)		
8	min_label	float8(53)		
9	name_abb	varchar(25)		
10	label	varchar(254)		
11	wikidataid	varchar(254)		
12	name_ar	varchar(254)		
13	name_bn	varchar(254)		
14	name_de	varchar(254)		
15	name_en	varchar(254)		
16	name_es	varchar(254)		
17	name_fr	varchar(254)		
18	name_el	varchar(254)		
19	name_hi	varchar(254)		
20	name_hu	varchar(254)		
21	name_id	varchar(254)		
22	name_it	varchar(254)		
23	name_ja	varchar(254)		
24	name_ko	varchar(254)		
25	name_nl	varchar(254)		
26	name_pl	varchar(254)		

27	name_pt	varchar(254)		
28	name_ru	varchar(254)		
29	name_sv	varchar(254)		
30	name_tr	varchar(254)		
31	name_vi	varchar(254)		
32	name_zh	varchar(254)		
33	ne_id	int8(64)		
34	name_fa	varchar(80)		
35	name_he	varchar(80)		
36	name_uk	varchar(80)		
37	name_ur	varchar(80)		
38	name_zht	varchar(80)		
39	geom	(Type)		Index: ne_110m_lakes_geom_geom...

Indexes

Name	Method	Fields
ne_110m_lakes_geom_geom_idx	gist	geom

2.5.5.1.137. Table: ne_110m_land

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_land_fid_seq' ::regclass)
2	featurecla	varchar(15)		
3	scalerank	int4(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_110m_land_geom_geom...

Indexes

Name	Method	Fields
ne_110m_land_geom_geom_idx	gist	geom

2.5.5.1.138. Table: ne_110m_ocean

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_ocean_fid_seq'::regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(30)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_110m_ocean_geom_geo...

Indexes

Name	Method	Fields
ne_110m_ocean_geom_geom_idx	gist	geom

2.5.5.1.139. Table: ne_110m_populated_places

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_populated_places_fid_seq'::regclass)
2	SCALERANK	int4(32)		
3	NATSCALE	int4(32)		
4	LABELRANK	int4(32)		

5	FEATURECLA	varchar(50)		
6	NAME	varchar(100)		
7	NAMEPAR	varchar(254)		
8	NAMEALT	varchar(254)		
9	NAMEASCII	varchar(100)		
10	ADM0CAP	int4(32)		
11	CAPIN	varchar(15)		
12	WORLDCITY	int4(32)		
13	MEGACITY	int4(32)		
14	SOV0NAME	varchar(100)		
15	SOV_A3	varchar(3)		
16	ADM0NAME	varchar(50)		
17	ADM0_A3	varchar(3)		
18	ADM1NAME	varchar(100)		
19	ISO_A2	varchar(5)		
20	NOTE	varchar(254)		
21	LATITUDE	float8(53)		
22	LONGITUDE	float8(53)		
23	POP_MAX	int8(64)		
24	POP_MIN	int8(64)		
25	POP_OTHER	int8(64)		
26	RANK_MAX	int4(32)		
27	RANK_MIN	int4(32)		
28	MEGANAME	varchar(100)		
29	LS_NAME	varchar(41)		
30	MAX_POP10	int8(64)		
31	MAX_POP20	int8(64)		
32	MAX_POP50	int8(64)		
33	MAX_POP300	int8(64)		

34	MAX_POP310	int8(64)		
35	MAX_NATSCA	int8(64)		
36	MIN_AREAKM	int8(64)		
37	MAX_AREAKM	int8(64)		
38	MIN_AREAMI	int8(64)		
39	MAX_AREAMI	int8(64)		
40	MIN_PERKM	int8(64)		
41	MAX_PERKM	int8(64)		
42	MIN_PERMI	int8(64)		
43	MAX_PERMI	int8(64)		
44	MIN_BBXMN	float8(53)		
45	MAX_BBXMN	float8(53)		
46	MIN_BBXMAX	float8(53)		
47	MAX_BBXMAX	float8(53)		
48	MIN_BBYMIN	float8(53)		
49	MAX_BBYMIN	float8(53)		
50	MIN_BBYMAX	float8(53)		
51	MAX_BBYMAX	float8(53)		
52	MEAN_BBXC	float8(53)		
53	MEAN_BBYC	float8(53)		
54	TIMEZONE	varchar(50)		
55	UN_FID	int4(32)		
56	POP1950	int8(64)		
57	POP1955	int8(64)		
58	POP1960	int8(64)		
59	POP1965	int8(64)		
60	POP1970	int8(64)		
61	POP1975	int8(64)		
62	POP1980	int8(64)		

63	POP1985	int8(64)		
64	POP1990	int8(64)		
65	POP1995	int8(64)		
66	POP2000	int8(64)		
67	POP2005	int8(64)		
68	POP2010	int8(64)		
69	POP2015	int8(64)		
70	POP2020	int8(64)		
71	POP2025	int8(64)		
72	POP2050	int8(64)		
73	MIN_ZOOM	float8(53)		
74	WIKIDATAID	varchar(30)		
75	WOF_ID	int8(64)		
76	CAPALT	int4(32)		
77	NAME_EN	varchar(100)		
78	NAME_DE	varchar(100)		
79	NAME_ES	varchar(100)		
80	NAME_FR	varchar(100)		
81	NAME_PT	varchar(100)		
82	NAME_RU	varchar(100)		
83	NAME_ZH	varchar(100)		
84	LABEL	varchar(100)		
85	NAME_AR	varchar(100)		
86	NAME_BN	varchar(110)		
87	NAME_EL	varchar(100)		
88	NAME_HI	varchar(100)		
89	NAME_HU	varchar(100)		
90	NAME_ID	varchar(100)		
91	NAME_IT	varchar(100)		

92	NAME_JA	varchar(100)		
93	NAME_KO	varchar(100)		
94	NAME_NL	varchar(100)		
95	NAME_PL	varchar(100)		
96	NAME_SV	varchar(100)		
97	NAME_TR	varchar(100)		
98	NAME_VI	varchar(100)		
99	NE_ID	int8(64)		
100	NAME_FA	varchar(80)		
101	NAME_HE	varchar(80)		
102	NAME_UK	varchar(80)		
103	NAME_UR	varchar(80)		
104	NAME_ZHT	varchar(80)		
105	GEONAMESID	int8(64)		
106	FCLASS_ISO	varchar(50)		
107	FCLASS_US	varchar(50)		
108	FCLASS_FR	varchar(50)		
109	FCLASS_RU	varchar(50)		
110	FCLASS_ES	varchar(50)		
111	FCLASS_CN	varchar(50)		
112	FCLASS_TW	varchar(50)		
113	FCLASS_IN	varchar(50)		
114	FCLASS_NP	varchar(50)		
115	FCLASS_PK	varchar(50)		
116	FCLASS_DE	varchar(50)		
117	FCLASS_GB	varchar(50)		
118	FCLASS_BR	varchar(50)		
119	FCLASS_IL	varchar(50)		
120	FCLASS_PS	varchar(50)		

121	FCLASS_SA	varchar(50)		
122	FCLASS_EG	varchar(50)		
123	FCLASS_MA	varchar(50)		
124	FCLASS_PT	varchar(50)		
125	FCLASS_AR	varchar(50)		
126	FCLASS_JP	varchar(50)		
127	FCLASS_KO	varchar(50)		
128	FCLASS_VN	varchar(50)		
129	FCLASS_TR	varchar(50)		
130	FCLASS_ID	varchar(50)		
131	FCLASS_PL	varchar(50)		
132	FCLASS_GR	varchar(50)		
133	FCLASS_IT	varchar(50)		
134	FCLASS_NL	varchar(50)		
135	FCLASS_SE	varchar(50)		
136	FCLASS_BD	varchar(50)		
137	FCLASS_UA	varchar(50)		
138	FCLASS_TLC	varchar(254)		
139	geom	(Type)		Index: ne_110m_populated_places...

Indexes

Name	Method	Fields
ne_110m_populated_places_geom_geom_idx	gist	geom

2.5.5.1.140. Table: ne_110m_populated_places_simple

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_populated_places_simple_fid_seq'::regclass)
2	scalerank	int4(32)		
3	natscale	int4(32)		
4	labelrank	int4(32)		
5	featurecla	varchar(50)		
6	name	varchar(100)		
7	namepar	varchar(254)		
8	namealt	varchar(254)		
9	nameascii	varchar(100)		
10	adm0cap	int4(32)		
11	capalt	int4(32)		
12	capin	varchar(15)		
13	worldcity	int4(32)		
14	megacity	int4(32)		
15	sov0name	varchar(100)		
16	sov_a3	varchar(3)		
17	adm0name	varchar(50)		
18	adm0_a3	varchar(3)		
19	adm1name	varchar(100)		
20	iso_a2	varchar(5)		
21	note	varchar(254)		
22	latitude	float8(53)		
23	longitude	float8(53)		
24	pop_max	int8(64)		
25	pop_min	int8(64)		
26	pop_other	int8(64)		
27	rank_max	int4(32)		

28	rank_min	int4(32)		
29	meganame	varchar(100)		
30	ls_name	varchar(41)		
31	min_zoom	float8(53)		
32	ne_id	int8(64)		
33	geom	(Type)		Index: ne_110m_populated_places...

Indexes

Name	Method	Fields
ne_110m_populated_places_simpl_geom_geom_idx	gist	geom

2.5.5.1.141. Table: ne_110m_rivers_lake_centerlines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_110m_rivers_lake_centerlines_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	name_alt	varchar(254)		
6	min_zoom	float8(53)		
7	name_en	varchar(254)		
8	min_label	float8(53)		
9	wikidataid	varchar(254)		
10	label	varchar(254)		
11	name_ar	varchar(254)		
12	name_bn	varchar(254)		

13	name_de	varchar(254)		
14	name_es	varchar(254)		
15	name_fr	varchar(254)		
16	name_el	varchar(254)		
17	name_hi	varchar(254)		
18	name_hu	varchar(254)		
19	name_id	varchar(254)		
20	name_it	varchar(254)		
21	name_ja	varchar(254)		
22	name_ko	varchar(254)		
23	name_nl	varchar(254)		
24	name_pl	varchar(254)		
25	name_pt	varchar(254)		
26	name_ru	varchar(254)		
27	name_sv	varchar(254)		
28	name_tr	varchar(254)		
29	name_vi	varchar(254)		
30	name_zh	varchar(254)		
31	ne_id	int8(64)		
32	name_he	varchar(80)		
33	name_uk	varchar(80)		
34	name_ur	varchar(80)		
35	name_fa	varchar(80)		
36	name_zht	varchar(80)		
37	geom	(Type)		Index: ne_110m_rivers_lake_cente...

Indexes

Name	Method	Fields
ne_110m_rivers_lake_centerlin es_geom_geom_idx	gist	geom

2.5.5.1.142. Table: ne_50m_admin_0_boundary_lines_disputed_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_boundary_lines_disputed_areas_fid_seq'::regclass)
2	SCALERANK	int8(64)		
3	FEATURECLA	varchar(32)		
4	NAME	varchar(254)		
5	MIN_ZOOM	float8(53)		
6	BRK_NAME	varchar(254)		
7	NOTE	varchar(254)		
8	FCLASS_ISO	varchar(32)		
9	FCLASS_US	varchar(32)		
10	FCLASS_FR	varchar(32)		
11	FCLASS_RU	varchar(32)		
12	FCLASS_ES	varchar(32)		
13	FCLASS_CN	varchar(32)		
14	FCLASS_TW	varchar(32)		
15	FCLASS_IN	varchar(32)		
16	FCLASS_NP	varchar(32)		
17	FCLASS_PK	varchar(32)		
18	FCLASS_DE	varchar(32)		
19	FCLASS_GB	varchar(32)		
20	FCLASS_BR	varchar(32)		
21	FCLASS_IL	varchar(32)		
22	FCLASS_PS	varchar(32)		
23	FCLASS_SA	varchar(32)		
24	FCLASS_EG	varchar(32)		
25	FCLASS_MA	varchar(32)		

26	FCLASS_PT	varchar(32)		
27	FCLASS_AR	varchar(32)		
28	FCLASS_JP	varchar(32)		
29	FCLASS_KO	varchar(32)		
30	FCLASS_VN	varchar(32)		
31	FCLASS_TR	varchar(32)		
32	FCLASS_ID	varchar(32)		
33	FCLASS_PL	varchar(32)		
34	FCLASS_GR	varchar(32)		
35	FCLASS_IT	varchar(32)		
36	FCLASS_NL	varchar(32)		
37	FCLASS_SE	varchar(32)		
38	FCLASS_BD	varchar(32)		
39	FCLASS_UA	varchar(32)		
40	NE_ID	int8(64)		
41	BRK_A3	varchar(3)		
42	FCLASS_TLC	varchar(30)		
43	geom	(Type)		Index: ne_50m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_50m_admin_0_boundary_lines_disputed_areas_geom_geom_idx	gist	geom

2.5.5.1.143. Table: ne_50m_admin_0_boundary_lines_land

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_boundary_lines_land_fid_seq'::regclass)
2	SCALERANK	int8(64)		
3	FEATURECLA	varchar(32)		
4	NAME	varchar(254)		
5	MIN_ZOOM	float8(53)		
6	FCLASS_ISO	varchar(32)		
7	FCLASS_US	varchar(32)		
8	FCLASS_FR	varchar(32)		
9	FCLASS_RU	varchar(32)		
10	FCLASS_ES	varchar(32)		
11	FCLASS_CN	varchar(32)		
12	FCLASS_TW	varchar(32)		
13	FCLASS_IN	varchar(32)		
14	FCLASS_NP	varchar(32)		
15	FCLASS_PK	varchar(32)		
16	FCLASS_DE	varchar(32)		
17	FCLASS_GB	varchar(32)		
18	FCLASS_BR	varchar(32)		
19	FCLASS_IL	varchar(32)		
20	FCLASS_PS	varchar(32)		
21	FCLASS_SA	varchar(32)		
22	FCLASS_EG	varchar(32)		
23	FCLASS_MA	varchar(32)		
24	FCLASS_PT	varchar(32)		
25	FCLASS_AR	varchar(32)		
26	FCLASS_JP	varchar(32)		

27	FCLASS_KO	varchar(32)		
28	FCLASS_VN	varchar(32)		
29	FCLASS_TR	varchar(32)		
30	FCLASS_ID	varchar(32)		
31	FCLASS_PL	varchar(32)		
32	FCLASS_GR	varchar(32)		
33	FCLASS_IT	varchar(32)		
34	FCLASS_NL	varchar(32)		
35	FCLASS_SE	varchar(32)		
36	FCLASS_BD	varchar(32)		
37	FCLASS_UA	varchar(32)		
38	NE_ID	int8(64)		
39	BRK_A3	varchar(3)		
40	FCLASS_TLC	varchar(254)		
41	geom	(Type)		Index: ne_50m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_50m_admin_0_boundary_lines_land_geom_geom_idx	gist	geom

2.5.5.1.144. Table: ne_50m_admin_0_boundary_lines_maritime_indicator

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_boundary_lines_maritime_indicator_fid_seq'::regclass)
2	SCALERANK	int8(64)		

3	FEATURECLA	varchar(32)		
4	PACGROUP	int4(32)		
5	NOTE	varchar(100)		
6	COMMENT	varchar(200)		
7	MIN_ZOOM	float8(53)		
8	FCLASS_ISO	varchar(32)		
9	FCLASS_US	varchar(32)		
10	FCLASS_FR	varchar(32)		
11	FCLASS_RU	varchar(32)		
12	FCLASS_ES	varchar(32)		
13	FCLASS_CN	varchar(32)		
14	FCLASS_TW	varchar(32)		
15	FCLASS_IN	varchar(32)		
16	FCLASS_NP	varchar(32)		
17	FCLASS_PK	varchar(32)		
18	FCLASS_DE	varchar(32)		
19	FCLASS_GB	varchar(32)		
20	FCLASS_BR	varchar(32)		
21	FCLASS_IL	varchar(32)		
22	FCLASS_PS	varchar(32)		
23	FCLASS_SA	varchar(32)		
24	FCLASS_EG	varchar(32)		
25	FCLASS_MA	varchar(32)		
26	FCLASS_PT	varchar(32)		
27	FCLASS_AR	varchar(32)		
28	FCLASS_JP	varchar(32)		
29	FCLASS_KO	varchar(32)		
30	FCLASS_VN	varchar(32)		
31	FCLASS_TR	varchar(32)		

32	FCLASS_ID	varchar(32)		
33	FCLASS_PL	varchar(32)		
34	FCLASS_GR	varchar(32)		
35	FCLASS_IT	varchar(32)		
36	FCLASS_NL	varchar(32)		
37	FCLASS_SE	varchar(32)		
38	FCLASS_BD	varchar(32)		
39	FCLASS_UA	varchar(32)		
40	NE_ID	int8(64)		
41	BRK_A3	varchar(3)		
42	geom	(Type)		Index: ne_50m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_50m_admin_0_boundary_lines_maritime_indicator_geom_geom_idx	gist	geom

2.5.5.1.145. Table: ne_50m_admin_0_boundary_lines_maritime_indicator_chn

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_boundary_lines_maritime_indicator_chn_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	COMMENT	varchar(100)		
4	NOTE	varchar(250)		
5	SCALERANK	int8(64)		
6	MIN_ZOOM	float8(53)		

7	FCLASS_ISO	varchar(32)		
8	FCLASS_US	varchar(32)		
9	FCLASS_FR	varchar(32)		
10	FCLASS_RU	varchar(32)		
11	FCLASS_ES	varchar(32)		
12	FCLASS_CN	varchar(32)		
13	FCLASS_TW	varchar(32)		
14	FCLASS_IN	varchar(32)		
15	FCLASS_NP	varchar(32)		
16	FCLASS_PK	varchar(32)		
17	FCLASS_DE	varchar(32)		
18	FCLASS_GB	varchar(32)		
19	FCLASS_BR	varchar(32)		
20	FCLASS_IL	varchar(32)		
21	FCLASS_PS	varchar(32)		
22	FCLASS_SA	varchar(32)		
23	FCLASS_EG	varchar(32)		
24	FCLASS_MA	varchar(32)		
25	FCLASS_PT	varchar(32)		
26	FCLASS_AR	varchar(32)		
27	FCLASS_JP	varchar(32)		
28	FCLASS_KO	varchar(32)		
29	FCLASS_VN	varchar(32)		
30	FCLASS_TR	varchar(32)		
31	FCLASS_ID	varchar(32)		
32	FCLASS_PL	varchar(32)		
33	FCLASS_GR	varchar(32)		
34	FCLASS_IT	varchar(32)		
35	FCLASS_NL	varchar(32)		

36	FCLASS_SE	varchar(32)		
37	FCLASS_BD	varchar(32)		
38	FCLASS_UA	varchar(32)		
39	PACGROUP	int4(32)		
40	ne_id	int8(64)		
41	BRK_A3	varchar(3)		
42	FCLASS_TLC	varchar(254)		
43	geom	(Type)		Index: ne_50m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_50m_admin_0_boundary_li nes_maritime_indicator_chn_g eom_geom_	gist	geom

2.5.5.1.146. Table: ne_50m_admin_0_boundary_map_units

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_boun dary_map_units_fid_seq'::regcla ss)
2	SCALERANK	int8(64)		
3	FEATURECLA	varchar(32)		
4	NAME	varchar(254)		
5	MIN_ZOOM	float8(53)		
6	FCLASS_ISO	varchar(32)		
7	FCLASS_US	varchar(32)		
8	FCLASS_FR	varchar(32)		
9	FCLASS_RU	varchar(32)		

10	FCLASS_ES	varchar(32)		
11	FCLASS_CN	varchar(32)		
12	FCLASS_TW	varchar(32)		
13	FCLASS_IN	varchar(32)		
14	FCLASS_NP	varchar(32)		
15	FCLASS_PK	varchar(32)		
16	FCLASS_DE	varchar(32)		
17	FCLASS_GB	varchar(32)		
18	FCLASS_BR	varchar(32)		
19	FCLASS_IL	varchar(32)		
20	FCLASS_PS	varchar(32)		
21	FCLASS_SA	varchar(32)		
22	FCLASS_EG	varchar(32)		
23	FCLASS_MA	varchar(32)		
24	FCLASS_PT	varchar(32)		
25	FCLASS_AR	varchar(32)		
26	FCLASS_JP	varchar(32)		
27	FCLASS_KO	varchar(32)		
28	FCLASS_VN	varchar(32)		
29	FCLASS_TR	varchar(32)		
30	FCLASS_ID	varchar(32)		
31	FCLASS_PL	varchar(32)		
32	FCLASS_GR	varchar(32)		
33	FCLASS_IT	varchar(32)		
34	FCLASS_NL	varchar(32)		
35	FCLASS_SE	varchar(32)		
36	FCLASS_BD	varchar(32)		
37	FCLASS_UA	varchar(32)		

38	FCLASS_TLC	varchar(254)		
39	geom	(Type)		Index: ne_50m_admin_0_boundary...

Indexes

Name	Method	Fields
ne_50m_admin_0_boundary_map_units_geom_geom_idx	gist	geom

2.5.5.1.147. Table: ne_50m_admin_0_breakaway_disputed_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_breakaway_disputed_areas_fid_seq'::regclass)
2	featurecla	varchar(30)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(15)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(13)		
10	TLC	varchar(1)		
11	ADMIN	varchar(15)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(15)		
15	GU_A3	varchar(3)		

16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(15)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(15)		
21	NAME_LONG	varchar(15)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(25)		
24	BRK_GROUP	varchar(17)		
25	ABBREV	varchar(9)		
26	POSTAL	varchar(2)		
27	FORMAL_EN	varchar(49)		
28	FORMAL_FR	varchar(1)		
29	NAME_CIAWF	varchar(8)		
30	NOTE_ADM0	varchar(15)		
31	NOTE_BRK	varchar(61)		
32	NAME_SORT	varchar(26)		
33	NAME_ALT	varchar(14)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	int4(32)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	float8(53)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(22)		

45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(3)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(72)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		

74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(13)		
95	REGION_UN	varchar(8)		
96	SUBREGION	varchar(18)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		

103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(9)		
110	NAME_AR	varchar(44)		
111	NAME_BN	varchar(67)		
112	NAME_DE	varchar(30)		
113	NAME_EN	varchar(35)		
114	NAME_ES	varchar(36)		
115	NAME_FA	varchar(39)		
116	NAME_FR	varchar(33)		
117	NAME_EL	varchar(72)		
118	NAME_HE	varchar(62)		
119	NAME_HI	varchar(65)		
120	NAME_HU	varchar(30)		
121	NAME_ID	varchar(27)		
122	NAME_IT	varchar(30)		
123	NAME_JA	varchar(45)		
124	NAME_KO	varchar(28)		
125	NAME_NL	varchar(23)		
126	NAME_PL	varchar(25)		
127	NAME_PT	varchar(35)		
128	NAME_RU	varchar(72)		
129	NAME_SV	varchar(24)		
130	NAME_TR	varchar(32)		
131	NAME_UK	varchar(72)		

132	NAME_UR	varchar(41)		
133	NAME_VI	varchar(34)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(12)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(12)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(12)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(12)		
146	FCLASS_NP	varchar(12)		
147	FCLASS_PK	varchar(12)		
148	FCLASS_DE	varchar(12)		
149	FCLASS_GB	varchar(12)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(12)		
152	FCLASS_PS	varchar(12)		
153	FCLASS_SA	varchar(12)		
154	FCLASS_EG	varchar(12)		
155	FCLASS_MA	varchar(12)		
156	FCLASS_PT	varchar(12)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(12)		
159	FCLASS_KO	varchar(12)		
160	FCLASS_VN	varchar(12)		

161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(12)		
163	FCLASS_PL	varchar(12)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(12)		
166	FCLASS_NL	varchar(12)		
167	FCLASS_SE	varchar(12)		
168	FCLASS_BD	varchar(12)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_50m_admin_0_breakawa...

Indexes

Name	Method	Fields
ne_50m_admin_0_breakaway_disputed_areas_geom_geom_idx	gist	geom

2.5.5.1.148. Table: ne_50m_admin_0_breakaway_disputed_areas_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_breakaway_disputed_areas_scale_rank_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	min_zoom	float8(53)		
6	sr_brk_a3	varchar(3)		
7	geom	(Type)		Index: ne_50m_admin_0_breakawa...

Indexes

Name	Method	Fields
ne_50m_admin_0_breakaway_disputed_areas_scale_rank_geom_geom_id	gist	geom

2.5.5.1.149. Table: ne_50m_admin_0_countries

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_countries_fid_seq'::regclass)
2	featurecla	varchar(15)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(35)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(25)		

21	NAME_LONG	varchar(35)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(17)		
25	ABBREV	varchar(13)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(45)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(51)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(14)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		

50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(167)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		

79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		

108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(125)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(65)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(75)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(123)		
120	NAME_HU	varchar(41)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(44)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(46)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(42)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		

137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(18)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		
159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(15)		

166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_50m_admin_0_countries...

Indexes

Name	Method	Fields
ne_50m_admin_0_countries_geom_geom_idx	gist	geom

2.5.5.1.150. Table: ne_50m_admin_0_countries_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_countries_lakes_fid_seq'::regclass)
2	featurecla	varchar(15)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(35)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		

14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(25)		
21	NAME_LONG	varchar(35)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(17)		
25	ABBREV	varchar(13)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(45)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(51)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(14)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		

43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(167)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		

72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		

101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(8)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(125)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(44)		
115	NAME_FA	varchar(65)		
116	NAME_FR	varchar(54)		
117	NAME_EL	varchar(75)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(123)		
120	NAME_HU	varchar(41)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(44)		
123	NAME_JA	varchar(63)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(46)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(43)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(42)		

130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(67)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(18)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(14)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(15)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		
157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		

159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(15)		
166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_50m_admin_0_countries...

Indexes

Name	Method	Fields
ne_50m_admin_0_countries_lakes_geom_geom_idx	gist	geom

2.5.5.1.151. Table: ne_50m_admin_0_map_subunits

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_map_subunits_fid_seq'::regclass)
2	featurecla	varchar(19)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		

7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(35)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(25)		
21	NAME_LONG	varchar(36)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(29)		
25	ABBREV	varchar(11)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(45)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(60)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(32)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		

36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	float8(53)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(6)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(207)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		

65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		

94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(9)		
110	NAME_AR	varchar(71)		
111	NAME_BN	varchar(109)		
112	NAME_DE	varchar(40)		
113	NAME_EN	varchar(36)		
114	NAME_ES	varchar(41)		
115	NAME_FA	varchar(62)		
116	NAME_FR	varchar(44)		
117	NAME_EL	varchar(90)		
118	NAME_HE	varchar(68)		
119	NAME_HI	varchar(97)		
120	NAME_HU	varchar(53)		
121	NAME_ID	varchar(39)		
122	NAME_IT	varchar(40)		

123	NAME_JA	varchar(66)		
124	NAME_KO	varchar(41)		
125	NAME_NL	varchar(41)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(39)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(36)		
130	NAME_TR	varchar(41)		
131	NAME_UK	varchar(82)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(36)		
135	NAME_ZHT	varchar(36)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(30)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(30)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(30)		
145	FCLASS_IN	varchar(30)		
146	FCLASS_NP	varchar(30)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(30)		
149	FCLASS_GB	varchar(30)		
150	FCLASS_BR	varchar(30)		
151	FCLASS_IL	varchar(30)		

152	FCLASS_PS	varchar(30)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(30)		
155	FCLASS_MA	varchar(30)		
156	FCLASS_PT	varchar(30)		
157	FCLASS_AR	varchar(30)		
158	FCLASS_JP	varchar(30)		
159	FCLASS_KO	varchar(30)		
160	FCLASS_VN	varchar(30)		
161	FCLASS_TR	varchar(30)		
162	FCLASS_ID	varchar(30)		
163	FCLASS_PL	varchar(30)		
164	FCLASS_GR	varchar(30)		
165	FCLASS_IT	varchar(30)		
166	FCLASS_NL	varchar(30)		
167	FCLASS_SE	varchar(30)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(14)		
170	geom	(Type)		Index: ne_50m_admin_0_map_sub...

Indexes

Name	Method	Fields
ne_50m_admin_0_map_subunits_geom_geom_idx	gist	geom

2.5.5.1.152. Table: ne_50m_admin_0_map_units

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_map_units_fid_seq'::regclass)
2	featurecla	varchar(16)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(35)		
12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(35)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(35)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(25)		
21	NAME_LONG	varchar(36)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(24)		
25	ABBREV	varchar(11)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		

28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(45)		
30	NOTE_ADM0	varchar(16)		
31	NOTE_BRK	varchar(51)		
32	NAME_SORT	varchar(35)		
33	NAME_ALT	varchar(14)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		
41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(6)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		

57	WOE_NOTE	varchar(207)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		
70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		

86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		
99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(7)		
110	NAME_AR	varchar(72)		
111	NAME_BN	varchar(125)		
112	NAME_DE	varchar(46)		
113	NAME_EN	varchar(44)		
114	NAME_ES	varchar(41)		

115	NAME_FA	varchar(65)		
116	NAME_FR	varchar(44)		
117	NAME_EL	varchar(75)		
118	NAME_HE	varchar(78)		
119	NAME_HI	varchar(123)		
120	NAME_HU	varchar(41)		
121	NAME_ID	varchar(46)		
122	NAME_IT	varchar(44)		
123	NAME_JA	varchar(66)		
124	NAME_KO	varchar(47)		
125	NAME_NL	varchar(46)		
126	NAME_PL	varchar(47)		
127	NAME_PT	varchar(40)		
128	NAME_RU	varchar(86)		
129	NAME_SV	varchar(39)		
130	NAME_TR	varchar(42)		
131	NAME_UK	varchar(91)		
132	NAME_UR	varchar(66)		
133	NAME_VI	varchar(56)		
134	NAME_ZH	varchar(36)		
135	NAME_ZHT	varchar(36)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(30)		
141	FCLASS_RU	varchar(30)		
142	FCLASS_ES	varchar(30)		
143	FCLASS_CN	varchar(24)		

144	FCLASS_TW	varchar(30)		
145	FCLASS_IN	varchar(30)		
146	FCLASS_NP	varchar(30)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(30)		
149	FCLASS_GB	varchar(30)		
150	FCLASS_BR	varchar(30)		
151	FCLASS_IL	varchar(30)		
152	FCLASS_PS	varchar(30)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(30)		
155	FCLASS_MA	varchar(30)		
156	FCLASS_PT	varchar(30)		
157	FCLASS_AR	varchar(30)		
158	FCLASS_JP	varchar(30)		
159	FCLASS_KO	varchar(30)		
160	FCLASS_VN	varchar(30)		
161	FCLASS_TR	varchar(30)		
162	FCLASS_ID	varchar(30)		
163	FCLASS_PL	varchar(30)		
164	FCLASS_GR	varchar(30)		
165	FCLASS_IT	varchar(30)		
166	FCLASS_NL	varchar(30)		
167	FCLASS_SE	varchar(30)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(14)		
170	geom	(Type)		Index: ne_50m_admin_0_map_uni...

Indexes

Name	Method	Fields
ne_50m_admin_0_map_units_geom_geom_idx	gist	geom

2.5.5.1.153. Table: ne_50m_admin_0_pacific_groupings

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_pacific_groupings_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	ne_id	int8(64)		
5	BRK_A3	varchar(3)		
6	geom	(Type)		Index: ne_50m_admin_0_pacific_g...

Indexes

Name	Method	Fields
ne_50m_admin_0_pacific_groupings_geom_geom_idx	gist	geom

2.5.5.1.154. Table: ne_50m_admin_0_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_scale_rank_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		

4	labelrank	int8(64)		
5	sr_sov_a3	varchar(3)		
6	sr_adm0_a3	varchar(3)		
7	sr_gu_a3	varchar(3)		
8	sr_su_a3	varchar(3)		
9	sr_subunit	varchar(100)		
10	geom	(Type)		Index: ne_50m_admin_0_scale_ran...

Indexes

Name	Method	Fields
ne_50m_admin_0_scale_rank_ geom_geom_idx	gist	geom

2.5.5.1.155. Table: ne_50m_admin_0_sovereignty

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_sovereignty_fid_seq'::regclass)
2	featurecla	varchar(19)		
3	scalerank	int4(32)		
4	LABELRANK	int4(32)		
5	SOVEREIGNT	varchar(32)		
6	SOV_A3	varchar(3)		
7	ADM0_DIF	int4(32)		
8	LEVEL	int4(32)		
9	TYPE	varchar(17)		
10	TLC	varchar(1)		
11	ADMIN	varchar(32)		

12	ADM0_A3	varchar(3)		
13	GEOU_DIF	int4(32)		
14	GEOUNIT	varchar(32)		
15	GU_A3	varchar(3)		
16	SU_DIF	int4(32)		
17	SUBUNIT	varchar(32)		
18	SU_A3	varchar(3)		
19	BRK_DIFF	int4(32)		
20	NAME	varchar(24)		
21	NAME_LONG	varchar(32)		
22	BRK_A3	varchar(3)		
23	BRK_NAME	varchar(32)		
24	BRK_GROUP	varchar(17)		
25	ABBREV	varchar(10)		
26	POSTAL	varchar(4)		
27	FORMAL_EN	varchar(52)		
28	FORMAL_FR	varchar(35)		
29	NAME_CIAWF	varchar(33)		
30	NOTE_ADM0	varchar(11)		
31	NOTE_BRK	varchar(42)		
32	NAME_SORT	varchar(31)		
33	NAME_ALT	varchar(10)		
34	MAPCOLOR7	int4(32)		
35	MAPCOLOR8	int4(32)		
36	MAPCOLOR9	int4(32)		
37	MAPCOLOR13	int4(32)		
38	POP_EST	float8(53)		
39	POP_RANK	int4(32)		
40	POP_YEAR	int4(32)		

41	GDP_MD	int4(32)		
42	GDP_YEAR	int4(32)		
43	ECONOMY	varchar(26)		
44	INCOME_GRP	varchar(23)		
45	FIPS_10	varchar(3)		
46	ISO_A2	varchar(5)		
47	ISO_A2_EH	varchar(3)		
48	ISO_A3	varchar(3)		
49	ISO_A3_EH	varchar(3)		
50	ISO_N3	varchar(3)		
51	ISO_N3_EH	varchar(3)		
52	UN_A3	varchar(4)		
53	WB_A2	varchar(3)		
54	WB_A3	varchar(3)		
55	WOE_ID	int4(32)		
56	WOE_ID_EH	int4(32)		
57	WOE_NOTE	varchar(99)		
58	ADM0_ISO	varchar(3)		
59	ADM0_DIFF	varchar(1)		
60	ADM0_TLC	varchar(3)		
61	ADM0_A3_US	varchar(3)		
62	ADM0_A3_FR	varchar(3)		
63	ADM0_A3_RU	varchar(3)		
64	ADM0_A3_ES	varchar(3)		
65	ADM0_A3_CN	varchar(3)		
66	ADM0_A3_TW	varchar(3)		
67	ADM0_A3_IN	varchar(3)		
68	ADM0_A3_NP	varchar(3)		
69	ADM0_A3_PK	varchar(3)		

70	ADM0_A3_DE	varchar(3)		
71	ADM0_A3_GB	varchar(3)		
72	ADM0_A3_BR	varchar(3)		
73	ADM0_A3_IL	varchar(3)		
74	ADM0_A3_PS	varchar(3)		
75	ADM0_A3_SA	varchar(3)		
76	ADM0_A3_EG	varchar(3)		
77	ADM0_A3_MA	varchar(3)		
78	ADM0_A3_PT	varchar(3)		
79	ADM0_A3_AR	varchar(3)		
80	ADM0_A3_JP	varchar(3)		
81	ADM0_A3_KO	varchar(3)		
82	ADM0_A3_VN	varchar(3)		
83	ADM0_A3_TR	varchar(3)		
84	ADM0_A3_ID	varchar(3)		
85	ADM0_A3_PL	varchar(3)		
86	ADM0_A3_GR	varchar(3)		
87	ADM0_A3_IT	varchar(3)		
88	ADM0_A3_NL	varchar(3)		
89	ADM0_A3_SE	varchar(3)		
90	ADM0_A3_BD	varchar(3)		
91	ADM0_A3_UA	varchar(3)		
92	ADM0_A3_UN	int4(32)		
93	ADM0_A3_WB	int4(32)		
94	CONTINENT	varchar(23)		
95	REGION_UN	varchar(10)		
96	SUBREGION	varchar(25)		
97	REGION_WB	varchar(26)		
98	NAME_LEN	int4(32)		

99	LONG_LEN	int4(32)		
100	ABBREV_LEN	int4(32)		
101	TINY	int4(32)		
102	HOMEPART	int4(32)		
103	MIN_ZOOM	float8(53)		
104	MIN_LABEL	float8(53)		
105	MAX_LABEL	float8(53)		
106	LABEL_X	float8(53)		
107	LABEL_Y	float8(53)		
108	NE_ID	int8(64)		
109	WIKIDATAID	varchar(7)		
110	NAME_AR	varchar(52)		
111	NAME_BN	varchar(83)		
112	NAME_DE	varchar(35)		
113	NAME_EN	varchar(35)		
114	NAME_ES	varchar(36)		
115	NAME_FA	varchar(41)		
116	NAME_FR	varchar(34)		
117	NAME_EL	varchar(72)		
118	NAME_HE	varchar(62)		
119	NAME_HI	varchar(84)		
120	NAME_HU	varchar(38)		
121	NAME_ID	varchar(27)		
122	NAME_IT	varchar(32)		
123	NAME_JA	varchar(48)		
124	NAME_KO	varchar(33)		
125	NAME_NL	varchar(30)		
126	NAME_PL	varchar(38)		
127	NAME_PT	varchar(35)		

128	NAME_RU	varchar(67)		
129	NAME_SV	varchar(30)		
130	NAME_TR	varchar(32)		
131	NAME_UK	varchar(79)		
132	NAME_UR	varchar(47)		
133	NAME_VI	varchar(51)		
134	NAME_ZH	varchar(33)		
135	NAME_ZHT	varchar(33)		
136	FCLASS_ISO	varchar(24)		
137	TLC_DIFF	varchar(1)		
138	FCLASS_TLC	varchar(30)		
139	FCLASS_US	varchar(30)		
140	FCLASS_FR	varchar(15)		
141	FCLASS_RU	varchar(15)		
142	FCLASS_ES	varchar(12)		
143	FCLASS_CN	varchar(24)		
144	FCLASS_TW	varchar(15)		
145	FCLASS_IN	varchar(14)		
146	FCLASS_NP	varchar(24)		
147	FCLASS_PK	varchar(15)		
148	FCLASS_DE	varchar(15)		
149	FCLASS_GB	varchar(15)		
150	FCLASS_BR	varchar(12)		
151	FCLASS_IL	varchar(15)		
152	FCLASS_PS	varchar(12)		
153	FCLASS_SA	varchar(15)		
154	FCLASS_EG	varchar(24)		
155	FCLASS_MA	varchar(24)		
156	FCLASS_PT	varchar(15)		

157	FCLASS_AR	varchar(12)		
158	FCLASS_JP	varchar(15)		
159	FCLASS_KO	varchar(15)		
160	FCLASS_VN	varchar(12)		
161	FCLASS_TR	varchar(15)		
162	FCLASS_ID	varchar(24)		
163	FCLASS_PL	varchar(15)		
164	FCLASS_GR	varchar(12)		
165	FCLASS_IT	varchar(15)		
166	FCLASS_NL	varchar(15)		
167	FCLASS_SE	varchar(15)		
168	FCLASS_BD	varchar(24)		
169	FCLASS_UA	varchar(12)		
170	geom	(Type)		Index: ne_50m_admin_0_sovereign...

Indexes

Name	Method	Fields
ne_50m_admin_0_sovereignty _geom_geom_idx	gist	geom

2.5.5.1.156. Table: ne_50m_admin_0_tiny_countries

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_tiny_countries_fid_seq'::regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(22)		
4	sr_label_i	int4(32)		

5	sr_label_o	int4(32)		
6	LABELRANK	int4(32)		
7	SOVEREIGNT	varchar(32)		
8	SOV_A3	varchar(3)		
9	ADM0_DIF	int4(32)		
10	LEVEL	int4(32)		
11	TYPE	varchar(17)		
12	TLC	varchar(1)		
13	ADMIN	varchar(35)		
14	ADM0_A3	varchar(3)		
15	GEOU_DIF	int4(32)		
16	GEOUNIT	varchar(35)		
17	GU_A3	varchar(3)		
18	SU_DIF	int4(32)		
19	SUBUNIT	varchar(35)		
20	SU_A3	varchar(3)		
21	BRK_DIFF	int4(32)		
22	NAME	varchar(23)		
23	NAME_LONG	varchar(35)		
24	BRK_A3	varchar(3)		
25	BRK_NAME	varchar(26)		
26	BRK_GROUP	varchar(22)		
27	ABBREV	varchar(11)		
28	POSTAL	varchar(3)		
29	FORMAL_EN	varchar(52)		
30	FORMAL_FR	varchar(1)		
31	NAME_CIAWF	varchar(45)		
32	NOTE_ADM0	varchar(16)		
33	NOTE_BRK	varchar(51)		

34	NAME_SORT	varchar(35)		
35	NAME_ALT	varchar(8)		
36	MAPCOLOR7	int4(32)		
37	MAPCOLOR8	int4(32)		
38	MAPCOLOR9	int4(32)		
39	MAPCOLOR13	int4(32)		
40	POP_EST	int4(32)		
41	POP_RANK	int4(32)		
42	POP_YEAR	int4(32)		
43	GDP_MD	int4(32)		
44	GDP_YEAR	int4(32)		
45	ECONOMY	varchar(26)		
46	INCOME_GRP	varchar(23)		
47	FIPS_10	varchar(3)		
48	ISO_A2	varchar(6)		
49	ISO_A2_EH	varchar(2)		
50	ISO_A3	varchar(3)		
51	ISO_A3_EH	varchar(3)		
52	ISO_N3	varchar(3)		
53	ISO_N3_EH	varchar(3)		
54	UN_A3	varchar(4)		
55	WB_A2	varchar(3)		
56	WB_A3	varchar(3)		
57	WOE_ID	int4(32)		
58	WOE_ID_EH	int4(32)		
59	WOE_NOTE	varchar(75)		
60	ADM0_ISO	varchar(3)		
61	ADM0_DIFF	varchar(1)		
62	ADM0_TLC	varchar(3)		

63	ADM0_A3_US	varchar(3)		
64	ADM0_A3_FR	varchar(3)		
65	ADM0_A3_RU	varchar(3)		
66	ADM0_A3_ES	varchar(3)		
67	ADM0_A3_CN	varchar(3)		
68	ADM0_A3_TW	varchar(3)		
69	ADM0_A3_IN	varchar(3)		
70	ADM0_A3_NP	varchar(3)		
71	ADM0_A3_PK	varchar(3)		
72	ADM0_A3_DE	varchar(3)		
73	ADM0_A3_GB	varchar(3)		
74	ADM0_A3_BR	varchar(3)		
75	ADM0_A3_IL	varchar(3)		
76	ADM0_A3_PS	varchar(3)		
77	ADM0_A3_SA	varchar(3)		
78	ADM0_A3_EG	varchar(3)		
79	ADM0_A3_MA	varchar(3)		
80	ADM0_A3_PT	varchar(3)		
81	ADM0_A3_AR	varchar(3)		
82	ADM0_A3_JP	varchar(3)		
83	ADM0_A3_KO	varchar(3)		
84	ADM0_A3_VN	varchar(3)		
85	ADM0_A3_TR	varchar(3)		
86	ADM0_A3_ID	varchar(3)		
87	ADM0_A3_PL	varchar(3)		
88	ADM0_A3_GR	varchar(3)		
89	ADM0_A3_IT	varchar(3)		
90	ADM0_A3_NL	varchar(3)		
91	ADM0_A3_SE	varchar(3)		

92	ADM0_A3_BD	varchar(3)		
93	ADM0_A3_UA	varchar(3)		
94	ADM0_A3_UN	int4(32)		
95	ADM0_A3_WB	int4(32)		
96	CONTINENT	varchar(23)		
97	REGION_UN	varchar(8)		
98	SUBREGION	varchar(23)		
99	REGION_WB	varchar(26)		
100	NAME_LEN	int4(32)		
101	LONG_LEN	int4(32)		
102	ABBREV_LEN	int4(32)		
103	TINY	int4(32)		
104	HOMEPART	int4(32)		
105	MIN_ZOOM	int4(32)		
106	MIN_LABEL	float8(53)		
107	MAX_LABEL	float8(53)		
108	LABEL_X	float8(53)		
109	LABEL_Y	float8(53)		
110	NE_ID	int8(64)		
111	WIKIDATAID	varchar(7)		
112	NAME_AR	varchar(72)		
113	NAME_BN	varchar(125)		
114	NAME_DE	varchar(46)		
115	NAME_EN	varchar(44)		
116	NAME_ES	varchar(41)		
117	NAME_FA	varchar(65)		
118	NAME_FR	varchar(44)		
119	NAME_EL	varchar(75)		
120	NAME_HE	varchar(78)		

121	NAME_HI	varchar(123)		
122	NAME_HU	varchar(41)		
123	NAME_ID	varchar(46)		
124	NAME_IT	varchar(44)		
125	NAME_JA	varchar(66)		
126	NAME_KO	varchar(47)		
127	NAME_NL	varchar(46)		
128	NAME_PL	varchar(47)		
129	NAME_PT	varchar(40)		
130	NAME_RU	varchar(86)		
131	NAME_SV	varchar(39)		
132	NAME_TR	varchar(42)		
133	NAME_UK	varchar(91)		
134	NAME_UR	varchar(66)		
135	NAME_VI	varchar(56)		
136	NAME_ZH	varchar(33)		
137	NAME_ZHT	varchar(30)		
138	FCLASS_ISO	varchar(18)		
139	TLC_DIFF	varchar(1)		
140	FCLASS_TLC	varchar(30)		
141	FCLASS_US	varchar(30)		
142	FCLASS_FR	varchar(30)		
143	FCLASS_RU	varchar(30)		
144	FCLASS_ES	varchar(30)		
145	FCLASS_CN	varchar(14)		
146	FCLASS_TW	varchar(30)		
147	FCLASS_IN	varchar(30)		
148	FCLASS_NP	varchar(30)		
149	FCLASS_PK	varchar(12)		

150	FCLASS_DE	varchar(30)		
151	FCLASS_GB	varchar(30)		
152	FCLASS_BR	varchar(30)		
153	FCLASS_IL	varchar(30)		
154	FCLASS_PS	varchar(30)		
155	FCLASS_SA	varchar(12)		
156	FCLASS_EG	varchar(30)		
157	FCLASS_MA	varchar(30)		
158	FCLASS_PT	varchar(30)		
159	FCLASS_AR	varchar(30)		
160	FCLASS_JP	varchar(30)		
161	FCLASS_KO	varchar(30)		
162	FCLASS_VN	varchar(30)		
163	FCLASS_TR	varchar(30)		
164	FCLASS_ID	varchar(30)		
165	FCLASS_PL	varchar(30)		
166	FCLASS_GR	varchar(30)		
167	FCLASS_IT	varchar(30)		
168	FCLASS_NL	varchar(30)		
169	FCLASS_SE	varchar(30)		
170	FCLASS_BD	varchar(12)		
171	FCLASS_UA	varchar(1)		
172	geom	(Type)		Index: ne_50m_admin_0_tiny_coun...

Indexes

Name	Method	Fields
ne_50m_admin_0_tiny_countries_geom_geom_idx	gist	geom

Server: PostGIS (PostgreSQL) > Database: naturalearth > Schema: public

2.5.5.1.157. Table: ne_50m_admin_0_tiny_countries_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_0_tiny_countries_scale_rank_fid_seq'::regclass)
2	scalerank	float8(53)		
3	featurecla	varchar(32)		
4	sr_sov_a3	varchar(3)		
5	sr_adm0_a3	varchar(3)		
6	sr_gu_a3	varchar(3)		
7	sr_su_a3	varchar(3)		
8	sr_subunit	varchar(100)		
9	sr_label_i	int4(32)		
10	sr_label_o	int4(32)		
11	geom	(Type)		Index: ne_50m_admin_0_tiny_coun...

Indexes

Name	Method	Fields
ne_50m_admin_0_tiny_countries_scale_rank_geom_geom_index	gist	geom

2.5.5.1.158. Table: ne_50m_admin_1_seams

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_1_seams_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		

3	SCALERANK	int8(64)		
4	geom	(Type)		Index: ne_50m_admin_1_seams_g...

Indexes

Name	Method	Fields
ne_50m_admin_1_seams_geom_geom_idx	gist	geom

2.5.5.1.159. Table: ne_50m_admin_1_states_provinces

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_1_states_provinces_fid_seq'::regclass)
2	featurecla	varchar(18)		
3	scalerank	int4(32)		
4	adm1_code	varchar(9)		
5	diss_me	int4(32)		
6	iso_3166_2	varchar(7)		
7	wikipedia	varchar(54)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(40)		
11	name_alt	varchar(129)		
12	name_local	varchar(63)		
13	type	varchar(28)		
14	type_en	varchar(19)		
15	code_local	varchar(4)		
16	code_hasc	varchar(5)		

17	note	varchar(61)		
18	hasc_maybe	varchar(13)		
19	region	varchar(19)		
20	region_cod	varchar(15)		
21	provnum_ne	int4(32)		
22	gadm_level	int4(32)		
23	check_me	int4(32)		
24	datarank	int4(32)		
25	abbrev	varchar(8)		
26	postal	varchar(2)		
27	area_sqkm	int4(32)		
28	sameascity	int4(32)		
29	labelrank	int4(32)		
30	name_len	int4(32)		
31	mapcolor9	int4(32)		
32	mapcolor13	int4(32)		
33	fips	varchar(4)		
34	fips_alt	varchar(9)		
35	woe_id	int4(32)		
36	woe_label	varchar(46)		
37	woe_name	varchar(28)		
38	latitude	float8(53)		
39	longitude	float8(53)		
40	sov_a3	varchar(3)		
41	adm0_a3	varchar(3)		
42	adm0_label	int4(32)		
43	admin	varchar(24)		
44	geonunit	varchar(24)		
45	gu_a3	varchar(3)		

46	gn_id	int4(32)		
47	gn_name	varchar(46)		
48	gns_id	int4(32)		
49	gns_name	varchar(47)		
50	gn_level	int4(32)		
51	gn_region	varchar(1)		
52	gn_a1_code	varchar(5)		
53	region_sub	varchar(19)		
54	sub_code	varchar(1)		
55	gns_level	int4(32)		
56	gns_lang	varchar(3)		
57	gns_adm1	varchar(4)		
58	gns_region	varchar(1)		
59	min_label	float8(53)		
60	max_label	float8(53)		
61	min_zoom	float8(53)		
62	wikidataid	varchar(9)		
63	name_ar	varchar(60)		
64	name_bn	varchar(107)		
65	name_de	varchar(44)		
66	name_en	varchar(40)		
67	name_es	varchar(36)		
68	name_fr	varchar(38)		
69	name_el	varchar(85)		
70	name_hi	varchar(82)		
71	name_hu	varchar(40)		
72	name_id	varchar(36)		
73	name_it	varchar(37)		
74	name_ja	varchar(96)		

75	name_ko	varchar(43)		
76	name_nl	varchar(37)		
77	name_pl	varchar(37)		
78	name_pt	varchar(35)		
79	name_ru	varchar(76)		
80	name_sv	varchar(40)		
81	name_tr	varchar(37)		
82	name_vi	varchar(40)		
83	name_zh	varchar(44)		
84	ne_id	int8(64)		
85	name_he	varchar(53)		
86	name_uk	varchar(78)		
87	name_ur	varchar(52)		
88	name_fa	varchar(55)		
89	name_zht	varchar(44)		
90	FCLASS_ISO	varchar(1)		
91	FCLASS_US	varchar(1)		
92	FCLASS_FR	varchar(1)		
93	FCLASS_RU	varchar(1)		
94	FCLASS_ES	varchar(1)		
95	FCLASS_CN	varchar(12)		
96	FCLASS_TW	varchar(1)		
97	FCLASS_IN	varchar(1)		
98	FCLASS_NP	varchar(1)		
99	FCLASS_PK	varchar(12)		
100	FCLASS_DE	varchar(1)		
101	FCLASS_GB	varchar(1)		
102	FCLASS_BR	varchar(1)		
103	FCLASS_IL	varchar(1)		

104	FCLASS_PS	varchar(1)		
105	FCLASS_SA	varchar(1)		
106	FCLASS_EG	varchar(1)		
107	FCLASS_MA	varchar(1)		
108	FCLASS_PT	varchar(1)		
109	FCLASS_AR	varchar(1)		
110	FCLASS_JP	varchar(1)		
111	FCLASS_KO	varchar(1)		
112	FCLASS_VN	varchar(1)		
113	FCLASS_TR	varchar(1)		
114	FCLASS_ID	varchar(1)		
115	FCLASS_PL	varchar(1)		
116	FCLASS_GR	varchar(1)		
117	FCLASS_IT	varchar(1)		
118	FCLASS_NL	varchar(1)		
119	FCLASS_SE	varchar(1)		
120	FCLASS_BD	varchar(1)		
121	FCLASS_UA	varchar(1)		
122	FCLASS_TLC	varchar(1)		
123	geom	(Type)		Index: ne_50m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_50m_admin_1_states_provinces_geom_geom_idx	gist	geom

2.5.5.1.160. Table: ne_50m_admin_1_states_provinces_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_1_state s_provinces_lakes_fid_seq'::regc lass)
2	featurecla	varchar(18)		
3	scalerank	int4(32)		
4	adm1_code	varchar(9)		
5	diss_me	int4(32)		
6	iso_3166_2	varchar(7)		
7	wikipedia	varchar(54)		
8	iso_a2	varchar(2)		
9	adm0_sr	int4(32)		
10	name	varchar(40)		
11	name_alt	varchar(129)		
12	name_local	varchar(63)		
13	type	varchar(28)		
14	type_en	varchar(19)		
15	code_local	varchar(4)		
16	code_hasc	varchar(5)		
17	note	varchar(61)		
18	hasc_maybe	varchar(13)		
19	region	varchar(19)		
20	region_cod	varchar(15)		
21	provnum_ne	int4(32)		
22	gadm_level	int4(32)		
23	check_me	int4(32)		
24	datarank	int4(32)		
25	abbrev	varchar(8)		
26	postal	varchar(2)		

27	area_sqkm	int4(32)		
28	sameascity	int4(32)		
29	labelrank	int4(32)		
30	name_len	int4(32)		
31	mapcolor9	int4(32)		
32	mapcolor13	int4(32)		
33	fips	varchar(4)		
34	fips_alt	varchar(9)		
35	woe_id	int4(32)		
36	woe_label	varchar(46)		
37	woe_name	varchar(28)		
38	latitude	float8(53)		
39	longitude	float8(53)		
40	sov_a3	varchar(3)		
41	adm0_a3	varchar(3)		
42	adm0_label	int4(32)		
43	admin	varchar(24)		
44	geonunit	varchar(24)		
45	gu_a3	varchar(3)		
46	gn_id	int4(32)		
47	gn_name	varchar(46)		
48	gns_id	int4(32)		
49	gns_name	varchar(47)		
50	gn_level	int4(32)		
51	gn_region	varchar(1)		
52	gn_a1_code	varchar(5)		
53	region_sub	varchar(19)		
54	sub_code	varchar(1)		
55	gns_level	int4(32)		

56	gns_lang	varchar(3)		
57	gns_adm1	varchar(4)		
58	gns_region	varchar(1)		
59	min_label	float8(53)		
60	max_label	float8(53)		
61	min_zoom	float8(53)		
62	wikidataid	varchar(9)		
63	name_ar	varchar(60)		
64	name_bn	varchar(107)		
65	name_de	varchar(44)		
66	name_en	varchar(40)		
67	name_es	varchar(36)		
68	name_fr	varchar(38)		
69	name_el	varchar(85)		
70	name_hi	varchar(82)		
71	name_hu	varchar(40)		
72	name_id	varchar(36)		
73	name_it	varchar(37)		
74	name_ja	varchar(96)		
75	name_ko	varchar(43)		
76	name_nl	varchar(37)		
77	name_pl	varchar(37)		
78	name_pt	varchar(35)		
79	name_ru	varchar(76)		
80	name_sv	varchar(40)		
81	name_tr	varchar(37)		
82	name_vi	varchar(40)		
83	name_zh	varchar(44)		
84	ne_id	int8(64)		

85	name_he	varchar(53)		
86	name_uk	varchar(78)		
87	name_ur	varchar(52)		
88	name_fa	varchar(55)		
89	name_zht	varchar(44)		
90	FCLASS_ISO	varchar(1)		
91	FCLASS_US	varchar(1)		
92	FCLASS_FR	varchar(1)		
93	FCLASS_RU	varchar(1)		
94	FCLASS_ES	varchar(1)		
95	FCLASS_CN	varchar(12)		
96	FCLASS_TW	varchar(1)		
97	FCLASS_IN	varchar(1)		
98	FCLASS_NP	varchar(1)		
99	FCLASS_PK	varchar(12)		
100	FCLASS_DE	varchar(1)		
101	FCLASS_GB	varchar(1)		
102	FCLASS_BR	varchar(1)		
103	FCLASS_IL	varchar(1)		
104	FCLASS_PS	varchar(1)		
105	FCLASS_SA	varchar(1)		
106	FCLASS_EG	varchar(1)		
107	FCLASS_MA	varchar(1)		
108	FCLASS_PT	varchar(1)		
109	FCLASS_AR	varchar(1)		
110	FCLASS_JP	varchar(1)		
111	FCLASS_KO	varchar(1)		
112	FCLASS_VN	varchar(1)		
113	FCLASS_TR	varchar(1)		

114	FCLASS_ID	varchar(1)		
115	FCLASS_PL	varchar(1)		
116	FCLASS_GR	varchar(1)		
117	FCLASS_IT	varchar(1)		
118	FCLASS_NL	varchar(1)		
119	FCLASS_SE	varchar(1)		
120	FCLASS_BD	varchar(1)		
121	FCLASS_UA	varchar(1)		
122	FCLASS_TLC	varchar(1)		
123	geom	(Type)		Index: ne_50m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_50m_admin_1_states_prov inces_lakes_geom_geom_idx	gist	geom

2.5.5.1.161. Table: ne_50m_admin_1_states_provinces_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_1_state s_provinces_lines_fid_seq'::regc lass)
2	FEATURECLA	varchar(32)		
3	NAME	varchar(100)		
4	ADM0_A3	varchar(3)		
5	ADM0_NAME	varchar(100)		
6	MAPCOLOR9	int8(64)		
7	MAPCOLOR13	int8(64)		

8	SCALERANK	int8(64)		
9	MIN_ZOOM	float8(53)		
10	FCLASS_ISO	varchar(32)		
11	FCLASS_US	varchar(32)		
12	FCLASS_FR	varchar(32)		
13	FCLASS_RU	varchar(32)		
14	FCLASS_ES	varchar(32)		
15	FCLASS_CN	varchar(32)		
16	FCLASS_TW	varchar(32)		
17	FCLASS_IN	varchar(32)		
18	FCLASS_NP	varchar(32)		
19	FCLASS_PK	varchar(32)		
20	FCLASS_DE	varchar(32)		
21	FCLASS_GB	varchar(32)		
22	FCLASS_BR	varchar(32)		
23	FCLASS_IL	varchar(32)		
24	FCLASS_PS	varchar(32)		
25	FCLASS_SA	varchar(32)		
26	FCLASS_EG	varchar(32)		
27	FCLASS_MA	varchar(32)		
28	FCLASS_PT	varchar(32)		
29	FCLASS_AR	varchar(32)		
30	FCLASS_JP	varchar(32)		
31	FCLASS_KO	varchar(32)		
32	FCLASS_VN	varchar(32)		
33	FCLASS_TR	varchar(32)		
34	FCLASS_ID	varchar(32)		
35	FCLASS_PL	varchar(32)		
36	FCLASS_GR	varchar(32)		

37	FCLASS_IT	varchar(32)		
38	FCLASS_NL	varchar(32)		
39	FCLASS_SE	varchar(32)		
40	FCLASS_BD	varchar(32)		
41	FCLASS_UA	varchar(32)		
42	NE_ID	int8(64)		
43	BRK_A3	varchar(3)		
44	FCLASS_TLC	varchar(254)		
45	geom	(Type)		Index: ne_50m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_50m_admin_1_states_provinces_lines_geom_geom_idx	gist	geom

2.5.5.1.162. Table: ne_50m_admin_1_states_provinces_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_admin_1_states_provinces_scale_rank_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	adm1_code	varchar(10)		
4	scalerank	int4(32)		
5	geom	(Type)		Index: ne_50m_admin_1_states_pr...

Indexes

Name	Method	Fields
ne_50m_admin_1_states_provinces_scale_rank_geom_geom_idx	gist	geom

2.5.5.1.163. Table: ne_50m_airports

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_airports_fid_seq'::regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(80)		
4	type	varchar(50)		
5	name	varchar(200)		
6	abbrev	varchar(4)		
7	location	varchar(50)		
8	gps_code	varchar(254)		
9	iata_code	varchar(254)		
10	wikipedia	varchar(254)		
11	natlscale	float8(53)		
12	comments	varchar(254)		
13	wikidataid	varchar(254)		
14	name_ar	varchar(254)		
15	name_bn	varchar(254)		
16	name_de	varchar(254)		
17	name_en	varchar(254)		
18	name_es	varchar(254)		
19	name_fr	varchar(254)		
20	name_el	varchar(254)		

21	name_hi	varchar(254)		
22	name_hu	varchar(254)		
23	name_id	varchar(254)		
24	name_it	varchar(254)		
25	name_ja	varchar(254)		
26	name_ko	varchar(254)		
27	name_nl	varchar(254)		
28	name_pl	varchar(254)		
29	name_pt	varchar(254)		
30	name_ru	varchar(254)		
31	name_sv	varchar(254)		
32	name_tr	varchar(254)		
33	name_vi	varchar(254)		
34	name_zh	varchar(254)		
35	wdid_score	int4(32)		
36	ne_id	int8(64)		
37	name_fa	varchar(99)		
38	name_he	varchar(99)		
39	name_uk	varchar(112)		
40	name_ur	varchar(93)		
41	name_zht	varchar(80)		
42	geom	(Type)		Index: ne_50m_airports_geom_geo...

Indexes

Name	Method	Fields
ne_50m_airports_geom_geom_idx	gist	geom

2.5.5.1.164. Table: ne_50m_antarctic_ice_shelves_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_antarctic_ice_s helves_lines_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_50m_antarctic_ice_shelv...

Indexes

Name	Method	Fields
ne_50m_antarctic_ice_shelves_lines_geom_geom_idx	gist	geom

2.5.5.1.165. Table: ne_50m_antarctic_ice_shelves_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_antarctic_ice_s helves_polys_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	scalerank	int8(64)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_50m_antarctic_ice_shelv...

Indexes

Name	Method	Fields
ne_50m_antarctic_ice_shelves_polys_geom_geom_idx	gist	geom

2.5.5.1.166. Table: ne_50m_coastline

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_coastline_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_50m_coastline_geom_ge...

Indexes

Name	Method	Fields
ne_50m_coastline_geom_geom_idx	gist	geom

2.5.5.1.167. Table: ne_50m_geographic_lines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_geographic_lines_fid_seq'::regclass)
2	scalerank	int8(64)		
3	name	varchar(50)		
4	name_long	varchar(100)		
5	abbrev	varchar(25)		
6	note	varchar(100)		
7	featurecla	varchar(30)		
8	min_zoom	float8(53)		
9	wikidataid	varchar(254)		
10	name_ar	varchar(254)		

11	name_bn	varchar(254)		
12	name_de	varchar(254)		
13	name_en	varchar(254)		
14	name_es	varchar(254)		
15	name_fr	varchar(254)		
16	name_el	varchar(254)		
17	name_hi	varchar(254)		
18	name_hu	varchar(254)		
19	name_id	varchar(254)		
20	name_it	varchar(254)		
21	name_ja	varchar(254)		
22	name_ko	varchar(254)		
23	name_nl	varchar(254)		
24	name_pl	varchar(254)		
25	name_pt	varchar(254)		
26	name_ru	varchar(254)		
27	name_sv	varchar(254)		
28	name_tr	varchar(254)		
29	name_vi	varchar(254)		
30	name_zh	varchar(254)		
31	wdid_score	int4(32)		
32	ne_id	int8(64)		
33	name_he	varchar(80)		
34	name_uk	varchar(80)		
35	name_ur	varchar(80)		
36	name_fa	varchar(80)		
37	name_zht	varchar(80)		
38	geom	(Type)		Index: ne_50m_geographic_lines_g...

Indexes

Name	Method	Fields
ne_50m_geographic_lines_geom_geom_idx	gist	geom

2.5.5.1.168. Table: ne_50m_geography_marine_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_geography_marine_polys_fid_seq'::regclass)
2	featurecla	varchar(32)		
3	name	varchar(254)		
4	namealt	varchar(254)		
5	changed	varchar(50)		
6	note	varchar(50)		
7	name_fr	varchar(200)		
8	min_label	float8(53)		
9	max_label	float8(53)		
10	scalerank	int4(32)		
11	label	varchar(254)		
12	wikidataid	varchar(254)		
13	name_ar	varchar(254)		
14	name_bn	varchar(254)		
15	name_de	varchar(254)		
16	name_en	varchar(254)		
17	name_es	varchar(254)		
18	name_el	varchar(254)		
19	name_hi	varchar(254)		
20	name_hu	varchar(254)		

21	name_id	varchar(254)		
22	name_it	varchar(254)		
23	name_ja	varchar(254)		
24	name_ko	varchar(254)		
25	name_nl	varchar(254)		
26	name_pl	varchar(254)		
27	name_pt	varchar(254)		
28	name_ru	varchar(254)		
29	name_sv	varchar(254)		
30	name_tr	varchar(254)		
31	name_vi	varchar(254)		
32	name_zh	varchar(254)		
33	ne_id	int8(64)		
34	name_fa	varchar(80)		
35	name_he	varchar(80)		
36	name_uk	varchar(80)		
37	name_ur	varchar(80)		
38	name_zht	varchar(80)		
39	geom	(Type)		Index: ne_50m_geography_marine...

Indexes

Name	Method	Fields
ne_50m_geography_marine_p olys_geom_geom_idx	gist	geom

2.5.5.1.169. Table: ne_50m_geography_regions_elevation_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_geography_regions_elevation_points_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	elevation	float8(53)		
6	comment	varchar(50)		
7	name_alt	varchar(254)		
8	lat_y	float8(53)		
9	long_x	float8(53)		
10	nation1	varchar(20)		
11	nation2	varchar(20)		
12	note	varchar(50)		
13	region	varchar(50)		
14	subregion	varchar(50)		
15	min_zoom	float8(53)		
16	label	varchar(254)		
17	wikidataid	varchar(254)		
18	name_ar	varchar(254)		
19	name_bn	varchar(254)		
20	name_de	varchar(254)		
21	name_en	varchar(254)		
22	name_es	varchar(254)		
23	name_fr	varchar(254)		
24	name_el	varchar(254)		
25	name_hi	varchar(254)		
26	name_hu	varchar(254)		

27	name_id	varchar(254)		
28	name_it	varchar(254)		
29	name_ja	varchar(254)		
30	name_ko	varchar(254)		
31	name_nl	varchar(254)		
32	name_pl	varchar(254)		
33	name_pt	varchar(254)		
34	name_ru	varchar(254)		
35	name_sv	varchar(254)		
36	name_tr	varchar(254)		
37	name_vi	varchar(254)		
38	name_zh	varchar(254)		
39	ne_id	int8(64)		
40	name_fa	varchar(80)		
41	name_he	varchar(80)		
42	name_uk	varchar(80)		
43	name_ur	varchar(80)		
44	name_zht	varchar(80)		
45	geom	(Type)		Index: ne_50m_geography_regions...

Indexes

Name	Method	Fields
ne_50m_geography_regions_elevation_points_geom_geom_idx	gist	geom

2.5.5.1.170. Table: ne_50m_geography_regions_points

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_geography_regions_points_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	comment	varchar(50)		
6	name_alt	varchar(254)		
7	lat_y	float8(53)		
8	long_x	float8(53)		
9	region	varchar(50)		
10	subregion	varchar(50)		
11	min_zoom	float8(53)		
12	label	varchar(254)		
13	name_ar	varchar(254)		
14	name_bn	varchar(254)		
15	name_de	varchar(254)		
16	name_en	varchar(254)		
17	name_es	varchar(254)		
18	name_fr	varchar(254)		
19	name_el	varchar(254)		
20	name_hi	varchar(254)		
21	name_hu	varchar(254)		
22	name_id	varchar(254)		
23	name_it	varchar(254)		
24	name_ja	varchar(254)		
25	name_ko	varchar(254)		
26	name_nl	varchar(254)		
27	name_pl	varchar(254)		

28	name_pt	varchar(254)		
29	name_ru	varchar(254)		
30	name_sv	varchar(254)		
31	name_tr	varchar(254)		
32	name_vi	varchar(254)		
33	name_zh	varchar(254)		
34	wikidataid	varchar(254)		
35	ne_id	int8(64)		
36	name_fa	varchar(80)		
37	name_he	varchar(80)		
38	name_uk	varchar(80)		
39	name_ur	varchar(80)		
40	name_zht	varchar(80)		
41	geom	(Type)		Index: ne_50m_geography_regions...

Indexes

Name	Method	Fields
ne_50m_geography_regions_points_geom_geom_idx	gist	geom

2.5.5.1.171. Table: ne_50m_geography_regions_polys

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_geography_regions_polys_fid_seq'::regclass)
2	FEATURECLA	varchar(32)		
3	NAME	varchar(254)		
4	NAMEALT	varchar(254)		

5	REGION	varchar(50)		
6	SUBREGION	varchar(50)		
7	MIN_LABEL	float8(53)		
8	MAX_LABEL	float8(53)		
9	SCALERANK	int4(32)		
10	LABEL	varchar(254)		
11	WIKIDATAID	varchar(254)		
12	NAME_AR	varchar(254)		
13	NAME_BN	varchar(254)		
14	NAME_DE	varchar(254)		
15	NAME_EN	varchar(254)		
16	NAME_ES	varchar(254)		
17	NAME_FR	varchar(254)		
18	NAME_EL	varchar(254)		
19	NAME_HI	varchar(254)		
20	NAME_HU	varchar(254)		
21	NAME_ID	varchar(254)		
22	NAME_IT	varchar(254)		
23	NAME_JA	varchar(254)		
24	NAME_KO	varchar(254)		
25	NAME_NL	varchar(254)		
26	NAME_PL	varchar(254)		
27	NAME_PT	varchar(254)		
28	NAME_RU	varchar(254)		
29	NAME_SV	varchar(254)		
30	NAME_TR	varchar(254)		
31	NAME_VI	varchar(254)		
32	NAME_ZH	varchar(254)		
33	NE_ID	int8(64)		

34	NAME_FA	varchar(80)		
35	NAME_HE	varchar(80)		
36	NAME_UK	varchar(80)		
37	NAME_UR	varchar(80)		
38	NAME_ZHT	varchar(80)		
39	geom	(Type)		Index: ne_50m_geography_regions...

Indexes

Name	Method	Fields
ne_50m_geography_regions_polygons_geom_idx	gist	geom

2.5.5.1.172. Table: ne_50m_glaciated_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_glaciated_areas_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_50m_glaciated_areas_ge...

Indexes

Name	Method	Fields
ne_50m_glaciated_areas_geom_idx	gist	geom

2.5.5.1.173. Table: ne_50m_lakes

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_lakes_fid_seq': :regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	name_alt	varchar(254)		
6	note	varchar(100)		
7	admin	varchar(50)		
8	namepar	varchar(254)		
9	min_zoom	float8(53)		
10	min_label	float8(53)		
11	name_abb	varchar(25)		
12	label	varchar(254)		
13	wikidataid	varchar(254)		
14	name_ar	varchar(254)		
15	name_bn	varchar(254)		
16	name_de	varchar(254)		
17	name_en	varchar(254)		
18	name_es	varchar(254)		
19	name_fr	varchar(254)		
20	name_el	varchar(254)		
21	name_hi	varchar(254)		
22	name_hu	varchar(254)		
23	name_id	varchar(254)		
24	name_it	varchar(254)		
25	name_ja	varchar(254)		
26	name_ko	varchar(254)		

27	name_nl	varchar(254)		
28	name_pl	varchar(254)		
29	name_pt	varchar(254)		
30	name_ru	varchar(254)		
31	name_sv	varchar(254)		
32	name_tr	varchar(254)		
33	name_vi	varchar(254)		
34	name_zh	varchar(254)		
35	ne_id	int8(64)		
36	name_fa	varchar(97)		
37	name_he	varchar(85)		
38	name_uk	varchar(80)		
39	name_ur	varchar(81)		
40	name_zht	varchar(80)		
41	geom	(Type)		Index: ne_50m_lakes_geom_geom...

Indexes

Name	Method	Fields
ne_50m_lakes_geom_geom_idx	gist	geom

2.5.5.1.174. Table: ne_50m_lakes_historic

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_lakes_historic_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		

4	name	varchar(254)		
5	name_alt	varchar(254)		
6	min_zoom	float8(53)		
7	wikidataid	varchar(254)		
8	label	varchar(254)		
9	name_ar	varchar(254)		
10	name_bn	varchar(254)		
11	name_de	varchar(254)		
12	name_en	varchar(254)		
13	name_es	varchar(254)		
14	name_fr	varchar(254)		
15	name_el	varchar(254)		
16	name_hi	varchar(254)		
17	name_hu	varchar(254)		
18	name_id	varchar(254)		
19	name_it	varchar(254)		
20	name_ja	varchar(254)		
21	name_ko	varchar(254)		
22	name_nl	varchar(254)		
23	name_pl	varchar(254)		
24	name_pt	varchar(254)		
25	name_ru	varchar(254)		
26	name_sv	varchar(254)		
27	name_tr	varchar(254)		
28	name_vi	varchar(254)		
29	name_zh	varchar(254)		
30	wdid_score	int4(32)		
31	ne_id	int8(64)		
32	name_he	varchar(80)		

33	name_uk	varchar(80)		
34	name_ur	varchar(80)		
35	name_fa	varchar(80)		
36	name_zht	varchar(80)		
37	geom	(Type)		Index: ne_50m_lakes_historic_geo...

Indexes

Name	Method	Fields
ne_50m_lakes_historic_geom_geom_idx	gist	geom

2.5.5.1.175. Table: ne_50m_land

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_land_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_50m_land_geom_geom_...

Indexes

Name	Method	Fields
ne_50m_land_geom_geom_idx	gist	geom

2.5.5.1.176. Table: ne_50m_ocean

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_ocean_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	min_zoom	float8(53)		
5	geom	(Type)		Index: ne_50m_ocean_geom_geom...

Indexes

Name	Method	Fields
ne_50m_ocean_geom_geom_idx	gist	geom

2.5.5.1.177. Table: ne_50m_playas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_playas_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	name_alt	varchar(254)		
6	note	varchar(100)		
7	min_zoom	float8(53)		
8	wikidataid	varchar(254)		
9	name_ar	varchar(254)		
10	name_bn	varchar(254)		

11	name_de	varchar(254)		
12	name_en	varchar(254)		
13	name_es	varchar(254)		
14	name_fr	varchar(254)		
15	name_el	varchar(254)		
16	name_hi	varchar(254)		
17	name_hu	varchar(254)		
18	name_id	varchar(254)		
19	name_it	varchar(254)		
20	name_ja	varchar(254)		
21	name_ko	varchar(254)		
22	name_nl	varchar(254)		
23	name_pl	varchar(254)		
24	name_pt	varchar(254)		
25	name_ru	varchar(254)		
26	name_sv	varchar(254)		
27	name_tr	varchar(254)		
28	name_vi	varchar(254)		
29	name_zh	varchar(254)		
30	ne_id	int8(64)		
31	name_fa	varchar(80)		
32	name_he	varchar(80)		
33	name_uk	varchar(80)		
34	name_ur	varchar(80)		
35	name_zht	varchar(80)		
36	geom	(Type)		Index: ne_50m_playas_geom_geom...

Indexes

Name	Method	Fields
ne_50m_playas_geom_geom_idx	gist	geom

2.5.5.1.178. Table: ne_50m_populated_places

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_populated_places_fid_seq'::regclass)
2	SCALERANK	int4(32)		
3	NATSCALE	int4(32)		
4	LABELRANK	int4(32)		
5	FEATURECLA	varchar(50)		
6	NAME	varchar(100)		
7	NAMEPAR	varchar(254)		
8	NAMEALT	varchar(254)		
9	NAMEASCII	varchar(100)		
10	ADM0CAP	int4(32)		
11	CAPIN	varchar(15)		
12	WORLDCITY	int4(32)		
13	MEGACITY	int4(32)		
14	SOV0NAME	varchar(100)		
15	SOV_A3	varchar(3)		
16	ADM0NAME	varchar(50)		
17	ADM0_A3	varchar(3)		
18	ADM1NAME	varchar(100)		
19	ISO_A2	varchar(5)		
20	NOTE	varchar(254)		

21	LATITUDE	float8(53)		
22	LONGITUDE	float8(53)		
23	POP_MAX	int8(64)		
24	POP_MIN	int8(64)		
25	POP_OTHER	int8(64)		
26	RANK_MAX	int4(32)		
27	RANK_MIN	int4(32)		
28	MEGANAME	varchar(100)		
29	LS_NAME	varchar(41)		
30	MAX_POP10	int8(64)		
31	MAX_POP20	int8(64)		
32	MAX_POP50	int8(64)		
33	MAX_POP300	int8(64)		
34	MAX_POP310	int8(64)		
35	MAX_NATSCA	int8(64)		
36	MIN_AREAKM	int8(64)		
37	MAX_AREAKM	int8(64)		
38	MIN_AREAMI	int8(64)		
39	MAX_AREAMI	int8(64)		
40	MIN_PERKM	int8(64)		
41	MAX_PERKM	int8(64)		
42	MIN_PERMI	int8(64)		
43	MAX_PERMI	int8(64)		
44	MIN_BBXMIN	float8(53)		
45	MAX_BBXMIN	float8(53)		
46	MIN_BBXMAX	float8(53)		
47	MAX_BBXMAX	float8(53)		
48	MIN_BBYMIN	float8(53)		
49	MAX_BBYMIN	float8(53)		

50	MIN_BBYMAX	float8(53)		
51	MAX_BBYMAX	float8(53)		
52	MEAN_BBXC	float8(53)		
53	MEAN_BBYC	float8(53)		
54	TIMEZONE	varchar(50)		
55	UN_FID	int4(32)		
56	POP1950	int8(64)		
57	POP1955	int8(64)		
58	POP1960	int8(64)		
59	POP1965	int8(64)		
60	POP1970	int8(64)		
61	POP1975	int8(64)		
62	POP1980	int8(64)		
63	POP1985	int8(64)		
64	POP1990	int8(64)		
65	POP1995	int8(64)		
66	POP2000	int8(64)		
67	POP2005	int8(64)		
68	POP2010	int8(64)		
69	POP2015	int8(64)		
70	POP2020	int8(64)		
71	POP2025	int8(64)		
72	POP2050	int8(64)		
73	MIN_ZOOM	float8(53)		
74	WIKIDATAID	varchar(30)		
75	WOF_ID	int8(64)		
76	CAPALT	int4(32)		
77	NAME_EN	varchar(100)		
78	NAME_DE	varchar(100)		

79	NAME_ES	varchar(100)		
80	NAME_FR	varchar(100)		
81	NAME_PT	varchar(100)		
82	NAME_RU	varchar(100)		
83	NAME_ZH	varchar(100)		
84	LABEL	varchar(100)		
85	NAME_AR	varchar(100)		
86	NAME_BN	varchar(110)		
87	NAME_EL	varchar(100)		
88	NAME_HI	varchar(100)		
89	NAME_HU	varchar(100)		
90	NAME_ID	varchar(100)		
91	NAME_IT	varchar(100)		
92	NAME_JA	varchar(100)		
93	NAME_KO	varchar(100)		
94	NAME_NL	varchar(100)		
95	NAME_PL	varchar(100)		
96	NAME_SV	varchar(100)		
97	NAME_TR	varchar(100)		
98	NAME_VI	varchar(100)		
99	NE_ID	int8(64)		
100	NAME_FA	varchar(80)		
101	NAME_HE	varchar(80)		
102	NAME_UK	varchar(80)		
103	NAME_UR	varchar(80)		
104	NAME_ZHT	varchar(80)		
105	GEONAMESID	int8(64)		
106	FCLASS_ISO	varchar(50)		
107	FCLASS_US	varchar(50)		

108	FCLASS_FR	varchar(50)		
109	FCLASS_RU	varchar(50)		
110	FCLASS_ES	varchar(50)		
111	FCLASS_CN	varchar(50)		
112	FCLASS_TW	varchar(50)		
113	FCLASS_IN	varchar(50)		
114	FCLASS_NP	varchar(50)		
115	FCLASS_PK	varchar(50)		
116	FCLASS_DE	varchar(50)		
117	FCLASS_GB	varchar(50)		
118	FCLASS_BR	varchar(50)		
119	FCLASS_IL	varchar(50)		
120	FCLASS_PS	varchar(50)		
121	FCLASS_SA	varchar(50)		
122	FCLASS_EG	varchar(50)		
123	FCLASS_MA	varchar(50)		
124	FCLASS_PT	varchar(50)		
125	FCLASS_AR	varchar(50)		
126	FCLASS_JP	varchar(50)		
127	FCLASS_KO	varchar(50)		
128	FCLASS_VN	varchar(50)		
129	FCLASS_TR	varchar(50)		
130	FCLASS_ID	varchar(50)		
131	FCLASS_PL	varchar(50)		
132	FCLASS_GR	varchar(50)		
133	FCLASS_IT	varchar(50)		
134	FCLASS_NL	varchar(50)		
135	FCLASS_SE	varchar(50)		
136	FCLASS_BD	varchar(50)		

137	FCLASS_UA	varchar(50)		
138	FCLASS_TLC	varchar(254)		
139	geom	(Type)		Index: ne_50m_populated_places_...

Indexes

Name	Method	Fields
ne_50m_populated_places_geom_geom_idx	gist	geom

2.5.5.1.179. Table: ne_50m_populated_places_simple

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_populated_places_simple_fid_seq'::regclass)
2	scalerank	int4(32)		
3	natscale	int4(32)		
4	labelrank	int4(32)		
5	featurecla	varchar(50)		
6	name	varchar(100)		
7	namepar	varchar(254)		
8	namealt	varchar(254)		
9	nameascii	varchar(100)		
10	adm0cap	int4(32)		
11	capalt	int4(32)		
12	capin	varchar(15)		
13	worldcity	int4(32)		
14	megacity	int4(32)		
15	sov0name	varchar(100)		

16	sov_a3	varchar(3)		
17	adm0name	varchar(50)		
18	adm0_a3	varchar(3)		
19	adm1name	varchar(100)		
20	iso_a2	varchar(5)		
21	note	varchar(254)		
22	latitude	float8(53)		
23	longitude	float8(53)		
24	pop_max	int8(64)		
25	pop_min	int8(64)		
26	pop_other	int8(64)		
27	rank_max	int4(32)		
28	rank_min	int4(32)		
29	meganame	varchar(100)		
30	ls_name	varchar(41)		
31	min_zoom	float8(53)		
32	ne_id	int8(64)		
33	geom	(Type)		Index: ne_50m_populated_places_...

Indexes

Name	Method	Fields
ne_50m_populated_places_simpl_geom_idx	gist	geom

2.5.5.1.180. Table: ne_50m_ports

Fields

Pos	Name	Type	Not Null	Others
-----	------	------	----------	--------

1	fid 	int4(32)	✓	Default: nextval('ne_50m_ports_fid_seq': :regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(80)		
4	name	varchar(50)		
5	website	varchar(254)		
6	natlscale	float8(53)		
7	ne_id	int8(64)		
8	geom	(Type)		Index: ne_50m_ports_geom_geom...

Indexes

Name	Method	Fields
ne_50m_ports_geom_geom_id x	gist	geom

2.5.5.1.181. Table: ne_50m_rivers_lake_centerlines

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_rivers_lake_cen terlines_fid_seq':regclass)
2	scalerank	int4(32)		
3	featurecla	varchar(30)		
4	name	varchar(200)		
5	note	varchar(200)		
6	min_zoom	float8(53)		
7	name_alt	varchar(254)		
8	min_label	float8(53)		

9	name_en	varchar(254)		
10	label	varchar(254)		
11	wikidataid	varchar(254)		
12	name_ar	varchar(254)		
13	name_bn	varchar(254)		
14	name_de	varchar(254)		
15	name_es	varchar(254)		
16	name_fr	varchar(254)		
17	name_el	varchar(254)		
18	name_hi	varchar(254)		
19	name_hu	varchar(254)		
20	name_id	varchar(254)		
21	name_it	varchar(254)		
22	name_ja	varchar(254)		
23	name_ko	varchar(254)		
24	name_nl	varchar(254)		
25	name_pl	varchar(254)		
26	name_pt	varchar(254)		
27	name_ru	varchar(254)		
28	name_sv	varchar(254)		
29	name_tr	varchar(254)		
30	name_vi	varchar(254)		
31	name_zh	varchar(254)		
32	ne_id	int8(64)		
33	name_fa	varchar(80)		
34	name_he	varchar(80)		
35	name_uk	varchar(80)		
36	name_ur	varchar(80)		

37	name_zht	varchar(80)		
38	geom	(Type)		Index: ne_50m_rivers_lake_centerl...

Indexes

Name	Method	Fields
ne_50m_rivers_lake_centerline s_geom_geom_idx	gist	geom

2.5.5.1.182. Table: ne_50m_rivers_lake_centerlines_scale_rank

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_rivers_lake_centerlines_scale_rank_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(32)		
4	name	varchar(254)		
5	dissolve	varchar(100)		
6	note	varchar(50)		
7	min_zoom	float8(53)		
8	strokeweig	float8(53)		
9	name_alt	varchar(254)		
10	name_en	varchar(254)		
11	min_label	float8(53)		
12	ne_id	int8(64)		
13	label	varchar(254)		
14	wikidataid	varchar(254)		
15	name_ar	varchar(254)		

16	name_bn	varchar(254)		
17	name_de	varchar(254)		
18	name_es	varchar(254)		
19	name_fr	varchar(254)		
20	name_el	varchar(254)		
21	name_hi	varchar(254)		
22	name_hu	varchar(254)		
23	name_id	varchar(254)		
24	name_it	varchar(254)		
25	name_ja	varchar(254)		
26	name_ko	varchar(254)		
27	name_nl	varchar(254)		
28	name_pl	varchar(254)		
29	name_pt	varchar(254)		
30	name_ru	varchar(254)		
31	name_sv	varchar(254)		
32	name_tr	varchar(254)		
33	name_vi	varchar(254)		
34	name_zh	varchar(254)		
35	name_fa	varchar(80)		
36	name_he	varchar(80)		
37	name_uk	varchar(80)		
38	name_ur	varchar(80)		
39	name_zht	varchar(80)		
40	geom	(Type)		Index: ne_50m_rivers_lake_centerl...

Indexes

Name	Method	Fields
ne_50m_rivers_lake_centerline s_scale_rank_geom_geom_idx	gist	geom

Server: PostGIS (PostgreSQL) > Database: naturalearth > Schema: public

2.5.5.1.183. Table: ne_50m_urban_areas

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('ne_50m_urban_areas_fid_seq'::regclass)
2	scalerank	int8(64)		
3	featurecla	varchar(50)		
4	area_sqkm	float8(53)		
5	min_zoom	float8(53)		
6	geom	(Type)		Index: ne_50m_urban_areas_geom...

Indexes

Name	Method	Fields
ne_50m_urban_areas_geom_geom_idx	gist	geom

2.6. Database: ormeo

2.6.6. Schema: public

2.6.6.1. Tables

2.6.6.1.1. Table: lansstyrelsen_ebh

Fields

Pos	Name	Type	Not Null	Others
1	fid 	int4(32)	✓	Default: nextval('lansstyrelsen_ebh_fid_seq'::regclass)
2	ebh_id	numeric(10)		
3	kommun	varchar(30)		
4	lan	varchar(30)		
5	p_bransch	varchar(254)		
6	s_bransch	varchar(254)		
7	fastighet	numeric(10)		
8	preciserad	varchar(29)		
9	riskklass	varchar(254)		
10	status	varchar(254)		
11	geom	geometry		
12	text	varchar(255)		
13	last_updated	timestamp(6)		